



## **SURVEILLANCE** REPORT

# HIV/AIDS surveillance in Europe

# 2007

[www.ecdc.europa.eu](http://www.ecdc.europa.eu)  
[www.euro.who.int](http://www.euro.who.int)



# **HIV/AIDS surveillance in Europe**

Suggested citation for full report:

European Centre for Disease Prevention and Control/WHO Regional Office for Europe: HIV/AIDS surveillance in Europe 2007. Stockholm, European Centre for Disease Prevention and Control, 2008.

Tables and figures should be referenced:

European Centre for Disease Prevention and Control/WHO Regional Office for Europe: HIV/AIDS surveillance in Europe 2007.

The maps are reproduced with the permission of the WHO Regional Office for Europe. The designations employed and the presentation of this material do not imply the expression of any opinion whatsoever on the part of the Secretariat of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers and boundaries.

The WHO Regional Office for Europe is responsible for the accuracy of the translation of the Russian summary.

© World Health Organization.

ISBN 978-92-9193-138-5

DOI 10.2900/22974

© European Centre for Disease Prevention and Control, 2008.

Reproduction is authorised, provided the source is acknowledged.

## Summary

**Key points:** HIV infection remains of major public health importance in Europe, with evidence of increasing transmission of HIV in several European countries.

- In 2007, 48 892 newly diagnosed cases of HIV infection were reported by 49 of the 53 countries in the WHO European Region (data not available from Austria, Italy, Monaco or the Russian Federation). The highest rates were reported from Estonia, Ukraine, Portugal and the Republic of Moldova. 5 244 cases of AIDS were reported by 48 countries (data not available from Italy, Kazakhstan, Monaco, the Russian Federation or Ukraine).
- In 2007, 26 279 newly diagnosed cases of HIV infection were reported in the countries of the European Union and the European Free Trade Association (in this report referred to as EU/EFTA) (data not available from Austria or Italy). In the EU/EFTA, the highest rates were reported from Estonia, Portugal and Latvia; the lowest rates were reported by Slovakia, the Czech Republic and Romania.
- In the EU/EFTA, the predominant modes of transmission for HIV infection appear to be sex between men followed by heterosexual contact. Around 40 percent of the cases reported to be heterosexually acquired were diagnosed in individuals originating from countries with generalised HIV/AIDS epidemics.
- In the three geographical areas of the WHO European Region, injecting drug use is still the main mode of transmission in the East, while in the Centre, the predominant mode of HIV transmission is heterosexual contact, although the number of HIV cases reported among men who have sex with men has also increased. In the West, the predominant mode is sex between men, followed by heterosexual contact, when cases in persons originating from countries with generalised epidemics are excluded.
- Overall, despite incomplete reporting, the number of reported newly diagnosed cases of HIV infection in 2007 has increased while the number of diagnosed AIDS cases continued to decline in the WHO European Region overall, although in the East the number of AIDS cases has continued to increase. Since 2000, the rate of reported newly diagnosed cases of HIV per million population has almost doubled from 39 per million in 2000 to 75 per million in 2007, based on the 44 countries that have consistently reported HIV surveillance data.
- The total number of HIV tests performed annually for diagnostic purposes, unlinked anonymous tests and blood donations excluded, has increased between 2003 and 2007 in most countries.
- The data here presented have some limitations, due in particular to missing data from a number of countries. This limits the conclusions that can be drawn with respect to the size of the HIV and AIDS epidemics in Europe. If these data would have been taken into account, the overall numbers of cases could roughly be doubled for 2007.

**Recommendations for HIV/AIDS surveillance:** HIV/AIDS surveillance data are vital to monitor the trends of the HIV epidemic and evaluate the public health response. Therefore all countries in Europe should:

- implement case-based national reporting systems for HIV and AIDS cases and ensure its completeness and timeliness;
- improve the quality of data reported, especially regarding probable routes of transmission; and
- promote comprehensive HIV surveillance including routine behavioural surveillance and HIV prevalence studies.

**Recommendations for public health:** interventions to control the epidemic should be evidence-based and adapted to the country and geographical area. From the surveillance data available it is reasonable to recommend the following:

- East: interventions to control HIV among injecting drug users should be the cornerstone of HIV prevention strategies; measures should also be strengthened to prevent heterosexual transmission, targeted especially at those with high-risk partners.
- Centre: prevention should be adapted to each country's circumstances in order to maintain their epidemiological advantages.
- West: interventions to control HIV among men who have sex with men should be the cornerstone of HIV prevention strategies, e.g. renewed safer sex campaigns targeted at men who have sex with men; interventions for prevention, treatment and care must be adapted to reach migrant populations.
- In all sub-regions, HIV testing should be promoted to ensure early access to treatment and the counselling to help prevent or reduce further transmission and improve the longer term treatment outcomes for the individuals concerned.

## РЕЗЮМЕ

**Важные моменты:** ВИЧ-инфекция остается большой проблемой здравоохранения в Европе, поскольку существуют признаки возрастающего распространения ВИЧ в некоторых странах Европы.

- В 2007 году в 49 из 53 стран Европейского региона ВОЗ было зарегистрировано 48 892 новых случаев ВИЧ-инфекции (отсутствуют данные по Австрии, Италии, Монако и Российской Федерации). Наиболее высокий уровень был зарегистрирован в Эстонии, Украине, Португалии и Республике Молдова. 5 244 случая СПИДа диагностировано в 48 странах (отсутствуют данные по Италии, Казахстану, Монако, Российской Федерации и Украине).
  - В 2007 году 26 279 новых выявленных случаев ВИЧ инфекции было зарегистрировано в странах Евросоюза и Европейской ассоциации свободной торговли (в этом отчете упоминается как ЕС/ЕАСТ) (отсутствуют данные по Австрии и Италии). Среди государств – членов ЕС/ЕАСТ самый высокий уровень распространения инфекции отмечается в Эстонии, Португалии и Латвии; самые низкие показатели в Словакии, Чешской Республике и Румынии.
  - В ЕС/ЕАСТ преобладающим путем передачи ВИЧ-инфекции являются сексуальные контакты между мужчинами, а затем гетеросексуальные контакты. Около 40 процентов от общего числа случаев передачи инфекции среди гетеросексуальных контактов выявлены среди лиц из стран с генерализованной эпидемией ВИЧ/СПИДа.
  - В трех географических территориях Европейского региона ВОЗ ситуация следующая: употребление инъекционных наркотиков все еще остается основным путем передачи ВИЧ на востоке региона, в то время как в центральной части региона основным путем передачи являются гетеросексуальные контакты, хотя число случаев ВИЧ инфекции зарегистрированных среди мужчин, практикующих секс с мужчинами, также возросло. На западе преобладающим путем является секс между мужчинами, а затем гетеросексуальные контакты при условии исключения случаев ВИЧ среди лиц из стран генерализованной эпидемией ВИЧ/СПИДа.
  - В целом, несмотря на неполноту имеющихся данных, число новых зарегистрированных случаев ВИЧ инфекции в 2007 году возросло, в то время как число выявленных случаев СПИДа продолжает сокращаться в Европейском регионе ВОЗ в целом, хотя на востоке региона число случаев СПИДа продолжает расти. С 2000 количество новых зарегистрированных случаев ВИЧ-инфекции из расчета на миллион населения почти удвоилось с 39 на миллион в 2000 году до 75 на миллион в 2007 году, о чем свидетельствуют данные по 44 странам, регулярно направляющим информацию по эпиднадзору за ВИЧ-инфекцией.
- Общее число проведенных диагностических тестов на ВИЧ, не связанных с анонимным обследованием и исследованиями донорства крови, ежегодно возрастало за период с 2003 по 2007 годы в большинстве стран.
  - Приведенные данные имеют некоторое ограниченное значение, особенно в силу того, что отсутствует информация из ряда стран. Это ограничивает возможность сделать выводы относительно размеров эпидемии ВИЧ/СПИДа в Европе. Если бы эти данные были учтены, общее число случаев за 2007 год удвоилось бы.

**Рекомендации по эпиднадзору за ВИЧ/СПИДом:** данные эпиднадзора за ВИЧ/СПИДом имеют исключительное значение для осуществления мониторинга тенденций в отношении эпидемии ВИЧ и оценки ответных мер в рамках здравоохранения. Поэтому все страны Европейского региона должны:

- обеспечить работу национальных систем отчетности по случаям ВИЧ и СПИДа и обеспечить ее полноту и своевременность;
- повысить качество отчетных данных, особенно относительно возможных путей передачи инфекции; и
- способствовать формированию всеобъемлющего эпиднадзора за ВИЧ-инфекцией, включая плановый поведенческий эпиднадзор и исследования распространения инфекции ВИЧ.

**Рекомендации для общественного здравоохранения:** меры по борьбе с эпидемией должны носить доказательный характер и соответствовать стране и географической территории. На основании имеющихся данных по эпиднадзору представляется возможным рекомендовать следующее:

- Восток: меры по борьбе с распространением ВИЧ-инфекции среди потребителей инъекционных наркотиков должны стать краеугольным камнем стратегий по профилактике ВИЧ-инфекции; следует также усилить профилактику гетеросексуальной передачи инфекции, уделяя основное внимание контактам с партнерами из групп высокого риска.
- Центр: профилактические меры следует адаптировать к условиям каждой страны для того, чтобы сохранить существующие эпидемиологические преимущества.
- Запад: меры по борьбе с распространением ВИЧ-инфекции среди мужчин, практикующих секс с мужчинами должны стать краеугольным камнем

стратегий по профилактике ВИЧ-инфекции, например, необходимо проведение обновленных кампаний по пропаганде безопасного секса среди мужчин, практикующих секс с мужчинами; меры по профилактике, лечению и уходу должны быть адаптированы к нуждам мигрантов.

- В регионе в целом следует развивать практику тестирования на ВИЧ-инфекцию для того, чтобы обеспечить ранний доступ к лечению и консультирования, для того, чтобы помочь предупредить или ограничить дальнейшее распространение инфекции и улучшить результаты долгосрочного лечения нуждающихся в нем лиц.

# Contents

<b>Abbreviations</b> .....	ix
<b>1. Introduction</b> .....	1
<b>2. Data collection, analysis and presentation</b> .....	3
2.1. Reporting in the joint database for HIV/AIDS surveillance .....	3
2.2. National reporting of HIV/AIDS data .....	4
2.3. Data collection, validation and analysis .....	4
2.4. Data presentation .....	6
2.5. Data limitations .....	6
<b>3. HIV case reporting in Europe</b> .....	9
3.1. HIV case reports in the WHO European Region .....	9
3.2. HIV case reports in the European Union/EFTA .....	10
3.3. HIV case reports by geographical area in the WHO European Region .....	11
<b>4. AIDS case reporting in Europe</b> .....	13
4.1. AIDS cases diagnosed in the WHO European Region .....	13
4.2. AIDS cases diagnosed in the European Union/EFTA .....	13
4.3. AIDS cases diagnosed by geographical area in the WHO European Region .....	14
4.4. AIDS-indicative diseases and mortality .....	14
<b>5. Number of HIV tests performed</b> .....	15
<b>6. Conclusion</b> .....	17
<b>Tables</b> .....	19
<b>Figures</b> .....	65
<b>Annexes</b> .....	71
1: List of variables in the new TESSy format for the 2007 HIV/AIDS data collection .....	72
2: Country specific comments regarding national HIV and AIDS reporting .....	73
3: HIV/AIDS surveillance in Europe: participating countries and national insitutions .....	74

## List of tables

<b>A:</b> Characteristics of newly diagnosed cases of HIV infection reported in the WHO European Region and by geographical area, 2007 .....	9
<b>B:</b> Characteristics of newly diagnosed cases of HIV infection reported in the EU/EFTA countries, 2007 .....	10
<b>1:</b> HIV infections newly diagnosed and rates per million population by country and year of statistics (2000–2007) and cumulative totals, in EU/EFTA and non-EU/EFTA countries of WHO European Region .....	20
<b>1A:</b> HIV infections newly diagnosed and rates per million population by country and year of diagnosis (2000–2007) and cumulative totals, in EU/EFTA and non-EU/EFTA countries of WHO European Region .....	22
<b>1B:</b> HIV infections newly diagnosed and rates per million population by country and year of notification (2000–2007) and cumulative totals, in EU/EFTA and non-EU/EFTA countries of WHO European Region .....	24
<b>2:</b> HIV infections newly diagnosed in men who have sex with men by country and year of notification (2003–2007) and cumulative totals, in EU/EFTA and non-EU/EFTA countries of WHO European Region .....	26
<b>3:</b> HIV infections newly diagnosed in injecting drug users by country and year of notification (2003–2007) and cumulative totals, in EU/EFTA and non-EU/EFTA countries of WHO European Region .....	27
<b>4:</b> HIV infections newly diagnosed in persons infected through heterosexual contact by country and year of notification (2003–2007) and cumulative totals, in EU/EFTA and non-EU/EFTA countries of WHO European Region .....	28
<b>5:</b> HIV infections newly diagnosed in persons infected through mother-to-child transmission by country and year of notification (2003–2007) and cumulative totals, in EU/EFTA and non-EU/EFTA countries of WHO European Region .....	29



6: HIV infections newly diagnosed by geographical area, sex, transmission group and year of notification (2003–2007), in EU/EFTA and non-EU/EFTA countries of WHO European Region (Table 6A); and by geographical region West, Centre, East (Table 6B)	30
7: HIV infections newly diagnosed by geographical area, sex, age of diagnosis and year of notification (2003–2007), in EU/EFTA and non-EU/EFTA countries of WHO European Region (Table 7A); and by geographical region West, Centre, East (Table 7B)	32
8: HIV infections newly diagnosed in persons infected through heterosexual contact, by country and transmission subcategory, cases reported in 2007, in EU/EFTA and non-EU/EFTA countries of WHO European Region	35
9: HIV infections newly diagnosed by country of report and country or subcontinent of origin, cases reported in 2007, in EU/EFTA and non-EU/EFTA countries of WHO European Region	36
10: HIV infections newly diagnosed by geographical area, transmission group and country or subcontinent of origin, cases reported in 2007	38
11: AIDS cases and rates per million population by country and year of statistics (2000–2007) and cumulative totals, in EU/EFTA and non-EU/EFTA countries of WHO European Region	40
11A: AIDS cases and rates per million population by country and year of diagnosis (2000–2007) and cumulative totals, in EU/EFTA and non-EU/EFTA countries of WHO European Region	42
11B: AIDS cases and rates per million population by country and year of notification (2000–2007) and cumulative totals, in EU/EFTA and non-EU/EFTA countries of WHO European Region	44
12: AIDS cases in men who have sex with men by country and year of diagnosis (2003–2007) and cumulative totals, in EU/EFTA and non-EU/EFTA countries of WHO European Region	46
13: AIDS cases in injecting drug users by country and year of diagnosis (2003–2007) and cumulative totals, in EU/EFTA and non-EU/EFTA countries of WHO European Region	47
14: AIDS cases in persons infected through heterosexual contact by country and year of diagnosis (2003–2007) and cumulative totals, in EU/EFTA and non-EU/EFTA countries of WHO European Region	48
15: AIDS cases in persons infected through mother-to-child transmission by country and year of diagnosis (2003–2007) and cumulative totals, in EU/EFTA and non-EU/EFTA countries of WHO European Region	49
16: AIDS cases by geographical area, transmission group and year of diagnosis (2003–2007) and cumulative totals, in EU/EFTA and non-EU/EFTA countries of WHO European Region (Table 16A); and by geographical region West, Centre, East (Table 16B)	50
17: AIDS cases by geographical area, sex, age at diagnosis and year of diagnosis (2003–2007) and cumulative totals, in EU/EFTA and non-EU/EFTA countries of WHO European Region (Table 17A); and by geographical region West, Centre, East (Table 17B)	52
18: AIDS-indicative diseases diagnosed in 2007 in adult/adolescent men and women and in children arranged by frequency, WHO European Region	54
19: The ten most common AIDS-indicative diseases diagnosed in 2007 by geographical area arranged by frequency, in EU/EFTA and non-EU/EFTA countries of WHO European Region	55
20: AIDS cases diagnosed in 2007 by country of report and country or subcontinent of origin, in EU/EFTA and non-EU/EFTA countries of WHO European Region	56
21: AIDS cases diagnosed in 2007 by geographical area, transmission group and country or subcontinent of origin, in EU/EFTA and non-EU/EFTA countries of WHO European Region (Table 21A); and by geographical region West, Centre, East (Table 21B)	58
22: Deaths among AIDS cases by country and year of death (2003–2007) and cumulative totals in EU/EFTA and non-EU/EFTA countries of WHO European Region	61
23: Deaths among AIDS cases by geographical area, transmission group and year of death (2003–2007) and cumulative totals, in EU/EFTA and non-EU/EFTA countries of WHO European Region (Table 23A); and by geographical region West, Centre, East (Table 23B)	62
24: Total number of HIV tests performed, excluding unlinked anonymous testing and testing of blood donations, by country and year (2003–2007) and number of tests per 1000 population in 2007, WHO European Region	64

## List of figures

A: Epidemic curve for HIV infection by 'date of diagnosis' and 'date of notification' for EU/EFTA countries (left graph) and non-EU/EFTA countries (right graph), 2000–2007	4
B: Geographical division of WHO European Region	7
C: Number of reported HIV infections by transmission mode, origin and year of notification, EU/EFTA, 2003–2007	10
D: Newly diagnosed HIV cases per million population in the WHO European Region by year of notification (West, Centre and East), 2000–2007	11
E: Number of diagnosed AIDS cases per million population in the WHO European Region by year of diagnosis (West, Centre and East), 2000–2007	13
1: Number of HIV infections newly diagnosed (right axis), AIDS cases diagnosed and AIDS deaths (left axis) in the WHO European Region (2000–2007)	66
2: HIV infections by transmission mode, origin and geographical area, as reported in 2000–2007	67
3: HIV infections newly diagnosed, per million population, reported in 2007 (maps): all cases; heterosexual cases; injecting drug users cases; men who have sex with men cases	68
4: AIDS cases diagnosed by transmission mode, origin and geographical area, 2000–2007	70



# Abbreviations

<b>AIDS</b>	Acquired immunodeficiency syndrome
<b>DSN</b>	Dedicated surveillance network
<b>ECDC</b>	European Centre for Disease Prevention and Control
<b>EFTA</b>	European Free Trade Association
<b>EEA</b>	European Economic Area
<b>EU</b>	European Union
<b>HAART</b>	Highly active antiretroviral therapy
<b>HIV</b>	Human Immunodeficiency Virus
<b>IDU</b>	Injecting drug use/rs
<b>MSM</b>	Men who have sex with men
<b>TESSy</b>	The European Surveillance System
<b>WHO</b>	World Health Organization



# 1. Introduction

Since January 2008, the European Centre for Disease Prevention and Control (ECDC) and the World Health Organization Regional Office for Europe (WHO/Europe) have been jointly carrying out the enhanced HIV/AIDS surveillance in Europe. Both strive to ensure a high quality of HIV/AIDS surveillance standardised data from all countries in the WHO European Region, including the 27 countries of the European Union and the four countries of the European Free Trade Association (EFTA) (in this report referred to as EU/EFTA).

The HIV/AIDS surveillance programme in Europe was launched in 1984, at the initiative of WHO and the French government, establishing the WHO Collaborating Centre on AIDS in Paris. This was later renamed the European Centre for the Epidemiological Monitoring of AIDS. In 1999, the coordination of this network was transferred to the Institut de Veille Sanitaire in France and renamed EuroHIV. EuroHIV has most recently been funded by the European Commission (Directorate General for Health and Consumer Protection) and the Institut de Veille Sanitaire under three-year projects, the last of which expired on 31 December 2007.

The general objectives of EuroHIV included the following:

- To supply relevant data for evidence-based EU public health policies.
- To further develop, improve and harmonise European HIV/AIDS surveillance methods and catalyse national efforts to improve HIV/AIDS surveillance.
- To support networking and cooperation between HIV reference laboratories and to promote the use of new assays for monitoring HIV incidence.

Following an evaluation of this Dedicated Surveillance Network, ECDC and WHO/Europe agreed to continue the surveillance activities in a joint surveillance network for HIV/AIDS, continuing to cover the entire WHO European Region. This agreement on the future of HIV/AIDS surveillance was presented during the EuroHIV annual meeting in Stockholm in September 2007. The agreement was then formalised in a letter from ECDC and WHO/Europe to the Ministries of Health of these countries. The data for all countries will be hosted by ECDC on behalf of both organisations and the Member States.

The long-term surveillance strategy (2008–2013) has been published by ECDC<sup>1</sup> in which the future framework for strengthening surveillance at both EU level and in the EU Member States is outlined. General objectives for

the surveillance of communicable diseases in the EU are currently being developed, as is a roadmap for the implementation of this strategy. The surveillance activities of ECDC should add value at all levels, through such initiatives as the wider application of the newly approved standard case definitions and the integration of all the DSNs into The European Surveillance System (TESSy) and by better harmonising the reporting methods, systems and practices in use for surveillance. ECDC is now working on developing more disease-specific surveillance objectives and to harmonise these disease/disease group-specific surveillance objectives as far as possible, while still acknowledging the specific characteristics of each disease. These objectives for HIV/AIDS surveillance will be proposed by ECDC and WHO/Europe for discussion with the national contact points for surveillance of HIV/AIDS as these may affect the number and character of the set of variables that need to be collected. These surveillance objectives need to be reviewed on a regular basis, to keep the surveillance activities as accurate and relevant as possible. They should take into account the public health needs associated with the geographical and political diversities of the Member States across the WHO European Region.

WHO/Europe has the mandate to conduct HIV and AIDS surveillance in the 53 Member States of the WHO European Region as laid out in the resolutions of the World Health Assembly and the WHO Regional Committee for Europe. It serves as the entry point into global communicable disease surveillance and monitoring activities, such as the monitoring of progress towards universal access to HIV/AIDS prevention, treatment and care; global data collection on the structure, policies, performance and impact of national immunisation systems; guiding the implementation of the International Health Regulations and strengthening the communicable disease outbreak preparedness and response in the Region.

This is the first report based on the interpretation of the data in the new joint database for HIV/AIDS surveillance. It includes the following data as of the end of 2007 for the countries of the WHO European Region:

- Cases of HIV infection by date used for statistics and date of notification.
- Cases of AIDS by date used for statistics and date of diagnosis, and mortality amongst AIDS cases.
- Annual numbers of diagnostic HIV tests performed (excluding tests undertaken to screen blood donations and unlinked anonymous testing).

Reporting HIV cases is a key surveillance instrument for describing the HIV epidemic in Europe. It has progressively replaced AIDS surveillance which, since the introduction of highly active antiretroviral treatment (HAART)

<sup>1</sup> Amato-Gauci A, Ammon A. The surveillance of communicable diseases in the European Union – a long-term strategy (2008-2013). *Euro Surveill.* 2008;13(26):pii=18912. Available online: <http://www.eurosurveillance.org/ViewArticle.aspx?ArticleId=18912>

in 1996 and its increasingly widespread use, had become a less accurate reflection of the current trends in HIV infection. However, a major limitation of using HIV diagnoses to monitor the HIV epidemic is that this measure does not represent real incidence. Newly reported HIV diagnoses may in fact include infections that occurred several years previously and this is mainly dependent on the uptake of HIV testing as well as on patterns of reporting. In order to interpret trends in HIV case reporting data, the total numbers of HIV tests performed annually for diagnostic purposes (excluding unlinked anonymous tests and screening of blood donations) are presented as background information on HIV testing patterns.

## 2. Data collection, analysis and presentation

### 2.1. Reporting in the joint database for HIV/AIDS surveillance

#### Nominated contact points for HIV/AIDS surveillance

A nomination process was organised by ECDC, with the Member States' competent bodies for surveillance, to appoint contact points for HIV/AIDS surveillance, or confirm the previous participants of the EuroHIV project. As for the non-EU/EFTA countries, nominations for contact points were received directly by the WHO/Europe office.

#### Transfer to the new format

Data are submitted to a joint database that uses the platform of The European Surveillance System (TESSy). The three types of data previously collected by the EuroHIV project (HIV case-based, HIV aggregated and AIDS case-based) were slightly modified but all continued in the new data format. The main changes made to the previous data collection are linked to the technical requirements of the new data format (transport format and names and format of the variables) and data verification. National data need to be uploaded directly from the reporting country into the joint database. Another major change involves the verification of the data within the database by an automated procedure with a set of validation rules. This verification of the data during the uploading process improves the quality of the data and allows each country to test their datasets before submission.

It was anticipated that the new technical requirements could present some difficulty for certain national correspondents who were used to sending their data by e-mails with an attached file. To overcome this, a converter tool was developed to transfer data from the EuroHIV data format into the new data format. Hands-on training sessions were organised for users to learn how to access the database for uploading and viewing and helpdesk assistance was available during the data collection period.

#### Harmonisation of variables

The transfer of the variables to the new data (TESSy) format was presented in the HIV/AIDS variables report as part of the 'HIV/AIDS Case Reporting in Europe' training in March 2008. A list of variables (in the new format) for the HIV/AIDS data collection is included in Annex 1. In the process of improving the comparability across case reporting systems the variables were reviewed. They were recoded based on information already collected by DSN: behaviour (e.g. transmission group), travel (e.g. country of probable infection) and geographical information (e.g. country of birth).

The variable for mode of transmission of HIV contained many items and after some rewording it was standardised for use in relation to other diseases as well. For HIV/AIDS many different dates are collected in the dataset, including date of onset of infection, date of HIV diagnosis, date of notification, date of AIDS diagnosis, date of report of AIDS diagnosis, date of death, and date of report of death. The dates were previously collected as quarterly data, i.e. by quarter and year. It was acknowledged that not all dates are available at the national level and that, therefore, as many dates should be reported as are available. In the process of improving the comparability of reporting and coding of variables, the exact dates (YYYY-MM-DD) are the preferred format. Exact dates provide more accurate information and allow better comparison and grouping across diseases. For the time being, incomplete dates are allowed (quarters, months, years) if the exact date is not available.

Regarding the geographical information, reporting 'country of nationality' and 'country of birth' are preferred above the less accurate 'region of origin'. Information at country level (rather than region or continent) provides more accurate information and allows better comparison and grouping across diseases. For the time being all three variables are collected in the HIV/AIDS collection so that countries have time to comply with the more accurate reporting of individual countries.

#### Date used for reporting

The 'date used for statistics' is a variable that is included in the dataset for all communicable diseases under EU surveillance. This date accords with the date that is used for national reports concerning all diseases. It is of utmost importance and one of the few compulsory variables to ensure the comparability of national and international reporting. However, for HIV/AIDS, it makes a substantial difference whether the HIV epidemic is described by 'date of diagnosis' or 'date of notification' because of the delay in reporting.

In the 2007 data collection, countries could submit the HIV data by date of diagnosis or by date of notification. The majority of the EU Member States used the 'date of diagnosis' as the 'date used for statistics'. Figure A shows the epidemic curves in the EU/EFTA countries and non-EU/EFTA countries with respect to the different dates used, e.g. 'date of diagnosis' and 'date of reporting'. As shown in the figure, the 'date used for statistics' in the EU/EFTA in the 2007 data collection almost mirrors the 'date of diagnosis' (including the expected decreasing slope in recent years due to reporting delay). Only five countries used 'date of notification': Greece, Luxembourg, Malta, Poland and Sweden. For the non-EU/EFTA countries, due to missing dates of diagnosis in the aggregate reporting (old) format for HIV (that was used

by a few large non-EU/EFTA countries), the 'date used for statistics' more closely mirrors the 'date of notification'.

The HIV tables with different dates for individual countries are presented in Tables 1 (date used for statistics), 1A (date of diagnosis) and 1B (date of notification).

As a consequence, the current database contains a mixture of HIV reports by dates with a different meaning. In this report the results are presented by 'year used for statistics' for Table 1 only to comply with national reporting. For the other analyses, the results are presented by 'date of notification' to be able to provide internationally comparable data and trends. Although the reporting delay varies across countries (resulting in provisional data for the most recent years), the date of notification is currently the best option for comparable trends for HIV. For AIDS, the best option is to use the 'date of diagnosis'.

## 2.2. National reporting of HIV/AIDS data

In the new reporting format, a variable has been included that describes the national source of the data. The 'data source' specifies the national surveillance system from which the data originate. International comparisons are hampered by differences in surveillance systems as the quality and coverage of national surveillance are not always consistent. Some countries have not previously reported HIV and/or AIDS data or have only recently established or substantially modified the national reporting systems. Interpretation and cross-country comparisons should be made with caution as the amount of under-diagnosis and under-reporting varies across countries.

When interpreting the data presented in this report, the following should be noted:

- In the EU/EFTA: No national HIV/AIDS data are reported from Italy or Liechtenstein. Thus, the number of HIV cases will be underestimated for the EU/EFTA. From 2009, the notification of new cases of HIV infection will be compulsory in Italy and their national data

are expected to be included from then onwards. No national data on HIV could be reported by Austria but full HIV data are expected to be included in next year's data collection.

- In the rest of the WHO European Region: No national data on HIV/AIDS are reported from Monaco and the Russian Federation. However, data up to 2006 from the Russian Federation were reported previously to EuroHIV, a WHO Collaborating Centre, and data up to 2007 are available at the website of the Federal AIDS Centre (<http://www.hivrussia.org>). In 2007, no AIDS data were reported from Ukraine or Kazakhstan. This means that the number of cases reported in the East will be underestimated. AIDS surveillance was only recently established in Andorra (2004).
- The probable mode of HIV transmission was not reported from Estonia (since 2003 Estonia has supplied information on injecting drug use (IDU) only).
- HIV surveillance systems have been established or substantially modified since 2000 in six countries (Andorra, France, Malta, Monaco, the Netherlands and Portugal).


Completeness of reporting needs to be improved considerably in the coming years to be able to obtain a comprehensive picture of the HIV/AIDS epidemic in Europe.

## 2.3. Data collection, validation and analysis

### Data collection 2007

The 2007 data submission for HIV and AIDS surveillance took place between 1 June and 31 August 2008. By the end of August, eight countries had submitted a full dataset while another 20 countries had been testing their datasets and trying to upload them. Reminders were sent twice. In September and October 2008, countries were reminded individually to submit their data and support was offered with uploading the data. The helpdesk converted historical files from EuroHIV for 25 countries. The data collection was accomplished (and closed) on

**Figure A:** Epidemic curve for HIV infection by 'date of diagnosis' and 'date of notification' for EU/EFTA countries (left graph) and non-EU/EFTA countries (right graph), 2000–2007





15 October 2008. Data presented in this report were extracted from the joint database on 16 October 2008 and revised on 17 November 2008.

### Individual country datasets

Data were uploaded, validated and approved in the joint database for HIV/AIDS surveillance. Once the data were released, individual datasets were validated. Those countries experiencing difficulties in uploading the datasets used the converter tool to convert from the former EuroHIV format to the new data format. Some countries have prepared full datasets for submission to the joint database and others have used the historical datasets available from EuroHIV for previous years, supplemented by the 2007 data. As a consequence, the content ranges from updated complete datasets to copies of previous (not updated historical) EuroHIV data. Ten countries continued to report an aggregated HIV case dataset which limits a full analysis and the current epidemiological overview of HIV/AIDS in Europe.

### Reporting delay

Reporting delays refer to the time between HIV or AIDS diagnosis (or death) and report of this event at national level. In previous HIV/AIDS surveillance reports<sup>2</sup> it was stated that around 50% of AIDS cases and 65% of AIDS deaths are reported within six months of the diagnosis or death, while around 12% and 10%, respectively, are reported more than one year after diagnosis or death.

In this report, AIDS and mortality data are not adjusted for reporting delay nor are the HIV data; this will be developed for future reports.

### Under-reporting and under-diagnosis

No adjustments are made for under-reporting or under-diagnosis, and thus data presented do not take into account cases which will never be reported or diagnosed. Previous estimates of under-reporting ranged from 0% to 25% for AIDS cases<sup>3</sup> (no updated estimates are available) and are generally not available for either AIDS deaths or HIV cases. The seriousness of late-stage HIV infection inevitably leads to care-seeking, limiting the level of under-diagnosis of AIDS cases, at least in countries with universal healthcare coverage and adequate diagnostic facilities. The overall true proportion of HIV infections that has been diagnosed is unknown, and is believed to differ widely between countries and between sub-populations within countries. The proportion depends heavily on HIV testing patterns among high-risk populations, access to voluntary counselling and testing, and access to care, all of which may vary by country.

### HIV tests

Total numbers of HIV tests performed annually for diagnostic purposes (i.e. unlinked anonymous and blood donations excluded) are collected and presented once a year together with the HIV/AIDS surveillance data, to help interpret HIV reporting data. It must, however, be stressed that these data are only very crude measures of HIV testing activities and should be interpreted with caution. Firstly, they provide no information on who is being tested or to what extent testing is targeted at high-risk populations. Surveys carried out by EuroHIV in 1997 and 2006 indicated that, despite the provision of routine HIV testing services to a wide range of different populations, only very few countries – primarily in the Centre and the East – were able to provide data on the number of tests done in specific populations such as IDU or patients seeking care for sexually transmitted infections.<sup>4,5</sup> Secondly, the presented data on HIV tests are derived from different sources in different countries and may not be exhaustive in all countries, and hence will not always be comparable.

### Heterosexual transmission

As was done by EuroHIV in the past, more detailed information is collected regarding heterosexual transmission and the probable source of HIV infection ('case from country with generalised HIV epidemic', 'high-risk partner', 'case with partner from country with generalised epidemic', 'other or undetermined'). Cases in the variable 'heterosexual transmission' coded as 'other or undetermined' were recoded for nine countries into 'case from country with generalised epidemic', according to the value 'persons originating from countries with generalised epidemic' in the variable 'region of origin'. For one country which has provided information on 'country of birth', the value 'case from country with generalised epidemic' of variable 'heterosexual transmission' was adjusted accordingly.

### CD4 cell counts - Evaluation of a new variable

In the 2007 annual meeting on HIV/AIDS surveillance it was agreed to start collecting CD4 cell counts as a proxy for late diagnosis. In total, 13 countries (12 in the EU/EFTA) have provided information on CD4 cell counts. A number of countries have also provided the information retrospectively while uploading the full historical dataset, e.g. Denmark (47% of cases reported in 2003–07), Germany (98% of cases for 2002–07), Luxembourg (40% of cases for 1996–2007), Romania (75% of cases for 1992–2007), Slovenia (65% of cases for 1990–2007), Spain (80% of cases for 2003–06) and the UK (53% of cases for 2000–07). Malta, Bulgaria and France have provided CD4 cell counts for the 2007 data only (2007 is the first year Bulgaria is reporting case-based data;

2 EuroHIV. HIV/AIDS Surveillance in Europe. End-year report 2006. Saint-Maurice: Institut de veille sanitaire, 2007. No. 75.

3 EuroHIV. Completeness of AIDS case reporting in Europe. HIV/AIDS Surveillance in Europe, Quarterly Report 1996. Paris: Institut de Médecine et d'Épidémiologie Africaines, 1996. No.49:30-33

4 EuroHIV. AIDS. HIV testing and case reporting in Europe. HIV/AIDS Surveillance in Europe, Quarterly Report 1997. Paris: Institut de Médecine et d'Épidémiologie Africaines, 1997. No.56:40-47.

5 Devaux I, et al. Human immunodeficiency virus (HIV) and acquired immunodeficiency syndrome (AIDS) case reporting in the World Health Organization European Region in 2006. Eurosurveillance 2008; <http://www.eurosurveillance.org/ViewArticle.aspx?ArticleId=18988>

France started to collect in July 2007). Additional CD4 cell counts were received from Finland, Lithuania and Armenia (Armenia provided CD4 cell counts for 14% of the total number of cases).

## 2.4. Data presentation

The data in the report are to be considered as provisional because of reporting delays and because previously reported data are subject to regular updates (e.g. detection and deletion of duplicate cases, inclusion of new information about cases already reported).

### Geographical presentation

Data are presented for the total WHO European Region and for European Union (EU) and European Free Trade Association (EFTA) countries as well. The EU comprises 27 Member States, EFTA comprises an additional three countries (Norway, Iceland, Switzerland), which are included in the overview of the EU/EFTA. Liechtenstein is excluded as it never reported HIV/AIDS data to EuroHIV. The tables are presented by EU/EFTA countries, non-EU/EFTA, by individual countries and by total. For the WHO European Region, the 53 countries have also been subdivided into three geographic areas based on geopolitical and epidemiological considerations: West (23 countries), Centre (15 countries) and East (15 countries) (see Figure B). In the EU/EFTA, 16 Member States are classified as being in the West, eight in the Centre and three in the East.

Data from the National Institute of Public Health in Pristina are not included in this report; they reported one case of HIV infection and two AIDS cases in 2007. A cumulative total of 24 HIV cases and 40 AIDS cases were reported.

### Absolute numbers and rates per million population

Data are presented in absolute numbers and as rates per million of population where appropriate.

- The population estimates were derived from Eurostat for all countries, except the central Asian republics and Israel for which Eurostat data were not available. UN population data were used<sup>6</sup> for those countries. The Eurostat data are based on mid-year estimates ([www.eurostat.europa.eu](http://www.eurostat.europa.eu)) which are compatible with UN population data.
- Data are presented by year but also as a cumulative total per country. The cumulative total includes all data reported by that particular country and is not limited to the selected number of years presented.
- Rates are presented per million population.

<sup>6</sup> United Nations, Department of Economic and Social Affairs, Population Division (2007). World Population Prospects: The 2006 Revision. CD-ROM Edition – Extended Dataset (United Nations publications, Sales No.E.05.XIII.12).

### Tables, figures and maps

Summary tables and graphs are presented in a separate section. HIV data are shown in Tables 1–10 and AIDS data in Tables 11–23. Geographical distribution of HIV transmission by main modes of transmissions are illustrated in Figures 1–4. More technical tables are available in the Annexes.

### Comparability with previous HIV/AIDS surveillance reports

The comparability of this report with past data from previous reports on HIV/AIDS surveillance in Europe may be hampered for several reasons:


- Clustering of countries in EU/EFTA and non-EU/EFTA countries by alphabetical order in this report. To facilitate comparison with previous reports the geographical division by West, Centre and East is included as well as total number per region.
- In this year's report population estimates from Eurostat were used for most countries, while in previous years UN population estimates were used; this may result in small differences in rates per million population. However, regular updates of the UN population estimates would have resulted in similar differences had the source not been changed.
- The date by which the results are being presented. In this year's report the date used for statistics was used for an overview of national reporting that is comparable with national reports. For the remaining presentation of the results, the date of notification has been used for HIV and date of diagnosis for AIDS. For HIV/AIDS it makes a substantial difference to report by date of diagnosis or by date of notification because of the (usually rather long) reporting delay.
- Trend analysis may not reflect the real situation, especially for the last several years, due to reporting delays and, with regard to HIV, also because of reporting artefacts.

## 2.5. Data limitations

The use of 'date of notification' has some important implications for the interpretation of trends. This date heavily depends on national notification patterns which may change over time and which differ largely between countries. Furthermore, the overall presented trends in HIV by 'date of notification' in this report are influenced by a known peak of notified cases in the United Kingdom in the years 2005 and 2006 and a subsequent decrease in 2007.

AIDS cases are presented by date of diagnosis, which is known to have a reporting delay of up to a couple of years. Therefore, the decreasing trends should be interpreted with caution as this delay is the probable main contributing factor.

Data in this report are not complete as a few countries did not report HIV and AIDS surveillance data for various

**Figure B: Geographical division of WHO European Region**

The countries covered by the report are grouped as follows:

- West, 23 countries: Andorra, Austria\*, Belgium\*, Denmark\*, Finland\*, France\*, Germany\*, Greece\*, Iceland, Ireland\*, Israel, Italy\*, Luxembourg\*, Malta\*, Monaco, Netherlands\*, Norway, Portugal\*, San Marino, Spain\*, Sweden\*, Switzerland, United Kingdom\*.
- Centre, 15 countries : Albania, Bosnia and Herzegovina, Bulgaria\*, Croatia, Cyprus\*, Czech Republic\*, Hungary\*, Former Yugoslav Republic of Macedonia, Montenegro, Poland\*, Romania\*, Serbia, Slovakia\*, Slovenia\*, Turkey.
- East, 15 countries of the former Soviet Union: Armenia, Azerbaijan, Belarus, Estonia\*, Georgia, Kazakhstan, Kyrgyzstan, Latvia\*, Lithuania\*, Republic of Moldova, Russian Federation, Tajikistan, Turkmenistan, Ukraine, Uzbekistan.

\* Countries which constitute the European Union as of 1 January 2007.

reasons, limiting the conclusions to the surveillance data reported by 49 countries. Further, Spain provided surveillance data for HIV from eight regions covering only 32% of the Spanish population. Austria could not provide HIV data due to legal issues. Kazakhstan and Ukraine did not provide AIDS data for 2007.

If all these data would have been integrated into the joint database for HIV and AIDS surveillance, the total number of reported HIV infections could have doubled to almost 100 000 cases in 2007. In previous years, the Russian Federation has reported large numbers of HIV cases. Therefore, the figures in the current report, especially in the East, are greatly underestimated. Had these data been taken into account in describing the mode of transmission for HIV infection, it is understood that the current description of transmission modes would not have changed significantly. However, the relative proportion among the main transmission modes would have changed and then IDU would account for more infections in the whole WHO European Region, and in the East in particular. As a consequence, the relative contribution of the sexual transmission (both heterosexual and among men who have sex with men (MSM)) would decrease slightly. Also, the increasing trend in HIV infections in

the Eastern region would have been stronger, had these data been available.

The same is true for the number of estimated AIDS cases; the number could have doubled to about 10 000 cases in 2007 if the data from the missing countries had been included in the joint database. Again, this would mostly affect the Eastern region, as data from three large countries are missing: Kazakhstan, the Russian Federation and Ukraine. Since 2004, Ukraine has been reporting the highest number of AIDS cases diagnosed among all reporting countries. Presumably, the estimated number of AIDS cases in the Eastern region could increase by five times. The number of AIDS cases in the EU/EFTA would then increase by an estimated 25%. Trends in AIDS cases would not change dramatically, reinforcing the increase in the absolute numbers in the Eastern region.

These data limitations need to be taken into account when interpreting the HIV and AIDS surveillance data in the WHO European region and the EU/EFTA countries as presented in this report.



## 3. HIV case reporting in Europe

### 3.1. HIV case reports in the WHO European Region

#### HIV case reports in 2007

In 2007, 48 892 HIV cases were reported from 49 of the 53 countries in the WHO European Region (Table 1). In 2007, the rate of newly diagnosed cases of HIV infection reported in the WHO European Region was 76 per million population. The rate of reported HIV cases varied widely between the three geographical regions in Europe. The highest rate was reported in the East (165/million), more than twice that reported in the West (77/million) and close to twenty times that in the Centre (10/million).

Similarly, rates of newly diagnosed cases of HIV infection reported in 2007 varied widely between countries. Four countries reported rates of more than 200 newly diagnosed cases of HIV infection per million population: Estonia (472/million), Ukraine (285/million), Portugal (217/million), and the Republic of Moldova (204/million). Rates greater than 100 per million population were observed in six countries: Latvia (149/million), Kazakhstan (127/million), Uzbekistan (115/million), United Kingdom (108/million), Belarus (102/million) and Switzerland (102/million).

One third (33%) of HIV infections reported in 2007 (with known age) were in 15 to 29 year-old individuals and 33% (with known gender) were female (Table A).

The 42 012 reported cases of HIV with information on mode of transmission by gender (data missing for 6 756 cases; 14%) indicate that:

- the highest number of HIV cases was reported as due to heterosexual transmission, with 46% (19 426 cases) of the total number of cases reported, although reporting at sub-regional level this transmission mode is not predominant (Table 6; Table 8). Further, when

HIV cases reported in persons from countries with generalised epidemics are excluded, this percentage decreases to 36% (Table A);

- almost one fifth of the infections were among MSM (20%; 8 467 cases) (Table 2); and
- one third of the HIV cases were reported among IDU (32%; 13 538) (Table 3); and
- the remaining cases include 465 cases of HIV infected through mother-to-child transmission and 161 cases through other routes (nosocomial infection, transfusion or use of other blood products).

Many countries provided more information on the probable source of infection and the origin of the cases when the infection was reported to be acquired through heterosexual transmission (Table 8). In those countries, 19 426 cases of heterosexually acquired cases of HIV were reported. Of those, 4 555 (23%) were among individuals originating from countries with generalised epidemics and 299 (2%) were reported to have (or have had) a high-risk partner. It appears that individuals from generalised epidemic countries disproportionately influence the figures on mode of transmission. If these cases were excluded from 'transmission by heterosexual contact', the predominant mode in the West is no longer heterosexual transmission but among MSM. However, information on the probable source of infection was unknown for 71% of cases. In the three sub-regions, the levels of missing information were particularly high in the Centre (92%) and the East (98%), while in the West information was unknown for 47% of cases. The rate of reported newly diagnosed cases of HIV per million population increased by 90%, from 39 per million in 2000 (21 787 cases) to 75 per million in 2007 (41 949 cases) in 2007, among the 44 countries that have consistently reported HIV surveillance data since 2000.

**Table A: Characteristics of newly diagnosed cases of HIV infection reported in the WHO European Region and by geographical area, 2007**

	WHO European Region*	West*	Centre	East*
Number of HIV cases	48 892	24 202	1 897	22 793
Rate per million population	76.4	77.0	10.1	164.8
Percentage of cases:				
Age 15–29 years	33%	26%	41%	40%
Female	33%	31%	24%	36%
Transmission mode**				
Heterosexual***	36%	29%	53%	42%
Men who have sex with men	20%	40%	30%	0.4%
Injecting drug users	32%	8%	13%	57%

\* Missing data: Austria, Italy, Monaco, Russian Federation.

\*\* Transmission group unknown is excluded from the percentages.

\*\*\* Excludes persons originating from countries with generalised epidemics (4 555 in total; 4 540 in West).

## 3.2. HIV case reports in the European Union/EFTA

### HIV cases in the EU/EFTA, 2007

In the EU/EFTA, 26 279 newly diagnosed cases of HIV infection were reported in 2007 from 28 of 30 countries, a rate of 64 per million population (Table B). The three countries with the highest rates of HIV reported in 2007 are Estonia (472/million; 633 cases), Portugal (217/million; 2302 cases) and Latvia (149/million; 338 cases). Furthermore, rates of around 100 newly diagnosed cases of HIV infection per million population were reported in four countries: United Kingdom (108/million; 6601); Switzerland (102/million; 773); Belgium (99/million; 1052); and Luxembourg (98/million; 47). The lowest rates were reported by Slovakia (7/million; 39) and Romania (7/million; 158).

Twenty-eight per cent of newly diagnosed HIV infections (with information on age) in 2007 were reported in 15 to 29 year-old individuals and 31% (with information on sex) were female (Table B).

The 20800 reported cases of HIV with information on mode of transmission (data missing for 5364 cases; 20%) indicate that:

- heterosexual contact accounts for half of the cases (10 382). However, when HIV cases reported in persons from countries with generalised epidemics (4 422 cases) are excluded, this percentage decreases to 29% (Table B; Table 8); and
- the predominant mode of transmission in EU/EFTA countries is by sexual contact among MSM: 39% of the infections were among MSM (8174 cases) (Table 2); and
- less than 10% of HIV cases were reported as IDU (9%; 1930 cases) (Table 3); and
- the remaining cases (2%) included 261 cases of HIV infected through mother-to-child transmission and 90 cases by other routes (nosocomial infection, transfusion or use of other blood products).

**Table B: Characteristics of newly diagnosed cases of HIV infection reported in the EU/EFTA countries\*, 2007**

	EU/EFTA countries*
Number of HIV cases	26 279
Rate per million population	64.1
Percentage of cases:	
Age 15–29 years	28%
Female	31%
Transmission mode**	
Heterosexual***	29%
Men who have sex with men	39%
Injecting drug users	9%

\* Missing data: Italy, Austria.

\*\* Transmission group unknown is excluded in the percentages.


\*\*\* Excludes persons originating from countries with generalised epidemics (4 422 in total).

Twenty-six countries provided more information on the probable source of infection and the origin of the cases when the infection was reported to be acquired through heterosexual transmission (Table 8). In those countries, 10382 cases of heterosexually acquired cases of HIV were reported with individual information. Of those, 4422 (43%) were among individuals originating from countries with generalised epidemics and 156 (2%) were reported to have (or have had) a high-risk partner. It appears that individuals originating from countries with generalised epidemics disproportionately influence the figures on mode of transmission: the proportion of cases from countries with generalised epidemics varied from 0% in Lithuania, Romania and Slovakia to 70% in Sweden (Table 8). Information on the probable source of infection was unknown for 49% of cases. If cases from countries with generalised epidemics are excluded from 'transmission by heterosexual contact', the predominant mode in EU/EFTA countries is sexual contact among MSM.

### Trends in HIV cases in EU/EFTA

Among the 25 EU/EFTA countries that have consistently reported HIV data since 2000, the rate of reported cases of HIV infection has increased from 44 per million in 2000

**Figure C: Number of reported HIV infections by transmission mode, origin and year of notification, EU/EFTA, 2003–2007**



Data were not available for: Austria, Estonia (except for IDU), Italy, and Malta.

(14 483 cases) to 58 per million (19 435 cases) in 2007. Rates of reported HIV infection have doubled in eight countries (Bulgaria, Czech Republic, Hungary, the Netherlands, Slovakia, Slovenia, Sweden and UK) (Table 1B).

Twenty-six EU/EFTA countries have consistently reported data on HIV transmission mode since 2003 (Estonia only provides information regarding IDU). Since 2003, trends in transmission group indicate the following (Figure C):

- The number of cases for whom infection was acquired by heterosexual contact has remained stable at around 6 000 cases in both 2003 and 2007 although higher numbers (around 8 000 cases) were reported in between.
- The proportion of cases originating from countries with generalised epidemics amongst heterosexually acquired cases varied between 38% and 41% in the same period (varies between 4 200 in 2007 and 5 000 cases in 2005).
- Among countries reporting more than 50 cases of heterosexually acquired infection in 2007, a more than 20% decrease was reported in Greece, Ireland, the Netherlands and Spain. An increase of more than 50% was reported in the Czech Republic, Lithuania, and Latvia.
- The number of HIV reports among MSM has increased by 39%, from 5 867 in 2003 to 8 174 in 2007.
- The number of HIV reports among IDU has declined by 30% from 2 763 in 2003 to 1 928 in 2007. Data were not available for this period for Italy where major epidemics among IDU have been reported in the past.

### 3.3. HIV case reports by geographical area in the WHO European Region

The HIV epidemics across the three geographical areas of the WHO European Region show remarkable differences (Table A, above).

#### HIV cases in the West, 2007

The reported data suggest that the HIV epidemic in the West is characterised by a continuing increase in sexual transmission of HIV infection. Twenty-six per cent of newly diagnosed HIV infections in 2007 were reported in individuals 15 to 29 years old and 31% were female (Table A).

In the West, 24 202 newly diagnosed cases of HIV infection were reported in 2007 from 21 of 23 countries, a rate of 77 per million population (Table A). The 19 880 cases with information on transmission group by gender (data missing for 4 240 cases; 18%) indicate that:

- half of the HIV infections were acquired through heterosexual contact (51%; 10 060 cases); if cases originating from countries with generalised epidemics were excluded (4 540 cases) from these, 29% of the reported infections were acquired through heterosexual contact; and
- the predominant mode of transmission is through sexual contact among MSM: this accounted for 40% of the infections (8 001 cases) (Table 2);
- and only 8% were acquired through IDU (1 514 cases) (Table 3).


#### Trends in HIV cases in West

Among the 16 countries in the West that have consistently reported HIV data since 2000, the rate of reported cases of HIV infection has increased from 55 per million population in 2000 (12 720 cases) to 73 per million (17 355 cases) in 2007 (Figure D). Regarding the transmission groups, the distribution mirrors the pattern for the whole of the EU/EFTA as described above.

#### HIV cases in the Centre, 2007

The HIV epidemic in the Centre remains at low and stable levels, although there is evidence of increasing sexual (both heterosexual and homosexual) transmission in many countries. Forty-one per cent of newly diagnosed

**Figure D:** Newly diagnosed HIV cases per million population in the WHO European Region by year of notification (West, Centre and East), 2000–2007



Data not included from: West: Andorra, Austria, France, Italy, Malta, Monaco, Spain; Centre: Serbia; East: Russian Federation.

cases in 2007 were in individuals aged 15 to 29 years old and 24% were female (Table A).

In 2007, 1897 newly diagnosed cases of HIV infection were reported (from 15 of 15 countries), representing a rate of 10 per million population (Table A). Of the 1239 cases with information on transmission group by gender (data missing for 623 cases; 33%):

- half of the infections were acquired through heterosexual contact (53%; 652 cases); only 2.5% (16 cases) of these were reported in persons originating from countries with generalised epidemics; and
- men who have sex with men accounted for 30% of the infections (375 cases); and
- thirteen per cent were among IDU (161 cases).

The epidemic in the Centre is characterised by its heterogeneity, with different transmission modes predominating in different countries. In 2007, heterosexually acquired cases of HIV infection represented more than 50% of all newly reported cases in five countries: Albania, Bosnia and Herzegovina, Romania, the former Yugoslav Republic of Macedonia and Turkey. However, more than 50% of newly diagnosed cases of HIV infection were reported among MSM in another five countries: Czech Republic, Slovenia, Slovakia, Croatia and Montenegro.

### Trends in HIV cases in the Centre

Of the 14 countries in the Centre that have consistently reported HIV data since 2000, trends in the rate of HIV cases have remained stable at levels below 10 per million population, although there has been a small increase since 2000 (from 8 to 10/million, Table 1). Among the six countries that reported more than 50 HIV cases in 2007, more than a doubling in the number of cases reported was observed in Bulgaria (from 49 cases in 2000 to 126 cases in 2007), Czech Republic (from 58 to 122) Hungary (from 48 to 119) and Turkey (from 112 to 352).

Since 2003, trends in HIV transmission group in these 14 countries have shown that:

- the number of heterosexually acquired cases has increased from 428 cases in 2003 to 652 cases in 2007; and
- the number of HIV cases in MSM has almost doubled, from 190 in 2003 to 375 in 2007; and
- among IDU, reports of new diagnoses have declined, from 267 in 2003 to 161 in 2007.

### HIV cases in the East, 2007

In the East, where the highest rate of newly diagnosed cases has been reported, the predominant mode of transmission is by IDU, 57% of the cases. However, due to incomplete reporting, the number of new cases is largely underestimated in this geographical area (no data were reported from the Russian Federation). In 2006, nearly

66% of the total number of HIV cases reported in the East were from the Russian Federation.

Forty per cent of the 2007 reported HIV cases were in individuals aged 15 to 29 years and 36% were female (Table A).

In 2007, 22793 newly diagnosed cases of HIV infection were reported in the East from 14 of 15 countries, a rate of 165 per million population (Table 1B). Fifty-eight per cent of newly reported cases were from Ukraine. The 20893 HIV cases reported in 2007 with information on transmission group by gender (data missing for 1893 cases; 8.3%) indicate that:

- 57% (11863 cases) of cases were reported in IDU (Table 3). The majority of those (60%; 7087 cases) were reported from Ukraine (Table 3); and
- 42% of the infections were acquired through heterosexual contact (42%; 8687); and
- less than 1% were reported among MSM (91 cases).

### Trends in HIV cases in the East

Since data from the Russian Federation are not available, trends in the East greatly underestimate the true rates of newly diagnosed HIV cases. In the 14 countries that have consistently reported HIV data since 2000, the rate of newly diagnosed cases of HIV infections has increased from 54 per million in 2000 to 160 per million in 2007.

The two countries most affected by the epidemic of 2001 (Estonia and Latvia) have since reported declines in the rates of newly diagnosed cases of HIV infection, although a small increase was observed in Latvia during 2006–2007. In other countries affected by the peak of 2001, rates have more than doubled since 2002 in Kazakhstan and Kyrgyzstan and increased five-fold in Azerbaijan and ten-fold in Tajikistan. In other countries, steady increases in rates since 2000 have been reported (e.g. Armenia, Georgia, Republic of Moldova, Ukraine and Uzbekistan).

Since 2003, trends in transmission groups in 14 eastern European countries (Estonia provided information only on IDU-related cases) suggest that:

- among IDU, the number of newly diagnosed cases of HIV infection has increased from 7741 reported in 2003 to 11863 reported in 2007, a 53% increase. However, declines are notable in Estonia (from 346 to 115) and Latvia (from 228 to 134) (Table 3). By contrast, the numbers of HIV cases among IDU have increased in Azerbaijan, Georgia, Kazakhstan, Tajikistan, Ukraine and Uzbekistan.
- the number of HIV cases that were reported as heterosexually acquired has more than doubled, from 4015 reported cases in 2003 to 8687 in 2007, a 116% increase (Table 4). An increase has been reported in all eastern European countries except Turkmenistan (zero cases reported since 2000).



## 4. AIDS case reporting in Europe

### 4.1. AIDS cases diagnosed in the WHO European Region

#### AIDS cases diagnosed in the WHO European Region, 2007

In 2007, a total of 5 244 AIDS cases were diagnosed in 48 of the 53 countries in the WHO European Region (no data from: Italy, Kazakhstan, Monaco, Russian Federation, Ukraine), representing a rate of nine cases per million population. More AIDS cases were diagnosed in the West (3 568 cases) than in the East (1 135 cases). The number of AIDS cases remains low in the Centre (541 cases) (Table 11A). However, due to incomplete reporting, the number of AIDS cases is underestimated in the East. The rates of AIDS diagnoses in 2007 varied widely between countries and data are presented for individual countries in Table 11A. A rate of AIDS cases per million higher than (or equal to) 30 per million population was observed in four countries: Republic of Moldova (59/million; 211 cases), Estonia (43/million; 57 cases), Georgia (41/million; 181 cases) and Portugal (30/million; 320 cases).

#### Trends in AIDS cases diagnosed in the WHO European Region

Trends in AIDS diagnoses per million population are presented in Figure E for 46 countries in the WHO European Region that consistently reported in 2000–2007 (Table 11). The decrease in the number of diagnosed AIDS cases has continued in 2007 in the West and Centre, and could be due to reporting delay and the availability of HAART. Since 2000, the number of AIDS diagnoses has declined from 9 397 cases (16/million) to 5 244 cases (9/million) in 2007 in 46 reporting countries. However, during this period, the number of AIDS diagnoses has

increased in 21 countries, with the largest increases observed in Belarus (from zero cases diagnosed in 2000 to 256 (26/million) in 2007) and the Republic of Moldova (from four cases in 2000 (1/million) to 211 cases (59/million) in 2007).

In the East, the number of AIDS diagnoses has continued to increase, from 69 cases (1/million) in 2000 to 1 135 cases (15/million) in 2007 (Figure E). In contrast, the number of AIDS cases in the rest of Europe has declined since 2000 by a third in the Centre and by more than half in the West.

### 4.2. AIDS cases diagnosed in the European Union/EFTA


#### AIDS cases in the EU/EFTA, 2007

In 2007, a total of 4 106 cases of AIDS were diagnosed in the EU/EFTA countries (no data from Italy), representing a rate of nine cases per million population (Table 11). The largest rates were reported in Estonia (43/million; 57 cases), Portugal (30/million; 320 cases), Latvia (24/million; 54 cases) and Spain (20/million; 893 cases).

#### Trends in AIDS cases in the EU/EFTA

The steady decrease in the number of AIDS cases diagnosed in recent years has continued in 2007. This could be due to the wide availability of HAART but also to reporting delay. Since 2000, the number of AIDS cases diagnosed has declined more than half, from 9 128 cases (21/million) to 4 106 cases (9/million) in 2007. During this period, the number of AIDS cases diagnosed has increased in eight countries. Of the six countries that reported more than 30 AIDS cases diagnosed in 2007, the largest increase was reported by Estonia, from three

**Figure E:** Number of diagnosed AIDS cases per million population in the WHO European Region by year of diagnosis (West, Centre and East), 2000–2007



Data not included from: West: Andorra, Italy, Monaco; East: Kazakhstan, Russian Federation, Ukraine

cases in 2000 (2/million) to 57 (43/million) in 2007. Other substantial increases (doubled or more) were observed in Finland, Ireland and Latvia. Decreases of AIDS cases by more than 50% over the period 2000 to 2007 were reported by seven countries including Spain (69%, from 2872 to 893), Portugal (69%, from 1027 to 320), France (66%, from 1738 to 596), Germany (64%, from 805 to 287) and Romania (55%, from 584 to 261), although these decreases were not adjusted for reporting delays.

### 4.3. AIDS cases diagnosed by geographical area in the WHO European Region

#### AIDS case reports in the West, 2007

In 2007, a total of 3568 diagnosed cases of AIDS were reported in 22 of the 23 countries in the West (Table 11A), representing a rate of 10 per million population. Trends in the West mirror the pattern for the EU/EFTA as described above.

#### AIDS case reports in the Centre, 2007

In 2007, 541 diagnosed cases of AIDS were reported in the 15 countries in the Centre, a rate of three per million population (Table 11A), with the highest rate reported in Romania (12/million; 261 cases). In the remaining countries, AIDS rates were around or below five per million population.

The steady decrease in the number of AIDS cases diagnosed has continued in 2007. The number and rate of AIDS diagnoses in 2007 are two thirds of those reported in 2000 (952 cases; 5.1/million population). Nine countries (with relatively low total numbers) have reported a decrease in numbers and five countries an increase of AIDS cases. During this period, the largest decrease in AIDS rate was reported in Romania (from 26/million in 2000 to 12/million in 2007) (Table 11A).

#### AIDS case reports in the East, 2007

In 2007, a total of 1135 cases of AIDS were diagnosed in 12 of the 15 countries in the East (Table 11A), giving a rate of 15 per million population. In 2007, the highest rates were reported in the Republic of Moldova (59/million; 211 cases), Estonia (43/million; 57 cases), Georgia (41/million; 181 cases), Belarus (26/million; 256 cases), Latvia (24/million; 54 cases) and Azerbaijan (23/million; 201 cases).

Twelve countries in the East have consistently reported AIDS cases diagnosed since 2000 (Table 11A, Kazakhstan, Russian Federation and Ukraine excluded). The rate of AIDS cases diagnosed in the East has exceeded that in the West since 2006 (Figure E) and has increased from one per million (69 cases) in 2000 to 15 per million (1135 cases) in 2007. (Note: If all reporting countries in the East had been included, the lines would have crossed several years earlier. Table 11A). Except for Turkmenistan, all countries providing data for the whole period reported an increase in the number of AIDS cases.

More than a 20-fold increase was reported in Azerbaijan and the Republic of Moldova, and more than a 10-fold increase in Armenia and Georgia. Although not reporting data for 2007, Kazakhstan has reported a more than 10-fold increase from 10 cases in 2000 to 132 cases in 2006 and Ukraine has reported a six-fold increase from 716 cases in 2000 to 4490 cases in 2006.

### 4.4. AIDS-indicative diseases and mortality

#### AIDS-indicative diseases

Indicative diseases for diagnosis of an AIDS case are listed in the EU case definitions for adults and adolescents and children. AIDS cases can be reported with one or more AIDS-indicative diseases present at, or within the two months following, the AIDS diagnosis.

The most common indicative diseases among adults and adolescent AIDS cases diagnosed in 2007 were *mycobacterium tuberculosis* (19%), oesophageal candidiasis (19%) and *pneumocystis carinii* pneumonia (18%) (Table 18).

In the EU/EFTA, the most common AIDS-indicative disease diagnosed in 2007 was *pneumocystis carinii* pneumonia (22%). In contrast, in the non-EU/EFTA countries, the most common AIDS-indicative diseases were candidiasis (36%) and *mycobacterium tuberculosis* (34%) (Table 19).

#### AIDS mortality data

In the WHO European Region, 1600 persons diagnosed with AIDS were reported to have died of AIDS during 2007. This figure is much lower than the total reported for 2006 (3755) because of incomplete reporting: no adjustment has been made for reporting delays in the different countries and no 2007 data were available from Italy, Kazakhstan, the Russian Federation or Ukraine. Since the beginning of the AIDS epidemic, a cumulative total of 270754 persons have been reported as diagnosed with AIDS in the WHO European Region by the end of 2007. The cumulative total of cases reported as known to have died by the end of 2007 is 142532. These figures suggest that approximately 130 000 people were living with HIV by the end of 2007 in the countries of the WHO European Region that reported mortality data.

## 5. Number of HIV tests performed

The total numbers of HIV tests performed annually for diagnostic purposes (i.e. unlinked anonymous tests and blood donations excluded) by country are presented in Table 24. Figures presented in this table may differ from figures published in previous EuroHIV reports as many countries have updated the information for previous years in the process of reporting for 2007.

The figures on performed HIV tests are derived from different sources which range from annual activity reports from HIV testing sites in a country to extrapolations on information systematically gathered in laboratory networks performing HIV tests and to estimations based on surveys performed with a temporal spacing. The figures presented may not cover the HIV testing activities completely in all countries. While describing testing rates in the countries, it is important to explain these above-mentioned differences.

In contrast to the East and the Centre, many countries in the West do not systematically collect such data and in some cases only estimates are available. Information is provided for at least one year in the period 2003–2007 by only 46 of the 53 countries of WHO European Region.

These figures provide only a crude measure of HIV testing activities in the countries. They do not provide detailed information on who is being tested or to what extent testing is targeted at high-risk populations. The calculated testing rates are likely to overestimate the true rate of testing in the population as the numbers reported are not of persons who have been tested but of tests performed. This includes repeat tests performed on the same person.

### Testing rates in 2006 and 2007

In 2007 the highest testing rates are reported from Kazakhstan, (119 tests per 1000 population) San Marino (118 tests per 1000, although the high rate is due to relatively small size of the population) and Austria (94 tests per 1000). Testing rates of more than 50 per 1000 population were reported in a further four countries: Belgium (56/1000), France (79/1000), Cyprus (53/1000) and Estonia (51/1000). Information on the number of tests for the Republic of Moldova and Portugal which were above this threshold in previous years is not available for 2007. In 2006–2007, the lowest rates were reported by Greece (1/1000) and Turkey (<1/1000).

### Trends in number and rates of HIV tests performed

Trends in HIV testing for the period between 2003 and 2007 are available for 38 countries in the WHO European Region. Comparing the years 2003 and 2007, an increase in absolute numbers of reported HIV tests and rates can be observed in most countries. In a few countries

the increase in absolute numbers does not correspond to an increase in the calculated rates (e.g. Iceland, Luxembourg, San Marino) but the relative decrease in rates remains small (less than 10%). In eight countries the absolute number of reported HIV tests has more than doubled between 2003 and 2007. The largest increases are reported from Armenia (+460%, from 9870 in 2003 to 55342 in 2007) and Kazakhstan (+187%, from 614768 in 2003 to 1762768 in 2007). Furthermore, substantial decreases in the number of HIV tests are reported in Georgia (-44% from 30371 in 2003 to 17024 in 2007) and Lithuania (-32% from 88912 in 2003 to 60330 in 2007).



## 6. Conclusion

HIV infection remains of major public health importance in Europe with a continued increase in the number of newly diagnosed cases of HIV infection reported. In contrast, the number of AIDS cases diagnosed (not adjusted for reporting delays) has continued to decline, although in the East the number of AIDS cases continues to increase. This report provides an accurate picture of the HIV and AIDS surveillance data as provided by 49 countries of the WHO European Region. Due to incomplete and non-reporting from a few large countries in the WHO European Region, this report does not present an overall picture of the HIV and AIDS epidemics in Europe.

The number of newly diagnosed cases of HIV reported in 2007 is the highest number reported so far for the WHO European Region, taking into account the limitations of the data as described in chapter 2.5. The data suggests evidence of continuing transmission of HIV in many countries. However, the predominant transmission group varies by country and geographical region and these data illustrate the wide diversity in the epidemiology of HIV in Europe.

In EU/EFTA countries, which very closely correlate with the West, the highest proportion of the total number of HIV cases was reported among MSM. Due to the relatively small sizes of the populations, IDU and MSM are at greater risk for HIV infection than the heterosexual population. National prevention programmes aimed at reducing HIV transmission within Europe should have a strong focus on MSM. In addition, although, heterosexual HIV transmission remains important and is increasing in several countries, around 40% of heterosexually acquired cases were diagnosed in persons originating from countries with generalised epidemics. These cases highly influence the size and nature of the HIV and AIDS epidemics in Europe. Migrant populations should also be targeted in national prevention programmes and access to treatment and care services should be ensured. Although there seems to be a decline in the number of new diagnoses among IDU, this is still the predominant transmission group in the Baltic States.

In the Centre, levels of HIV remain low and stable, although there is evidence of increasing sexual (both heterosexual and homosexual) transmission in many countries. The nature of the epidemic in this region demonstrates a wide diversity, with heterosexual transmission dominating in some countries, although transmission among MSM predominates in other, mostly EU/EFTA, countries.

In the East, the number of newly diagnosed cases of HIV has increased substantially. The increase of the epidemic is mainly driven by an increase in cases acquired through IDU but also by an increase of HIV cases attributed to heterosexual contact. The proportional increase

in reported heterosexual transmission has exceeded the increase among IDU since 2003. However, the amount of independent or IDU-related heterosexual transmission is unknown as information on the probable source of infection is missing for almost all heterosexually acquired cases. Among IDU in the East, the number of newly diagnosed cases of HIV infection has increased in almost all countries.

Enhanced surveillance of HIV and AIDS in Europe is essential to provide the information that is necessary to monitor the epidemic and evaluate the public health response to control the transmission of infections. In order to achieve this aim, countries in Europe need to ensure that surveillance data is of high quality, and need to provide, in particular, complete case reports with HIV and AIDS surveillance data. Achieving full coverage of reporting in the WHO European Region is of paramount importance.



# Tables

**Table 1: HIV infections newly diagnosed and rates per million population by country and year of statistics (2000–2007) and cumulative totals\*, in EU/EFTA and non-EU/EFTA countries of WHO European Region**

Area	Country	2000		2001		2002		2003	
		N	Rate	N	Rate	N	Rate	N	Rate
EU	Austria	-	-	-	-	-	-	-	-
	Belgium	952	92.9	966	93.9	992	96	1052	101.4
	Bulgaria	49	6	40	5	43	5.5	63	8.1
	Cyprus	29	41.8	22	31.4	16	22.5	24	33.2
	Czech Republic	58	5.6	51	5	50	4.9	63	6.2
	Denmark	260	48.7	319	59.5	289	53.8	270	50.1
	Estonia	390	284.8	1474	1080.6	899	661.7	840	620.6
	Finland	142	27.4	130	25.1	129	24.8	130	24.9
	France	-	-	-	-	-	-	5034	81.1
	Germany	1688	20.5	1443	17.5	1719	20.8	1976	23.9
	Greece	492	45.1	407	37.2	396	36	436	39.6
	Hungary	48	4.7	82	8	78	7.7	63	6.2
	Ireland	290	76.2	299	77.3	364	92.6	399	99.9
	Italy	-	-	-	-	-	-	-	-
	Latvia	466	196.4	807	342.7	542	231.8	403	173.3
	Lithuania	65	18.6	72	20.7	397	114.4	110	31.8
	Luxembourg	43	98.6	41	92.9	33	74	47	104.1
	Malta	-	-	-	-	-	-	-	-
	Netherlands	810	50.9	931	58	1013	62.7	1039	64
	Poland	630	16.4	564	14.7	574	15	610	16
Portugal	2749	268.8	2195	213.3	2050	197.7	1877	179.8	
Romania	350	15.6	467	21.1	398	18.3	308	14.2	
Slovakia	19	3.5	8	1.5	11	2	13	2.4	
Slovenia	13	6.5	17	8.5	21	10.5	14	7	
Spain	-	-	-	-	-	-	1214	87.8	
Sweden	242	27.3	270	30.4	278	31.1	363	40.5	
United Kingdom	3875	65.8	5100	86.3	6274	105.8	7350	123.4	
	<b>Total EU</b>	<b>13660</b>	<b>43.1</b>	<b>15705</b>	<b>49.6</b>	<b>16566</b>	<b>52.3</b>	<b>23698</b>	<b>60.2</b>
EFTA	Iceland	10	35.6	10	35.1	7	24.3	9	31.1
	Norway	175	39	157	34.8	205	45.2	238	52.1
	Switzerland	578	80.5	631	87.3	793	108.9	758	103.3
	<b>Total EU+EFTA</b>	<b>14423</b>	<b>43.9</b>	<b>16503</b>	<b>50.2</b>	<b>17571</b>	<b>53.4</b>	<b>24703</b>	<b>60.9</b>
Non-EU/EFTA	Albania	7	2.3	8	2.6	14	4.5	20	6.4
	Andorra	-	-	-	-	-	-	-	-
	Armenia	29	9	29	9	41	12.8	29	9
	Azerbaijan	40	5	94	11.6	78	9.5	86	10.4
	Belarus	527	52.7	578	58	915	92.2	713	72.2
	Bosnia and Herzegovina	3	0.8	9	2.4	8	2.1	13	3.4
	Croatia	36	8.1	26	5.9	43	9.7	49	11
	Georgia	79	17.9	93	21.2	95	21.8	100	23.1
	Israel	295	45.6	367	57.8	343	53	307	46.5
	Kazakhstan	347	23	1175	78	694	46	747	49.3
	Kyrgyzstan	16	3.1	149	29.6	160	31.4	132	25.7
	Macedonia, F.Y.R.**	0	0	1	0.5	0	0	1	0.5
	Monaco	-	-	-	-	-	-	-	-
	Montenegro	7	11.4	2	3.2	4	6.5	7	11.3
	Republic of Moldova	176	48.4	234	64.4	209	57.7	258	71.4
	Russian Federation	-	-	-	-	-	-	-	-
	San Marino	1	33.9	3	101.8	2	67.9	5	169.7
	Serbia	71	9.4	97	12.9	103	13.7	91	12.2
	Tajikistan	7	1.1	37	5.9	30	4.7	41	6.4
	Turkey	112	1.7	144	2.1	144	2.1	145	2.1
Turkmenistan	0	0	0	0	0	0	0	0	
Ukraine	5485	112.2	6086	125.6	7385	153.8	8179	171.7	
Uzbekistan	154	6	549	21.7	981	38.3	1836	70.6	
	<b>Total non-EU/EFTA</b>	<b>7392</b>	<b>33</b>	<b>9681</b>	<b>42.9</b>	<b>11249</b>	<b>50.1</b>	<b>12759</b>	<b>56</b>
Total	West	12602	54.7	13269	57.4	14887	64.1	22504	72.9
	Centre	1432	7.8	1538	8.2	1507	8.1	1484	7.9
	East	7781	56.5	11377	83.3	12426	90.9	13474	98.5
	<b>Total WHO European Region</b>	<b>21815</b>	<b>39.5</b>	<b>26184</b>	<b>47.2</b>	<b>28820</b>	<b>52</b>	<b>37462</b>	<b>59.1</b>

\* Cumulative total is the total number of cases reported by country since the start of reporting

\*\* The former Yugoslav Republic of Macedonia



	2004		2005		2006		2007		Cumulative total*	Country
	N	Rate	N	Rate	N	Rate	N	Rate		
-	-	-	-	-	-	-	-	-	-	Austria
1002	96.2	1074	102.5	995	94.3	1052	99.0	19942	19942	Belgium
50	6.4	83	10.7	91	11.8	126	16.4	815	815	Bulgaria
25	33.8	43	56.7	35	45.3	46	58.5	565	565	Cyprus
72	7	90	8.8	93	9.1	122	11.8	1042	1042	Czech Republic
306	56.6	264	48.7	245	45.1	306	56.0	5076	5076	Denmark
743	550.7	621	461.3	668	497.2	633	471.8	6364	6364	Estonia
126	24.1	139	26.5	193	36.6	187	35.4	2263	2263	Finland
5724	91.7	5937	94.5	5561	88	4075	64.1	26331	26331	France
2212	26.8	2505	30.4	2643	32.1	2752	33.5	31403	31403	Germany
446	40.3	564	50.8	572	51.3	516	46.1	8680	8680	Greece
75	7.4	106	10.5	81	8	119	11.8	1485	1485	Hungary
356	87.5	318	76.5	337	79.1	362	82.9	4781	4781	Ireland
-	-	-	-	-	-	-	-	-	-	Italy
323	139.7	299	130	299	130.7	350	153.8	3981	3981	Latvia
135	39.3	120	35.1	100	29.5	106	31.4	1306	1306	Lithuania
60	131	63	136.8	56	118.5	47	97.9	818	818	Luxembourg
17	42.4	19	47.1	29	71.4	16	39.1	81	81	Malta
1117	68.6	1149	70.4	1021	62.5	1094	66.8	14403	14403	Netherlands
656	17.2	654	17.1	750	19.7	717	18.8	11272	11272	Poland
1764	168	1573	149.1	1510	142.7	894	84.3	20851	20851	Portugal
301	13.9	231	10.7	208	9.6	172	8.0	4211	4211	Romania
15	2.8	21	3.9	27	5	39	7.2	224	224	Slovakia
24	12	38	19	33	16.4	36	17.8	355	355	Slovenia
1225	88.6	1125	81.3	1164	84.2	1057	76.4	5785	5785	Spain
431	47.9	391	43.3	377	41.5	540	59.0	8017	8017	Sweden
7594	126.8	7716	128.1	7334	121	7734	126.8	94864	94864	United Kingdom
<b>24799</b>	<b>62.8</b>	<b>25143</b>	<b>63.6</b>	<b>24422</b>	<b>61.6</b>	<b>23098</b>	<b>58.1</b>	<b>274915</b>	<b>274915</b>	<b>Total EU</b>
4	13.7	8	27	11	36.2	13	41.8	208	208	Iceland
251	54.7	219	47.4	276	59.2	248	52.7	3787	3787	Norway
745	100.8	722	97.1	762	101.8	768	101.7	30153	30153	Switzerland
<b>25799</b>	<b>63.4</b>	<b>26092</b>	<b>64</b>	<b>25471</b>	<b>62.3</b>	<b>24127</b>	<b>58.8</b>	<b>309063</b>	<b>309063</b>	<b>Total EU+EFTA</b>
21	6.7	24	7.6	24	7.6	27	8.5	171	171	Albania
31	415.6	10	128.7	1	12.5	3	36.5	45	45	Andorra
49	15.2	75	23.3	66	20.5	109	33.8	538	538	Armenia
102	12.3	206	24.5	241	28.4	441	51.4	1379	1379	Azerbaijan
778	79.2	751	76.8	733	75.3	990	102.0	8737	8737	Belarus
16	4.2	13	3.4	17	4.4	4	1.0	147	147	Bosnia and Herzegovina
51	11.5	66	14.9	56	12.6	47	10.6	663	663	Croatia
163	37.7	242	55.5	276	62.8	344	78.4	1500	1500	Georgia
315	46.8	353	51.5	335	47.9	358	50.3	5358	5358	Israel
699	45.8	964	62.7	1745	112.6	1979	126.8	9350	9350	Kazakhstan
161	31	171	32.6	244	46	409	76.3	1479	1479	Kyrgyzstan
1	0.5	1	0.5	7	3.4	3	1.5	22	22	Macedonia, F.Y.R.**
-	-	-	-	-	-	-	-	-	-	Monaco
2	3.2	9	14.4	5	8	11	17.6	80	80	Montenegro
360	99.9	533	148.3	621	173.2	731	204.4	4156	4156	Republic of Moldova
-	-	-	-	-	-	-	-	-	-	Russian Federation
3	101.8	4	134.1	2	66.3	0	0.0	57	57	San Marino
103	13.8	104	14	87	11.7	90	12.2	2199	2199	Serbia
198	30.5	189	28.7	204	30.5	305	45.0	1015	1015	Tajikistan
163	2.3	295	4.1	255	3.5	352	5.0	2273	2273	Turkey
0	0	0	0	0	0	0	0.0	2	2	Turkmenistan
10218	216.2	11272	240.2	13256	283.9	13239	284.7	104296	104296	Ukraine
2016	76.4	2198	82.1	2205	81.1	3169	114.9	13146	13146	Uzbekistan
<b>15450</b>	<b>67.4</b>	<b>17480</b>	<b>75.7</b>	<b>20380</b>	<b>87.7</b>	<b>22611</b>	<b>98.2</b>	<b>156613</b>	<b>156613</b>	<b>Total non-EU/EFTA</b>
23729	76.4	24153	77.5	23424	74.8	22022	70.0	282900	282900	West
1575	8.3	1778	9.4	1769	9.3	1911	10.2	25524	25524	Centre
15945	116.4	17641	128.5	20658	149.9	22805	164.9	157249	157249	East
<b>41249</b>	<b>64.8</b>	<b>43572</b>	<b>68.2</b>	<b>45851</b>	<b>71.5</b>	<b>46738</b>	<b>73.0</b>	<b>465673</b>	<b>465673</b>	<b>Total WHO European Region</b>

**Table 1A: HIV infections newly diagnosed and rates per million population by country and year of diagnosis (2000–2007) and cumulative totals\*, in EU/EFTA and non-EU/EFTA countries of WHO European Region**

Area	Country	2000		2001		2002		2003	
		N	Rate	N	Rate	N	Rate	N	Rate
EU	Austria	-	-	-	-	-	-	-	-
	Belgium	952	92.9	966	93.9	992	96	1052	101.4
	Bulgaria	-	-	-	-	-	-	-	-
	Cyprus	29	41.8	22	31.4	16	22.5	24	33.2
	Czech Republic	58	5.6	51	5	50	4.9	63	6.2
	Denmark	260	48.7	319	59.5	289	53.8	270	50.1
	Estonia	-	-	-	-	-	-	-	-
	Finland	142	27.4	130	25.1	129	24.8	130	24.9
	France	-	-	-	-	-	-	5034	81.1
	Germany	1688	20.5	1443	17.5	1719	20.8	1976	23.9
	Greece	462	42.3	399	36.4	396	36	416	37.7
	Hungary	48	4.7	82	8	78	7.7	63	6.2
	Ireland	290	76.2	299	77.3	364	92.6	399	99.9
	Italy	-	-	-	-	-	-	-	-
	Latvia	466	196.4	807	342.7	542	231.8	403	173.3
	Lithuania	65	18.6	72	20.7	397	114.4	110	31.8
	Luxembourg	40	91.7	37	83.8	36	80.7	50	110.7
	Malta	-	-	-	-	-	-	1	2.5
	Netherlands	809	50.8	929	57.9	993	61.5	1026	63.2
	Poland	320	8.3	352	9.2	312	8.2	546	14.3
Portugal	2749	268.8	2195	213.3	2050	197.7	1877	179.8	
Romania	350	15.6	467	21.1	398	18.3	308	14.2	
Slovakia	19	3.5	8	1.5	11	2	13	2.4	
Slovenia	13	6.5	17	8.5	21	10.5	14	7	
Spain	-	-	-	-	-	-	1214	87.8	
Sweden	275	31	264	29.7	293	32.8	353	39.4	
United Kingdom	3875	65.8	5100	86.3	6274	105.8	7350	123.4	
	<b>Total EU</b>	<b>12 910</b>	<b>42</b>	<b>13 959</b>	<b>45.4</b>	<b>15 360</b>	<b>49.9</b>	<b>22 692</b>	<b>59</b>
EFTA	Iceland	10	35.6	10	35.1	7	24.3	9	31.1
	Norway	175	39	157	34.8	205	45.2	238	52.1
	Switzerland	572	79.6	639	88.4	784	107.6	756	103
	<b>Total EU+EFTA</b>	<b>13 667</b>	<b>42.8</b>	<b>14 765</b>	<b>46.2</b>	<b>16 356</b>	<b>51.1</b>	<b>23 695</b>	<b>59.7</b>
Non-EU/EFTA	Albania	6	2	7	2.3	14	4.5	19	6.1
	Andorra	-	-	1	15.1	-	-	2	28.7
	Armenia	29	9	28	8.7	42	13.1	29	9
	Azerbaijan	53	6.6	82	10.1	74	9.1	86	10.4
	Belarus	527	52.7	578	58	915	92.2	713	72.2
	Bosnia and Herzegovina	2	0.5	6	1.6	5	1.3	12	3.1
	Croatia	36	8.1	26	5.9	43	9.7	49	11
	Georgia	86	19.5	98	22.3	98	22.5	102	23.5
	Israel	295	45.6	367	57.8	343	53	307	46.5
	Kazakhstan	-	-	-	-	-	-	-	-
	Kyrgyzstan	16	3.1	150	29.8	160	31.4	131	25.5
	Macedonia, F.Y.R.**	0	0	1	0.5	0	0	1	0.5
	Monaco	-	-	-	-	-	-	-	-
	Montenegro	6	9.8	1	1.6	3	4.9	5	8.1
	Republic of Moldova	-	-	-	-	-	-	-	-
	Russian Federation	-	-	-	-	-	-	-	-
	San Marino	0	0	0	0	0	0	0	0
	Serbia	71	9.4	97	12.9	103	13.7	91	12.2
	Tajikistan	7	1.1	38	6.1	29	4.6	41	6.4
	Turkey	111	1.6	142	2.1	154	2.2	140	2
Turkmenistan	0	0	0	0	0	0	0	0	
Ukraine	-	-	-	-	-	-	-	-	
Uzbekistan	-	-	-	-	-	-	-	-	
	<b>Total non-EU/EFTA</b>	<b>1245</b>	<b>9.5</b>	<b>1622</b>	<b>12.2</b>	<b>1983</b>	<b>15</b>	<b>1728</b>	<b>12.7</b>
Total	West	12594	54.6	13255	57.3	14874	64.1	22460	72.6
	Centre	1069	6.1	1279	7.2	1208	6.8	1348	7.5
	East	1249	29	1853	43.3	2257	52.6	1615	37.6
	<b>Total WHO European Region</b>	<b>14 912</b>	<b>33.2</b>	<b>16 387</b>	<b>36.2</b>	<b>18 339</b>	<b>40.5</b>	<b>25 423</b>	<b>47.7</b>

\* Cumulative total is the total number of cases reported by country since the start of reporting

\*\* The former Yugoslav Republic of Macedonia

	2004		2005		2006		2007		Cumulative total*	Country
	N	Rate	N	Rate	N	Rate	N	Rate		
-	-	-	-	-	-	-	-	-	-	Austria
1002	96.2	1074	102.5	995	94.3	1052	99	19942	19942	Belgium
-	-	-	-	-	-	-	126	16.4	815	Bulgaria
25	33.8	43	56.7	35	45.3	46	58.5	565	565	Cyprus
72	7	90	8.8	93	9.1	122	11.8	1042	1042	Czech Republic
306	56.6	264	48.7	245	45.1	306	56	5076	5076	Denmark
-	-	-	-	-	-	-	633	471.8	6364	Estonia
126	24.1	139	26.5	193	36.6	187	35.4	2263	2263	Finland
5724	91.7	5937	94.5	5561	88	4075	64.1	26331	26331	France
2212	26.8	2505	30.4	2643	32.1	2752	33.5	31403	31403	Germany
483	43.7	520	46.8	471	42.2	456	40.7	8680	8680	Greece
75	7.4	106	10.5	81	8	119	11.8	1485	1485	Hungary
356	87.5	318	76.5	337	79.1	362	82.9	4412	4412	Ireland
-	-	-	-	-	-	-	-	-	-	Italy
323	139.7	299	130	299	130.7	350	153.8	3981	3981	Latvia
135	39.3	120	35.1	100	29.5	106	31.4	1306	1306	Lithuania
54	117.9	46	99.9	44	93.1	34	70.8	818	818	Luxembourg
19	47.3	18	44.6	26	64	14	34.2	81	81	Malta
1108	68.1	1146	70.2	998	61.1	1035	63.2	14666	14666	Netherlands
642	16.8	660	17.3	716	18.8	601	15.8	11272	11272	Poland
1764	168	1573	149.1	1510	142.7	894	84.3	20851	20851	Portugal
301	13.9	231	10.7	208	9.6	158	7.3	4211	4211	Romania
15	2.8	21	3.9	27	5	39	7.2	224	224	Slovakia
24	12	38	19	33	16.4	36	17.8	355	355	Slovenia
1225	88.6	1125	81.3	1164	84.2	1057	76.4	5785	5785	Spain
407	45.3	366	40.5	350	38.5	425	46.5	8017	8017	Sweden
7594	126.8	7716	128.1	7334	121	7734	126.8	94864	94864	United Kingdom
<b>23992</b>	<b>62.2</b>	<b>24355</b>	<b>63</b>	<b>23463</b>	<b>60.6</b>	<b>22719</b>	<b>57.1</b>	<b>274809</b>	<b>274809</b>	<b>Total EU</b>
4	13.7	8	27	11	36.2	13	41.8	208	208	Iceland
251	54.7	219	47.4	276	59.2	248	52.7	3787	3787	Norway
746	101	718	96.5	756	101	765	101.3	30153	30153	Switzerland
<b>24993</b>	<b>62.8</b>	<b>25300</b>	<b>63.4</b>	<b>24506</b>	<b>61.3</b>	<b>23745</b>	<b>57.9</b>	<b>308957</b>	<b>308957</b>	<b>Total EU+EFTA</b>
21	6.7	24	7.6	24	7.6	27	8.5	171	171	Albania
1	13.4	5	64.3	1	12.5	2	24.3	45	45	Andorra
49	15.2	75	23.3	67	20.8	107	33.2	538	538	Armenia
101	12.2	209	24.9	237	27.9	441	51.4	1379	1379	Azerbaijan
778	79.2	751	76.8	733	75.3	990	102	8737	8737	Belarus
9	2.3	12	3.1	11	2.9	3	0.8	147	147	Bosnia and Herzegovina
51	11.5	66	14.9	56	12.6	47	10.6	663	663	Croatia
156	36.1	237	54.3	272	61.8	340	77.5	1500	1500	Georgia
315	46.8	353	51.5	335	47.9	358	50.3	5358	5358	Israel
-	-	-	-	-	-	-	-	9350	9350	Kazakhstan
161	31	171	32.6	244	46	409	76.3	1479	1479	Kyrgyzstan
1	0.5	1	0.5	7	3.4	3	1.5	22	22	Macedonia, F.Y.R.**
-	-	-	-	-	-	-	-	-	-	Monaco
2	3.2	9	14.4	4	6.4	10	16	79	79	Montenegro
-	-	-	-	-	-	731	204.4	4156	4156	Republic of Moldova
-	-	-	-	-	-	-	-	-	-	Russian Federation
0	0	0	0	0	0	0	0	57	57	San Marino
103	13.8	104	14	87	11.7	90	12.2	2199	2199	Serbia
198	30.5	189	28.7	204	30.5	305	45	1015	1015	Tajikistan
199	2.8	267	3.7	269	3.7	299	4.3	2273	2273	Turkey
0	0	0	0	0	0	0	0	2	2	Turkmenistan
-	-	-	-	-	-	-	-	104296	104296	Ukraine
39	1.5	2159	80.6	2205	81.1	3169	114.9	13146	13146	Uzbekistan
<b>2184</b>	<b>13.4</b>	<b>4632</b>	<b>28.1</b>	<b>4756</b>	<b>28.6</b>	<b>7331</b>	<b>43.6</b>	<b>156612</b>	<b>156612</b>	<b>Total non-EU/EFTA</b>
23697	76.3	24050	77.1	23250	74.3	21769	69.2	282797	282797	West
1540	8.5	1672	9.2	1651	9	1726	9.2	25523	25523	Centre
1940	27.9	4210	60.1	4361	61.7	7581	99.5	157249	157249	East
<b>27177</b>	<b>48.4</b>	<b>29932</b>	<b>53.1</b>	<b>29262</b>	<b>51.7</b>	<b>31076</b>	<b>53.8</b>	<b>465569</b>	<b>465569</b>	<b>Total WHO European Region</b>

**Table 18: HIV infections newly diagnosed and rates per million population by country and year of notification (2000–2007) and cumulative totals\*, in EU/EFTA and non-EU/EFTA countries of WHO European Region**

Area	Country	2000		2001		2002		2003	
		N	Rate	N	Rate	N	Rate	N	Rate
EU	Austria	-	-	-	-	-	-	-	-
	Belgium	952	92.9	966	93.9	992	96	1052	101.4
	Bulgaria	49	6	40	5	43	5.5	63	8.1
	Cyprus	29	41.8	22	31.4	16	22.5	24	33.2
	Czech Republic	58	5.6	51	5	50	4.9	63	6.2
	Denmark	255	47.8	321	59.9	292	54.3	259	48
	Estonia	390	284.8	1474	1080.6	899	661.7	840	620.6
	Finland	142	27.4	130	25.1	129	24.8	130	24.9
	France	-	-	-	-	-	-	3248	52.4
	Germany	1684	20.5	1308	15.9	1869	22.7	1902	23
	Greece	492	45.1	407	37.2	396	36	436	39.6
	Hungary	48	4.7	82	8	78	7.7	63	6.2
	Ireland	290	76.2	299	77.3	364	92.6	399	99.9
	Italy	-	-	-	-	-	-	-	-
	Latvia	408	171.9	732	310.8	520	222.4	354	152.2
	Lithuania	65	18.6	72	20.7	397	114.4	110	31.8
	Luxembourg	43	98.6	41	92.9	33	74	47	104.1
	Malta	-	-	-	-	-	-	-	-
	Netherlands	362	22.7	570	35.5	3420	211.8	1562	96.3
	Poland	630	16.4	564	14.7	574	15	610	16
Portugal	3984	389.6	2369	230.2	2457	237	2230	213.6	
Romania	350	15.6	467	21.1	398	18.3	308	14.2	
Slovakia	19	3.5	8	1.5	11	2	13	2.4	
Slovenia	13	6.5	16	8	22	11	14	7	
Spain	-	-	-	-	-	-	1214	87.8	
Sweden	242	27.3	270	30.4	278	31.1	363	40.5	
United Kingdom	3218	54.6	4130	69.9	5876	99	6849	115	
	<b>Total EU</b>	<b>13723</b>	<b>43.3</b>	<b>14339</b>	<b>45.3</b>	<b>19114</b>	<b>60.3</b>	<b>22153</b>	<b>56.3</b>
EFTA	Iceland	10	35.6	11	38.6	7	24.3	10	34.5
	Norway	167	37.2	162	35.9	204	45	223	48.9
	Switzerland	583	81.1	628	86.9	751	103.1	774	105.5
	<b>Total EU+EFTA</b>	<b>14483</b>	<b>44</b>	<b>15140</b>	<b>46</b>	<b>20076</b>	<b>61</b>	<b>23160</b>	<b>57.1</b>
Non-EU/EFTA	Albania	6	2	7	2.3	14	4.5	19	6.1
	Andorra	-	-	-	-	-	-	-	-
	Armenia	29	9	29	9	41	12.8	29	9
	Azerbaijan	40	5	94	11.6	78	9.5	86	10.4
	Belarus	527	52.7	578	58	915	92.2	713	72.2
	Bosnia and Herzegovina	3	0.8	9	2.4	8	2.1	13	3.4
	Croatia	20	4.5	23	5.2	35	7.9	29	6.5
	Georgia	79	17.9	93	21.2	95	21.8	100	23.1
	Israel	295	45.6	367	57.8	343	53	307	46.5
	Kazakhstan	347	23	1175	78	694	46	747	49.3
	Kyrgyzstan	16	3.1	149	29.6	160	31.4	132	25.7
	Macedonia, F.Y.R.**	0	0	1	0.5	0	0	1	0.5
	Monaco	-	-	-	-	-	-	-	-
	Montenegro	7	11.4	2	3.2	4	6.5	7	11.3
	Republic of Moldova	176	48.4	234	64.4	209	57.7	258	71.4
	Russian Federation	-	-	-	-	-	-	-	-
	San Marino	1	33.9	3	101.8	2	67.9	5	169.7
	Serbia	-	-	-	-	92	12.3	100	13.4
	Tajikistan	7	1.1	37	5.9	30	4.7	41	6.4
	Turkey	112	1.7	144	2.1	144	2.1	145	2.1
Turkmenistan	0	0	0	0	0	0	0	0	
Ukraine	5485	112.2	6086	125.6	7385	153.8	8179	171.7	
Uzbekistan	154	6	549	21.7	981	38.3	1836	70.6	
	<b>Total non-EU/EFTA</b>	<b>7304</b>	<b>33.8</b>	<b>9580</b>	<b>43.9</b>	<b>11230</b>	<b>50</b>	<b>12747</b>	<b>55.9</b>
Total	West	12720	55.2	11982	51.8	17413	75	21010	68
	Centre	1344	7.6	1436	8	1489	8	1472	7.8
	East	7723	56.1	11302	82.8	12404	90.8	13425	98.2
		<b>Total WHO European Region</b>	<b>21787</b>	<b>40</b>	<b>24720</b>	<b>45.2</b>	<b>31306</b>	<b>56.5</b>	<b>35907</b>

\* Cumulative total is the total number of cases reported by country since the start of reporting

\*\* The former Yugoslav Republic of Macedonia

	2004		2005		2006		2007		Cumulative total*	Country
	N	Rate	N	Rate	N	Rate	N	Rate		
-	-	-	-	-	-	-	-	-	-	Austria
1002	96.2	1074	102.5	995	94.3	1052	99	19942	Belgium	
50	6.4	83	10.7	91	11.8	126	16.4	815	Bulgaria	
25	33.8	44	58.1	34	44	47	59.7	565	Cyprus	
72	7	90	8.8	93	9.1	122	11.8	1042	Czech Republic	
308	57	283	52.2	243	44.7	308	56.4	5052	Denmark	
743	550.7	621	461.3	668	497.2	633	471.8	6364	Estonia	
126	24.1	139	26.5	193	36.6	187	35.4	2263	Finland	
5460	87.4	6122	97.5	5730	90.7	5771	90.8	26331	France	
2237	27.1	2436	29.5	2742	33.3	2757	33.5	31258	Germany	
446	40.3	564	50.8	572	51.3	516	46.1	8680	Greece	
75	7.4	106	10.5	81	8	119	11.8	1485	Hungary	
356	87.5	318	76.5	337	79.1	362	82.9	4412	Ireland	
-	-	-	-	-	-	-	-	-	-	Italy
285	123.2	291	126.5	273	119.3	338	148.5	3964	Latvia	
135	39.3	120	35.1	100	29.5	106	31.4	1306	Lithuania	
60	131	63	136.8	56	118.5	47	97.9	818	Luxembourg	
17	42.4	19	47.1	29	71.4	16	39.1	81	Malta	
1307	80.3	1293	79.2	1176	71.9	1295	79.1	14205	Netherlands	
656	17.2	654	17.1	750	19.7	717	18.8	11272	Poland	
2765	263.3	2596	246.1	2148	202.9	2302	217	20851	Portugal	
301	13.9	231	10.7	208	9.6	158	7.3	4211	Romania	
15	2.8	21	3.9	27	5	39	7.2	224	Slovakia	
25	12.5	35	17.5	34	16.9	33	16.4	348	Slovenia	
1225	88.6	1125	81.3	1164	84.2	1057	76.4	5785	Spain	
431	47.9	391	43.3	377	41.5	540	59	8017	Sweden	
7108	118.7	8276	137.4	8601	141.9	6601	108.2	90755	United Kingdom	
<b>25 230</b>	<b>63.9</b>	<b>26 995</b>	<b>68.2</b>	<b>26 722</b>	<b>67.4</b>	<b>25 249</b>	<b>63.5</b>	<b>270 046</b>	<b>Total EU</b>	
5	17.1	8	27	11	36.2	13	41.8	208	Iceland	
271	59	201	43.5	271	58.1	244	51.8	3740	Norway	
779	105.4	715	96.1	746	99.7	773	102.4	30112	Switzerland	
<b>26 285</b>	<b>64.6</b>	<b>27 919</b>	<b>68.4</b>	<b>27 750</b>	<b>67.9</b>	<b>26 279</b>	<b>64.1</b>	<b>304 106</b>	<b>Total EU+EFTA</b>	
21	6.7	24	7.6	24	7.6	27	8.5	171	Albania	
31	415.6	10	128.7	1	12.5	3	36.5	45	Andorra	
49	15.2	75	23.3	66	20.5	109	33.8	538	Armenia	
102	12.3	206	24.5	241	28.4	441	51.4	1379	Azerbaijan	
778	79.2	751	76.8	733	75.3	990	102	8737	Belarus	
16	4.2	13	3.4	17	4.4	4	1	147	Bosnia and Herzegovina	
46	10.4	51	11.5	47	10.6	43	9.7	663	Croatia	
163	37.7	242	55.5	276	62.8	344	78.4	1500	Georgia	
315	46.8	353	51.5	335	47.9	358	50.3	5358	Israel	
699	45.8	964	62.7	1745	112.6	1979	126.8	9350	Kazakhstan	
161	31	171	32.6	244	46	409	76.3	1479	Kyrgyzstan	
1	0.5	1	0.5	7	3.4	3	1.5	22	Macedonia, F.Y.R.**	
-	-	-	-	-	-	-	-	-	-	Monaco
2	3.2	9	14.4	5	8	11	17.6	80	Montenegro	
360	99.9	533	148.3	621	173.2	731	204.4	4156	Republic of Moldova	
-	-	-	-	-	-	-	-	-	-	Russian Federation
3	101.8	4	134.1	2	66.3	0	0	57	San Marino	
102	13.7	102	13.7	86	11.6	96	13	2199	Serbia	
198	30.5	189	28.7	204	30.5	305	45	1015	Tajikistan	
163	2.3	295	4.1	255	3.5	352	5	2273	Turkey	
0	0	0	0	0	0	0	0	2	Turkmenistan	
10218	216.2	11272	240.2	13256	283.9	13239	284.7	104296	Ukraine	
2016	76.4	2198	82.1	2205	81.1	3169	114.9	13146	Uzbekistan	
<b>15 444</b>	<b>67.3</b>	<b>17 463</b>	<b>75.7</b>	<b>20 370</b>	<b>87.7</b>	<b>22 613</b>	<b>98.3</b>	<b>156 613</b>	<b>Total non-EU/EFTA</b>	
24252	78.1	25990	83.3	25729	82.2	24202	77	277970	West	
1570	8.3	1759	9.3	1759	9.2	1897	10.1	25517	Centre	
15907	116.1	17633	128.4	20632	149.7	22793	164.8	157232	East	
<b>41729</b>	<b>65.6</b>	<b>45382</b>	<b>71</b>	<b>48120</b>	<b>75</b>	<b>48892</b>	<b>76.4</b>	<b>460719</b>	<b>Total WHO European Region</b>	

**Table 2: HIV infections newly diagnosed in men who have sex with men by country and year of notification (2003–2007) and cumulative totals\*, in EU/EFTA and non-EU/EFTA countries of WHO European Region**

Area	Country	Year of report					Cumulative total*
		2003	2004	2005	2006	2007	
EU	Austria	-	-	-	-	-	-
	Belgium	182	199	240	255	276	3892
	Bulgaria	1	0	4	10	24	69
	Cyprus	6	7	17	8	20	189
	Czech Republic	37	31	53	55	76	579
	Denmark	101	150	127	105	139	1985
	Estonia	-	-	-	-	-	93
	Finland	31	46	32	62	71	757
	France	670	1157	1375	1278	1312	5792
	Germany	822	1086	1213	1424	1537	12872
	Greece	167	175	216	278	198	4000
	Hungary	34	45	55	38	59	749
	Ireland	75	64	57	85	75	1006
	Italy	-	-	-	-	-	-
	Latvia	11	10	14	15	15	166
	Lithuania	3	4	3	9	4	83
	Luxembourg	7	21	14	16	20	295
	Malta	-	2	5	10	0	17
	Netherlands	698	601	655	656	775	7536
	Poland	26	35	43	38	26	743
Portugal	208	307	291	292	305	2171	
Romania	7	6	14	9	8	61	
Slovakia	10	12	9	14	25	137	
Slovenia	8	16	28	25	27	204	
Spain	320	368	383	409	452	1932	
Sweden	78	83	98	94	131	2807	
United Kingdom	2166	2220	2837	2814	2254	40977	
	<b>Total EU</b>	<b>5668</b>	<b>6645</b>	<b>7783</b>	<b>7999</b>	<b>7829</b>	<b>89112</b>
EFTA	Iceland	3	2	3	2	0	95
	Norway	51	77	51	88	77	1174
	Switzerland	145	177	226	257	268	3054
	<b>Total EU+EFTA</b>	<b>5867</b>	<b>6901</b>	<b>8063</b>	<b>8346</b>	<b>8174</b>	<b>93435</b>
Non-EU/EFTA	Albania	0	0	0	0	1	12
	Andorra	-	5	5	0	1	11
	Armenia	0	0	2	2	2	8
	Azerbaijan	0	4	0	3	2	12
	Belarus	0	0	2	1	4	33
	Bosnia and Herzegovina	4	1	2	6	0	24
	Croatia	18	22	34	29	28	292
	Georgia	3	6	8	4	11	44
	Israel	46	67	89	73	110	961
	Kazakhstan	0	2	3	8	4	31
	Kyrgyzstan	0	0	0	1	1	2
	Macedonia, F.Y.R.**	0	0	0	1	1	4
	Monaco	-	-	-	-	-	-
	Montenegro	0	0	3	2	6	22
	Republic of Moldova	1	0	5	2	0	16
	Russian Federation	-	-	-	-	-	-
	San Marino	4	1	0	0	0	17
	Serbia	28	31	41	45	38	406
	Tajikistan	0	0	0	0	0	0
	Turkey	11	8	27	21	36	183
	Turkmenistan	0	0	0	0	0	0
	Ukraine	3	9	20	35	48	158
	Uzbekistan	0	9	10	0	0	28
	<b>Total non-EU/EFTA</b>	<b>118</b>	<b>165</b>	<b>251</b>	<b>233</b>	<b>293</b>	<b>2264</b>
Total	West	5774	6808	7917	8198	8001	91351
	Centre	190	214	330	301	375	3674
	East	21	44	67	80	91	674
	<b>Total WHO European Region</b>	<b>5985</b>	<b>7066</b>	<b>8314</b>	<b>8579</b>	<b>8467</b>	<b>95699</b>

\* Cumulative total is the total number of cases reported by country since the start of reporting

\*\* The former Yugoslav Republic of Macedonia

**Table 3: HIV infections newly diagnosed in injecting drug users by country and year of notification (2003–2007) and cumulative totals\*, in EU/EFTA and non-EU/EFTA countries of WHO European Region**

Area	Country	Year of report					Cumulative total*
		2003	2004	2005	2006	2007	
EU	Austria	-	-	-	-	-	-
	Belgium	32	25	13	11	13	716
	Bulgaria	0	7	12	34	43	108
	Cyprus	0	0	1	0	2	8
	Czech Republic	4	6	4	5	12	55
	Denmark	23	14	19	8	23	449
	Estonia	346	247	192	191	115	3487
	Finland	22	10	16	10	12	332
	France	128	197	175	176	149	825
	Germany	135	133	135	168	149	2710
	Greece	11	11	20	17	8	310
	Hungary	1	2	2	0	3	20
	Ireland	49	71	66	57	55	1161
	Italy	-	-	-	-	-	-
	Latvia	228	147	116	104	134	2507
	Lithuania	85	101	85	62	59	986
	Luxembourg	4	3	8	4	7	113
	Malta	-	2	0	2	2	6
	Netherlands	81	48	28	19	21	657
	Poland	235	196	166	123	81	5615
Portugal	853	973	843	699	670	8681	
Romania	6	0	1	3	1	18	
Slovakia	0	0	0	1	1	4	
Slovenia	0	0	0	1	0	13	
Spain	231	208	149	133	82	803	
Sweden	32	31	25	35	61	1062	
United Kingdom	133	165	187	209	164	4820	
<b>Total EU</b>		<b>2639</b>	<b>2597</b>	<b>2263</b>	<b>2072</b>	<b>1867</b>	<b>35466</b>
EFTA	Iceland	1	1	0	1	1	22
	Norway	15	17	15	12	12	540
	Switzerland	108	84	71	56	50	2680
	<b>Total EU+EFTA</b>	<b>2763</b>	<b>2699</b>	<b>2349</b>	<b>2141</b>	<b>1930</b>	<b>38708</b>
Non-EU/EFTA	Albania	0	0	0	0	0	0
	Andorra	-	8	1	0	0	9
	Armenia	14	33	46	24	32	256
	Azerbaijan	40	45	101	171	271	797
	Belarus	448	359	276	242	300	5228
	Bosnia and Herzegovina	0	3	2	3	0	21
	Croatia	1	3	0	3	2	55
	Georgia	64	105	128	156	187	903
	Israel	44	66	56	41	35	767
	Kazakhstan	502	433	636	1162	1246	6668
	Kyrgyzstan	110	126	103	168	254	1061
	Macedonia, F.Y.R.**	0	0	0	1	0	2
	Monaco	-	-	-	-	-	-
	Montenegro	0	0	0	1	0	3
	Republic of Moldova	138	182	228	236	224	2323
	Russian Federation	-	-	-	-	-	-
	San Marino	0	0	0	0	0	11
	Serbia	17	15	11	7	12	910
	Tajikistan	33	105	142	99	138	573
	Turkey	3	4	7	5	4	82
	Turkmenistan	0	0	0	0	0	0
	Ukraine	4815	5778	6270	7127	7087	66706
Uzbekistan	918	831	1140	1454	1816	7387	
<b>Total non-EU/EFTA</b>	<b>7147</b>	<b>8096</b>	<b>9147</b>	<b>10900</b>	<b>11608</b>	<b>93762</b>	
Total	West	1902	2067	1827	1658	1514	26674
	Centre	267	236	206	187	161	6914
	East	7741	8492	9463	11196	11863	98882
	<b>Total WHO European Region</b>	<b>9910</b>	<b>10795</b>	<b>11496</b>	<b>13041</b>	<b>13538</b>	<b>132470</b>

\* Cumulative total is the total number of cases reported by country since the start of reporting

\*\* The former Yugoslav Republic of Macedonia

**Table 4:** HIV infections newly diagnosed in persons infected through heterosexual contact by country and year of notification (2003–2007) and cumulative totals\*, in EU/EFTA and non-EU/EFTA countries of WHO European Region

Area	Country	Year of report					Cumulative total*
		2003	2004	2005	2006	2007	
EU	Austria	-	-	-	-	-	-
	Belgium	464	447	431	334	380	7498
	Bulgaria	62	43	65	46	58	604
	Cyprus	17	18	25	26	22	344
	Czech Republic	20	31	29	27	30	325
	Denmark	122	129	117	121	135	2227
	Estonia	-	-	-	-	-	360
	Finland	57	55	69	93	73	860
	France	1712	2765	2797	2458	2098	11830
	Germany	574	624	690	718	674	8385
	Greece	140	123	186	151	107	2007
	Hungary	18	13	21	14	14	262
	Ireland	223	178	168	176	149	1821
	Italy	-	-	-	-	-	-
	Latvia	69	65	94	83	125	670
	Lithuania	13	24	20	16	27	158
	Luxembourg	34	35	40	32	17	314
	Malta	-	8	11	14	12	45
	Netherlands	585	499	485	389	370	4629
	Poland	41	46	76	75	60	692
Portugal	1096	1398	1389	1107	1284	9404	
Romania	114	152	128	116	96	1251	
Slovakia	3	2	12	8	12	65	
Slovenia	3	4	4	4	3	74	
Spain	570	558	497	529	409	2563	
Sweden	207	262	195	198	228	3359	
United Kingdom	4235	4393	4853	5043	3565	38914	
	<b>Total EU</b>	<b>10379</b>	<b>11872</b>	<b>12402</b>	<b>11778</b>	<b>9948</b>	<b>98661</b>
EFTA	Iceland	6	2	5	7	0	70
	Norway	149	167	128	158	141	1848
	Switzerland	403	437	358	341	293	4853
	<b>Total EU+EFTA</b>	<b>10937</b>	<b>12478</b>	<b>12893</b>	<b>12284</b>	<b>10382</b>	<b>105432</b>
Non-EU/EFTA	Albania	15	19	20	17	22	130
	Andorra	-	7	3	1	1	12
	Armenia	13	15	25	37	71	242
	Azerbaijan	33	28	63	41	52	297
	Belarus	253	387	428	464	655	3270
	Bosnia and Herzegovina	9	10	9	7	4	81
	Croatia	8	17	15	13	11	260
	Georgia	30	49	85	109	124	489
	Israel	192	158	170	182	151	2880
	Kazakhstan	161	203	236	325	498	1746
	Kyrgyzstan	19	34	58	71	107	346
	Macedonia, F.Y.R.**	0	1	0	5	2	13
	Monaco	-	-	-	-	-	-
	Montenegro	6	2	4	1	5	42
	Republic of Moldova	110	169	291	366	500	1712
	Russian Federation	-	-	-	-	-	-
	San Marino	1	0	0	1	0	16
	Serbia	35	25	25	22	27	506
	Tajikistan	1	14	28	52	91	196
	Turkey	77	93	166	144	286	1317
	Turkmenistan	0	0	0	0	0	0
	Ukraine	3043	4041	4586	5646	5736	33642
	Uzbekistan	270	202	383	495	701	2207
	<b>Total non-EU/EFTA</b>	<b>4276</b>	<b>5474</b>	<b>6595</b>	<b>7999</b>	<b>9044</b>	<b>49404</b>
Total	West	10770	12245	12592	12053	10087	103535
	Centre	428	476	599	525	652	5966
	East	4015	5231	6297	7705	8687	45335
	<b>Total WHO European Region</b>	<b>15213</b>	<b>17952</b>	<b>19488</b>	<b>20283</b>	<b>19426</b>	<b>154836</b>

\* Cumulative total is the total number of cases reported by country since the start of reporting

\*\* The former Yugoslav Republic of Macedonia



**Table 5:** HIV infections newly diagnosed in persons infected through mother-to-child transmission by country and year of notification (2003–2007) and cumulative totals\*, in EU/EFTA and non-EU/EFTA countries of WHO European Region

Area	Country	Year of report					Cumulative total*
		2003	2004	2005	2006	2007	
EU	Austria	-	-	-	-	-	-
	Belgium	12	9	7	5	17	374
	Bulgaria	0	0	1	0	1	7
	Cyprus	0	0	1	0	0	2
	Czech Republic	1	0	0	0	0	4
	Denmark	3	4	4	2	6	76
	Estonia	3	7	4	4	2	25
	Finland	1	1	1	1	0	14
	France	12	34	43	31	28	148
	Germany	12	23	23	18	30	220
	Greece	2	3	3	3	1	54
	Hungary	0	0	2	0	2	7
	Ireland	11	3	3	2	6	43
	Italy	-	-	-	-	-	-
	Latvia	2	4	1	4	9	25
	Lithuania	0	0	0	0	1	1
	Luxembourg	0	0	0	0	1	3
	Malta	-	0	0	0	0	0
	Netherlands	36	25	23	7	9	162
	Poland	12	11	8	15	18	126
Portugal	15	21	6	7	9	105	
Romania	14	9	12	12	4	169	
Slovakia	0	0	0	0	0	0	
Slovenia	0	1	0	0	0	5	
Spain	4	3	1	2	-	10	
Sweden	4	14	12	6	18	125	
United Kingdom	142	158	123	128	94	1629	
	<b>Total EU</b>	<b>286</b>	<b>330</b>	<b>278</b>	<b>247</b>	<b>256</b>	<b>3334</b>
EFTA	Iceland	0	0	0	0	0	1
	Norway	2	4	5	5	6	51
	Switzerland	9	4	5	1	8	144
	<b>Total EU+EFTA</b>	<b>297</b>	<b>338</b>	<b>288</b>	<b>253</b>	<b>270</b>	<b>3530</b>
Non-EU/EFTA	Albania	4	0	0	5	3	12
	Andorra	-	1	0	0	0	1
	Armenia	0	1	2	3	4	12
	Azerbaijan	0	1	3	1	3	11
	Belarus	0	20	34	19	25	121
	Bosnia and Herzegovina	0	0	0	1	0	1
	Croatia	1	0	0	1	1	11
	Georgia	1	2	7	6	15	33
	Israel	9	8	16	13	10	178
	Kazakhstan	3	6	9	15	32	69
	Kyrgyzstan	0	0	2	2	8	12
	Macedonia, F.Y.R.**	0	0	1	0	0	2
	Monaco	-	-	-	-	-	-
	Montenegro	0	0	0	0	0	2
	Republic of Moldova	7	6	9	14	7	49
	Russian Federation	-	-	-	-	-	-
	San Marino	0	0	0	0	0	1
	Serbia	1	3	1	0	1	35
	Tajikistan	0	0	0	0	7	7
	Turkey	4	8	7	2	4	40
Turkmenistan	0	0	0	0	0	0	
Ukraine	0	0	0	0	0	0	
Uzbekistan	0	4	11	31	84	137	
	<b>Total non-EU/EFTA</b>	<b>30</b>	<b>60</b>	<b>102</b>	<b>113</b>	<b>204</b>	<b>734</b>
Total	West	274	315	275	231	243	3339
	Centre	37	32	33	36	34	423
	East	16	51	82	99	197	502
	<b>Total WHO European Region</b>	<b>327</b>	<b>398</b>	<b>390</b>	<b>366</b>	<b>474</b>	<b>4264</b>

\* Cumulative total is the total number of cases reported by country since the start of reporting

\*\* The former Yugoslav Republic of Macedonia

**Table 6:** HIV infections newly diagnosed by geographical area, sex, transmission group and year of notification (2003–2007), in EU/EFTA and non-EU/EFTA countries of WHO European Region (Table 6A); and by geographical region West, Centre, East (Table 6B)

**Table 6A:** EU/EFTA and non-EU/EFTA countries

Area	Transmission route	2003		2004		2005	
		Men	Women	Men	Women	Men	Women
EU/EFTA	Men who have sex with men	5 867	0	6 901	0	8 063	0
	Injecting drug user	2 138	623	2 099	595	1 846	496
	Heterosexual contact	4 680	6 231	5 332	7 130	5 496	7 377
	Mother-to-child	144	153	178	160	140	147
	Haemophilic/Transfusion recipient	52	51	44	68	46	44
	Nosocomial infection	23	30	8	11	6	10
	Other/undetermined	1 999	1 113	2 377	1 325	2 590	1 585
	<b>Total</b>	<b>14 903</b>	<b>8 201</b>	<b>16 939</b>	<b>9 289</b>	<b>18 187</b>	<b>9 659</b>
Non-EU/EFTA	Men who have sex with men	118	0	165	0	251	0
	Injecting drug user	5 644	1 503	6 440	1 656	7 506	1 641
	Heterosexual contact	1 462	2 813	2 048	3 426	2 465	4 130
	Mother-to-child	18	12	38	22	59	43
	Haemophilic/Transfusion recipient	4	4	8	3	8	11
	Nosocomial infection	3	0	0	1	4	1
	Other/undetermined	847	315	1 215	419	910	433
	<b>Total</b>	<b>8 096</b>	<b>4 647</b>	<b>9 914</b>	<b>5 527</b>	<b>11 203</b>	<b>6 259</b>
<b>Total</b>	<b>Total WHO European Region</b>	<b>22 999</b>	<b>12 848</b>	<b>26 853</b>	<b>14 816</b>	<b>29 390</b>	<b>15 918</b>

**Table 6B:** WHO geographical regions

Area	Transmission route	2003		2004		2005	
		Men	Women	Men	Women	Men	Women
West	Men who have sex with men	5 774	0	6 808	0	7 917	0
	Injecting drug user	1 472	428	1 605	458	1 438	384
	Heterosexual contact	4 561	6 182	5 212	7 017	5 329	7 244
	Mother-to-child	136	138	171	144	137	137
	Haemophilic/Transfusion recipient	44	43	42	61	45	42
	Nosocomial infection	3	5	3	5	2	9
	Other/undetermined	1 396	781	1 719	962	2 016	1 240
	<b>Total</b>	<b>13 386</b>	<b>7 577</b>	<b>15 560</b>	<b>8 647</b>	<b>16 884</b>	<b>9 056</b>
Centre	Men who have sex with men	190	0	214	0	330	0
	Injecting drug user	190	77	182	53	147	57
	Heterosexual contact	235	193	256	220	329	269
	Mother-to-child	20	17	15	17	13	20
	Haemophilic/Transfusion recipient	9	10	8	9	4	5
	Nosocomial infection	22	25	5	7	6	1
	Other/undetermined	307	167	398	174	397	157
	<b>Total</b>	<b>973</b>	<b>489</b>	<b>1 078</b>	<b>480</b>	<b>1 226</b>	<b>509</b>
East	Men who have sex with men	21	0	44	0	67	0
	Injecting drug user	6 120	1 621	6 752	1 740	7 767	1 696
	Heterosexual contact	1 346	2 669	1 912	3 319	2 303	3 994
	Mother-to-child	6	10	30	21	49	33
	Haemophilic/Transfusion recipient	3	2	2	1	5	8
	Nosocomial infection	1	0	0	0	2	1
	Other/undetermined	1 143	480	1 475	608	1 087	621
	<b>Total</b>	<b>8 640</b>	<b>4 782</b>	<b>10 215</b>	<b>5 689</b>	<b>11 280</b>	<b>6 353</b>
<b>Total</b>	<b>Total WHO European Region</b>	<b>22 999</b>	<b>12 848</b>	<b>26 853</b>	<b>14 816</b>	<b>29 390</b>	<b>15 918</b>

\* Cumulative total is the total number of cases reported by country since the start of reporting

	2006		2007		Cumulative total*		Transmission route
	Men	Women	Men	Women	Men	Women	
	8 346	0	8 172	0	93 431	0	Men who have sex with men
	1 721	415	1 508	413	28 999	9 055	Injecting drug user
	5 207	7 062	4 634	5 722	46 509	58 414	Heterosexual contact
	108	145	115	146	1 704	1 803	Mother-to-child
	42	51	45	27	2 805	1 067	Haemophiliac/Transfusion recipient
	8	8	7	11	843	767	Nosocomial infection
	2 928	1 636	3 500	1 864	36 255	17 439	Other/undetermined
	<b>18 360</b>	<b>9 317</b>	<b>17 981</b>	<b>8 183</b>	<b>210 546</b>	<b>88 545</b>	<b>Total</b>
	233	0	293	0	2 264	0	Men who have sex with men
	8 888	2 012	9 389	2 213	72 258	19 583	Injecting drug user
	3 049	4 950	3 896	5 146	20 081	28 857	Heterosexual contact
	59	54	112	92	379	326	Mother-to-child
	8	6	5	5	172	59	Haemophiliac/Transfusion recipient
	29	14	39	22	82	48	Nosocomial infection
	692	372	785	607	6 572	3 109	Other/undetermined
	<b>12 958</b>	<b>7 408</b>	<b>14 519</b>	<b>8 085</b>	<b>101 808</b>	<b>51 982</b>	<b>Total</b>
	<b>31 318</b>	<b>16 725</b>	<b>32 500</b>	<b>16 268</b>	<b>312 354</b>	<b>140 527</b>	<b>Total WHO European Region</b>

	2006		2007		Cumulative total*		Transmission route
	Men	Women	Men	Women	Men	Women	
	8 198	0	7 999	0	91 349	0	Men who have sex with men
	1 324	329	1 181	326	19 712	6 361	Injecting drug user
	5 079	6 959	4 461	5 599	45 335	57 666	Heterosexual contact
	98	133	103	131	1 610	1 706	Mother-to-child
	42	48	40	25	2 619	913	Haemophiliac/Transfusion recipient
	7	8	6	9	63	69	Nosocomial infection
	2 216	1 244	2 748	1 492	30 961	14 825	Other/undetermined
	<b>16 964</b>	<b>8 721</b>	<b>16 538</b>	<b>7 582</b>	<b>191 649</b>	<b>81 540</b>	<b>Total</b>
	301	0	375	0	3 672	0	Men who have sex with men
	151	36	128	31	4 583	1 449	Injecting drug user
	295	230	405	247	3 050	2 575	Heterosexual contact
	19	17	13	21	201	195	Mother-to-child
	3	4	9	5	327	184	Haemophiliac/Transfusion recipient
	4	1	1	4	789	703	Nosocomial infection
	492	177	488	135	4 340	1 694	Other/undetermined
	<b>1 265</b>	<b>465</b>	<b>1 419</b>	<b>443</b>	<b>16 962</b>	<b>6 800</b>	<b>Total</b>
	80	0	91	0	674	0	Men who have sex with men
	9 134	2 062	9 588	2 269	76 962	20 828	Injecting drug user
	2 882	4 823	3 664	5 022	18 205	27 030	Heterosexual contact
	50	49	111	86	272	228	Mother-to-child
	5	5	1	2	31	29	Haemophiliac/Transfusion recipient
	26	13	39	20	73	43	Nosocomial infection
	912	587	1 049	844	7 526	4 029	Other/undetermined
	<b>13 089</b>	<b>7 539</b>	<b>14 543</b>	<b>8 243</b>	<b>103 743</b>	<b>52 187</b>	<b>Total</b>
	<b>31 318</b>	<b>16 725</b>	<b>32 500</b>	<b>16 268</b>	<b>312 354</b>	<b>140 527</b>	<b>Total WHO European Region</b>

**Table 7:** HIV infections newly diagnosed by geographical area, sex, age of diagnosis and year of notification (2003–2007), in EU/EFTA and non-EU/EFTA countries of WHO European Region (Table 7A); and by geographical region West, Centre, East (Table 7B)

**Table 7A:** EU/EFTA and non-EU/EFTA countries

Area	Age category	2003		2004		2005	
		Men	Women	Men	Women	Men	Women
EU/EFTA	<15	227	234	212	193	157	162
	15-19	322	426	310	467	298	395
	20-29	3 624	3 022	3 947	3 387	4 159	3 455
	30-39	5 747	2 943	6 565	3 268	6 873	3 458
	40-49	3 139	1 039	3 788	1 201	4 235	1 406
	50+	1 741	495	2 018	724	2 377	749
	Unknown	103	42	99	49	88	34
<b>Total</b>		<b>14 903</b>	<b>8 201</b>	<b>16 939</b>	<b>9 289</b>	<b>18 187</b>	<b>9 659</b>
Non-EU/EFTA	<15	25	17	52	32	97	71
	15-19	196	346	148	344	174	412
	20-29	3 689	2 624	3 989	3 071	4 302	3 270
	30-39	2 905	1 221	3 865	1 495	4 443	1 757
	40-49	1 050	310	1 469	429	1 773	578
	50+	206	93	339	132	375	153
	Unknown	25	36	52	24	39	18
<b>Total</b>		<b>8 096</b>	<b>4 647</b>	<b>9 914</b>	<b>5 527</b>	<b>11 203</b>	<b>6 259</b>
<b>Total</b>	<b>Total WHO European Region</b>	<b>22 999</b>	<b>12 848</b>	<b>26 853</b>	<b>14 816</b>	<b>29 390</b>	<b>15 918</b>

**Table 7B:** WHO geographical regions

Area	Age category	2003		2004		2005	
		Men	Women	Men	Women	Men	Women
West	<15	162	166	183	162	145	147
	15-19	163	289	200	306	190	295
	20-29	2 860	2 739	3 261	3 104	3 544	3 133
	30-39	5 412	2 842	6 221	3 158	6 533	3 351
	40-49	3 018	1 016	3 663	1 169	4 090	1 364
	50+	1 692	488	1 957	710	2 318	734
	Unknown	79	37	75	38	64	32
<b>Total</b>		<b>13 386</b>	<b>7 577</b>	<b>15 560</b>	<b>8 647</b>	<b>16 884</b>	<b>9 056</b>
Centre	<15	72	68	35	28	18	24
	15-19	29	31	46	67	45	44
	20-29	326	169	317	175	407	214
	30-39	275	122	348	120	392	128
	40-49	148	43	187	35	188	48
	50+	90	30	98	27	131	33
	Unknown	33	26	47	28	45	18
<b>Total</b>		<b>973</b>	<b>489</b>	<b>1 078</b>	<b>480</b>	<b>1 226</b>	<b>509</b>
East	<15	18	17	46	35	91	62
	15-19	326	452	212	438	237	468
	20-29	4 127	2 738	4 358	3 179	4 510	3 378
	30-39	2 965	1 200	3 861	1 485	4 391	1 736
	40-49	1 023	290	1 407	426	1 730	572
	50+	165	70	302	119	303	135
	Unknown	16	15	29	7	18	2
<b>Total</b>		<b>8 640</b>	<b>4 782</b>	<b>10 215</b>	<b>5 689</b>	<b>11 280</b>	<b>6 353</b>
<b>Total</b>	<b>Total WHO European Region</b>	<b>22 999</b>	<b>12 848</b>	<b>26 853</b>	<b>14 816</b>	<b>29 390</b>	<b>15 918</b>

\* Cumulative total is the total number of cases reported by country since the start of reporting

	2006		2007		Cumulative total*		Age category
	Men	Women	Men	Women	Men	Women	
	118	160	130	169	3 708	3 292	<15
	244	348	245	302	4 546	4 206	15-19
	4 225	3 150	4 132	2 614	58 129	34 395	20-29
	6 738	3 436	6 367	2 923	77 939	29 553	30-39
	4 515	1 381	4 440	1 416	40 341	10 138	40-49
	2 402	801	2 483	723	22 172	5 594	50+
	118	41	184	36	3 711	1 367	Unknown
	<b>18 360</b>	<b>9 317</b>	<b>17 981</b>	<b>8 183</b>	<b>210 546</b>	<b>88 545</b>	<b>Total</b>
	202	140	225	242	750	636	<15
	177	418	147	466	3 469	3 913	15-19
	4 523	3 732	4 613	3 412	43 236	27 226	20-29
	5 407	2 153	6 224	2 742	37 125	14 549	30-39
	2 104	752	2 635	923	12 669	3 951	40-49
	492	197	634	285	2 882	1 168	50+
	53	16	41	15	1 677	539	Unknown
	<b>12 958</b>	<b>7 408</b>	<b>14 519</b>	<b>8 085</b>	<b>101 808</b>	<b>51 982</b>	<b>Total</b>
	<b>31 318</b>	<b>16 725</b>	<b>32 500</b>	<b>16 268</b>	<b>312 354</b>	<b>140 527</b>	<b>Total WHO European Region</b>

	2006		2007		Cumulative total*		Age category
	Men	Women	Men	Women	Men	Women	
	108	144	113	150	2 462	2 198	<15
	182	261	199	221	2 625	2 817	15-19
	3 554	2 843	3 474	2 292	49 103	31 156	20-29
	6 323	3 312	5 935	2 794	73 511	28 631	30-39
	4 358	1 336	4 270	1 381	38 786	9 851	40-49
	2 351	788	2 407	707	21 621	5 501	50+
	88	37	140	37	3 541	1 386	Unknown
	<b>16 964</b>	<b>8 721</b>	<b>16 538</b>	<b>7 582</b>	<b>191 649</b>	<b>81 540</b>	<b>Total</b>
	20	19	18	26	1 358	1 189	<15
	33	35	36	39	665	668	15-19
	441	195	492	177	6 229	2 700	20-29
	432	120	457	127	4 814	1 275	30-39
	192	51	231	37	2 098	471	40-49
	102	33	140	33	1 113	303	50+
	45	12	45	4	685	194	Unknown
	<b>1 265</b>	<b>465</b>	<b>1 419</b>	<b>443</b>	<b>16 962</b>	<b>6 800</b>	<b>Total</b>
	192	137	224	235	638	541	<15
	206	470	157	508	4 725	4 634	15-19
	4 753	3 844	4 779	3 557	46 033	27 765	20-29
	5 390	2 157	6 199	2 744	36 739	14 196	30-39
	2 069	746	2 574	921	12 126	3 767	40-49
	441	177	570	268	2 320	958	50+
	38	8	40	10	1 162	326	Unknown
	<b>13 089</b>	<b>7 539</b>	<b>14 543</b>	<b>8 243</b>	<b>103 743</b>	<b>52 187</b>	<b>Total</b>
	<b>31 318</b>	<b>16 725</b>	<b>32 500</b>	<b>16 268</b>	<b>312 354</b>	<b>140 527</b>	<b>Total WHO European Region</b>



**Table 8: HIV infections newly diagnosed in persons infected through heterosexual contact, by country and transmission subcategory, cases reported in 2007, in EU/EFTA and non-EU/EFTA countries of WHO European Region**

Area	Country	Case from country with generalised HIV epidemic		Case with high-risk partner		Case with partner from a country with a generalised HIV epidemic		Other/Undetermined		Total
		N	%	N	%	N	%	N	%	N
EU	Austria	-	-	-	-	-	-	-	-	-
	Belgium	229	60.3	0	0	0	0	151	39.7	380
	Bulgaria	1	1.7	0	0	2	3.4	55	94.8	58
	Cyprus	9	40.9	0	0	1	4.5	12	54.5	22
	Czech Republic	1	3.3	5	16.7	7	23.3	17	56.7	30
	Denmark	26	19.3	7	5.2	90	66.7	12	8.9	135
	Estonia	-	-	-	-	-	-	-	-	-
	Finland	18	24.7	2	2.7	11	15.1	42	57.5	73
	France	737	35.1	41	2.0	494	23.5	826	39.4	2098
	Germany	261	38.7	14	2.1	40	5.9	359	53.3	674
	Greece	31	29	4	3.7	4	3.7	68	63.6	107
	Hungary	1	7.1	1	7.1	0	0	12	85.7	14
	Ireland	89	59.7	4	2.7	9	6	47	31.5	149
	Italy	-	-	-	-	-	-	-	-	-
	Latvia	1	0.8	7	5.6	0	0	117	93.6	125
	Lithuania	0	0	1	3.7	2	7.4	24	88.9	27
	Luxembourg	10	58.8	0	0	0	0	7	41.2	17
	Malta	5	41.6	0	0	0	0	7	58.3	12
	Netherlands	173	46.8	0	0	0	0	197	53.2	370
	Poland	0	0	0	0	0	0	60	100	60
	Portugal	208	16.2	13	1	17	1.3	1046	81.5	1284
	Romania	0	0	3	3.1	0	0	93	96.9	96
	Slovakia	0	0	0	0	5	41.7	7	58.3	12
	Slovenia	1	33.3	0	0	2	66.7	0	0	3
	Spain	79	19.3	0	0	0	0	330	80.7	409
	Sweden	159	69.7	0	0	3	1.3	66	28.9	228
	United Kingdom	2177	61.1	45	1.3	0	0	1343	37.7	3565
	<b>Total EU</b>	<b>4 214</b>	<b>42.4</b>	<b>147</b>	<b>1.5</b>	<b>687</b>	<b>6.9</b>	<b>4 900</b>	<b>49.3</b>	<b>9 948</b>
EFTA	Iceland	0	0	0	0	0	0	0	0	0
	Norway	83	58.9	3	2.1	9	6.4	46	32.6	141
	Switzerland	127	43.3	6	2	39	13.3	121	41.3	293
		<b>Total EU+EFTA</b>	<b>4 422</b>	<b>42.6</b>	<b>156</b>	<b>1.5</b>	<b>735</b>	<b>7.1</b>	<b>5 069</b>	<b>48.8</b>
Non-EU/EFTA	Albania	0	0	0	0	0	0	22	100	22
	Andorra	0	0	0	0	0	0	1	100	1
	Armenia	0	0	10	14.1	0	0	61	85.9	71
	Azerbaijan	0	0	13	25	1	1.9	38	73.1	52
	Belarus	0	0	66	10.1	1	0.2	588	89.8	655
	Bosnia and Herzegovina	0	0	0	0	0	0	4	100	4
	Croatia	0	0	1	9.1	0	0	10	90.9	11
	Georgia	0	0	44	35.5	0	0	80	64.5	124
	Israel	130	86.1	1	0.7	1	0.7	19	12.6	151
	Kazakhstan	0	0	0	0	0	0	498	100	498
	Kyrgyzstan	0	0	5	4.7	1	0.9	101	94.4	107
	Macedonia, F.Y.R.*	0	0	1	50	0	0	1	50	2
	Monaco	-	-	-	-	-	-	-	-	-
	Montenegro	0	0	0	0	0	0	5	100	5
	Republic of Moldova	0	0	1	0.2	0	0	499	99.8	500
	Russian Federation	-	-	-	-	-	-	-	-	-
	San Marino	0	0	0	0	0	0	0	0	0
	Serbia	0	0	1	3.7	1	3.7	25	92.6	27
	Tajikistan	0	0	0	0	0	0	91	100	91
	Turkey	3	1	0	0	7	2.4	276	96.5	286
	Turkmenistan	0	0	0	0	0	0	0	0	0
	Ukraine	0	0	0	0	0	0	5736	100	5736
Uzbekistan	0	0	0	0	0	0	701	100	701	
	<b>Total non-EU/EFTA</b>	<b>133</b>	<b>1.5</b>	<b>143</b>	<b>1.6</b>	<b>12</b>	<b>0.1</b>	<b>8 756</b>	<b>96.8</b>	<b>9 044</b>
Total	West	4540	45	140	1.4	717	7.1	4690	46.5	10 087
	Centre	14	2.1	12	1.8	25	3.8	601	92.2	652
	East	1	0	147	1.7	5	0.1	8534	98.2	8 687
		<b>Total WHO European Region</b>	<b>4 555</b>	<b>23.4</b>	<b>299</b>	<b>1.5</b>	<b>747</b>	<b>3.8</b>	<b>13 825</b>	<b>71.2</b>

\* The former Yugoslav Republic of Macedonia

**Table 9:** HIV infections newly diagnosed by country of report and country or subcontinent of origin, cases reported in 2007, in EU/EFTA and non-EU/EFTA countries of WHO European Region

Area	Country	Country of report		Western Europe		Central & Eastern Europe		Sub-Saharan Africa	
		N	%	N	%	N	%	N	%
EU	Austria	-	-	-	-	-	-	-	-
	Belgium	306	29.1	77	7.3	20	1.9	266	25.3
	Bulgaria	0	0	0	0	125	99.2	1	0.8
	Cyprus	24	51.1	4	8.5	6	12.8	11	23.4
	Czech Republic	100	82	1	0.8	15	12.3	1	0.8
	Denmark	0	0	0	0	0	0	0	0
	Estonia	0	0	0	0	0	0	0	0
	Finland	130	69.5	2	1.1	13	7	20	10.7
	France	2227	38.6	83	1.4	44	0.8	1077	18.7
	Germany	1727	62.6	73	2.6	153	5.5	197	7.1
	Greece	377	73.1	9	1.7	44	8.5	27	5.2
	Hungary	83	69.7	2	1.7	4	3.4	1	0.8
	Ireland	109	30.1	17	4.7	22	6.1	97	26.8
	Italy	-	-	-	-	-	-	-	-
	Latvia	0	0	0	0	289	85.5	1	0.3
	Lithuania	97	91.5	0	0	9	8.5	0	0
	Luxembourg	5	10.6	25	53.2	2	4.3	14	29.8
	Malta	3	18.8	1	6.3	1	6.3	5	31.3
	Netherlands	751	58	92	7.1	33	2.5	197	15.2
	Poland	700	97.6	0	0	0	0	0	0
Portugal	1911	83	17	0.7	21	0.9	264	11.5	
Romania	158	100	0	0	0	0	0	0	
Slovakia	37	94.9	0	0	1	2.6	0	0	
Slovenia	28	84.8	1	3	3	9.1	0	0	
Spain	625	59.1	45	4.3	23	2.2	103	9.7	
Sweden	0	0	0	0	0	0	0	0	
United Kingdom	1611	24.4	306	4.6	133	2	2485	37.6	
	<b>Total EU</b>	<b>11009</b>	<b>43.6</b>	<b>755</b>	<b>3</b>	<b>961</b>	<b>3.8</b>	<b>4767</b>	<b>18.9</b>
EFTA	Iceland	0	0	0	0	0	0	0	0
	Norway	100	41	8	3.3	11	4.5	93	38.1
	Switzerland	288	37.3	82	10.6	6	0.8	140	18.1
		<b>Total EU+EFTA</b>	<b>11397</b>	<b>43.4</b>	<b>845</b>	<b>3.2</b>	<b>978</b>	<b>3.7</b>	<b>5000</b>
Non-EU/EFTA	Albania	27	100	0	0	0	0	0	0
	Andorra	0	0	2	66.7	0	0	0	0
	Armenia	0	0	0	0	109	100	0	0
	Azerbaijan	437	99.1	0	0	4	0.9	0	0
	Belarus	990	100	0	0	0	0	0	0
	Bosnia and Herzegovina	4	100	0	0	0	0	0	0
	Croatia	43	100	0	0	0	0	0	0
	Georgia	0	0	0	0	335	97.4	0	0
	Israel	0	0	118	33	73	20.4	123	34.4
	Kazakhstan	0	0	0	0	0	0	0	0
	Kyrgyzstan	0	0	1	0.2	406	99.3	0	0
	Macedonia, F.Y.R.*	0	0	0	0	3	100	0	0
	Monaco	-	-	-	-	-	-	-	-
	Montenegro	11	100	0	0	0	0	0	0
	Republic of Moldova	0	0	0	0	731	100	0	0
	Russian Federation	-	-	-	-	-	-	-	-
	San Marino	0	0	0	0	0	0	0	0
	Serbia	96	100	0	0	0	0	0	0
	Tajikistan	305	100	0	0	0	0	0	0
	Turkey	298	84.7	1	0.3	27	7.7	3	0.9
Turkmenistan	0	0	0	0	0	0	0	0	
Ukraine	0	0	0	0	0	0	0	0	
Uzbekistan	0	0	0	0	3169	100	0	0	
	<b>Total non-EU/EFTA</b>	<b>2211</b>	<b>9.8</b>	<b>122</b>	<b>0.5</b>	<b>4857</b>	<b>21.5</b>	<b>126</b>	<b>0.6</b>
Total	West	10170	42	957	4	599	2.5	5108	21.1
	Centre	1609	84.8	9	0.5	184	9.7	17	0.9
	East	1829	8.0	1	0	5052	22.2	1	0
		<b>Total WHO European Region</b>	<b>13608</b>	<b>27.8</b>	<b>967</b>	<b>2</b>	<b>5835</b>	<b>11.9</b>	<b>5126</b>

\* The former Yugoslav Republic of Macedonia



	Latin America & Caribbean		South & South-east Asia		Other		Unknown		Total	Country
	N	%	N	%	N	%	N	%		
-	-	-	-	-	-	-	-	-	-	Austria
24	2.3	4	0.4	19	1.8	336	31.9	1052	1052	Belgium
0	0	0	0	0	0	0	0	126	126	Bulgaria
0	0	2	4.3	0	0	0	0	47	47	Cyprus
0	0	3	2.5	2	1.6	0	0	122	122	Czech Republic
0	0	0	0	0	0	308	100	308	308	Denmark
0	0	0	0	0	0	633	100	633	633	Estonia
2	1.1	13	7	1	0.5	6	3.2	187	187	Finland
243	4.2	25	0.4	81	1.4	1991	34.5	5771	5771	France
41	1.5	92	3.3	40	1.5	434	15.7	2757	2757	Germany
2	0.4	8	1.6	9	1.7	40	7.8	516	516	Greece
0	0	2	1.7	5	4.2	22	18.5	119	119	Hungary
4	1.1	2	0.6	2	0.6	109	30.1	362	362	Ireland
-	-	-	-	-	-	-	-	-	-	Italy
0	0	0	0	0	0	48	14.2	338	338	Latvia
0	0	0	0	0	0	0	0	106	106	Lithuania
1	2.1	0	0	0	0	0	0	47	47	Luxembourg
0	0	0	0	2	12.5	4	25	16	16	Malta
142	11	33	2.5	43	3.3	4	0.3	1295	1295	Netherlands
0	0	0	0	0	0	17	2.4	717	717	Poland
63	2.7	3	0.1	5	0.2	18	0.8	2302	2302	Portugal
0	0	0	0	0	0	0	0	158	158	Romania
0	0	1	2.6	0	0	0	0	39	39	Slovakia
0	0	0	0	0	0	1	3	33	33	Slovenia
196	18.5	-	-	13	1.2	52	4.9	1057	1057	Spain
0	0	0	0	0	0	540	100	540	540	Sweden
195	3	133	2	118	1.8	1620	24.5	6601	6601	United Kingdom
<b>913</b>	<b>3.6</b>	<b>321</b>	<b>1.3</b>	<b>340</b>	<b>1.3</b>	<b>6183</b>	<b>24.5</b>	<b>25249</b>	<b>25249</b>	<b>Total EU</b>
0	0	0	0	0	0	13	100	13	13	Iceland
5	2	23	9.4	3	1.2	1	0.4	244	244	Norway
37	4.8	21	2.7	7	0.9	192	24.8	773	773	Switzerland
<b>955</b>	<b>3.6</b>	<b>365</b>	<b>1.4</b>	<b>350</b>	<b>1.3</b>	<b>6389</b>	<b>24.3</b>	<b>26279</b>	<b>26279</b>	<b>Total EU+EFTA</b>
0	0	0	0	0	0	0	0	27	27	Albania
0	0	0	0	0	0	1	33.3	3	3	Andorra
0	0	0	0	0	0	0	0	109	109	Armenia
0	0	0	0	0	0	0	0	441	441	Azerbaijan
0	0	0	0	0	0	0	0	990	990	Belarus
0	0	0	0	0	0	0	0	4	4	Bosnia and Herzegovina
0	0	0	0	0	0	0	0	43	43	Croatia
0	0	8	2.3	1	0.3	0	0	344	344	Georgia
6	1.7	3	0.8	19	5.3	16	4.5	358	358	Israel
0	0	0	0	0	0	1979	100	1979	1979	Kazakhstan
0	0	1	0.2	1	0.2	0	0	409	409	Kyrgyzstan
0	0	0	0	0	0	0	0	3	3	Macedonia, F.Y.R.*
-	-	-	-	-	-	-	-	-	-	Monaco
0	0	0	0	0	0	0	0	11	11	Montenegro
0	0	0	0	0	0	0	0	731	731	Republic of Moldova
-	-	-	-	-	-	-	-	-	-	Russian Federation
0	0	0	0	0	0	0	0	0	0	San Marino
0	0	0	0	0	0	0	0	96	96	Serbia
0	0	0	0	0	0	0	0	305	305	Tajikistan
1	0.3	0	0	22	6.3	0	0	352	352	Turkey
0	0	0	0	0	0	0	0	0	0	Turkmenistan
0	0	0	0	0	0	13239	100	13239	13239	Ukraine
0	0	0	0	0	0	0	0	3169	3169	Uzbekistan
<b>7</b>	<b>0</b>	<b>12</b>	<b>0.1</b>	<b>43</b>	<b>0.2</b>	<b>15235</b>	<b>67.4</b>	<b>22613</b>	<b>22613</b>	<b>Total non-EU/EFTA</b>
961	4	360	1.5	362	1.5	5685	23.5	24202	24202	West
1	0.1	8	0.4	29	1.5	40	2.1	1897	1897	Centre
0	0	9	0	2	0	15899	69.8	22793	22793	East
<b>962</b>	<b>2</b>	<b>377</b>	<b>0.8</b>	<b>393</b>	<b>0.8</b>	<b>21624</b>	<b>44.2</b>	<b>48892</b>	<b>48892</b>	<b>Total WHO European Region</b>

**Table 10:** HIV infections newly diagnosed by geographical area, transmission group and country or subcontinent of origin, cases reported in 2007**Table 10A:** EU/EFTA and non-EU/EFTA countries

Area	Transmission group	Country of report		Western Europe		Central & Eastern Europe		Sub-Saharan Africa	
		N	%	N	%	N	%	N	%
EU/EFTA	Men who have sex with men	5 338	65.3	451	5.5	213	2.6	103	1.3
	Injecting drug user	1 146	59.4	113	5.9	273	14.1	25	1.3
	Heterosexual contact	3 389	32.6	203	2	372	3.6	4 465	43
	Mother-to-child	87	32.2	6	2.2	10	3.7	98	36.3
	Haemophiliac/Transfusion recipient	23	31.9	6	8.3	2	2.8	27	37.5
	Nosocomial infection	4	22.2	0	0	1	5.6	11	61.1
	Other/undetermined	1 410	26	66	1.2	107	2	271	5
	<b>Total EU/EFTA</b>	<b>11 397</b>	<b>43.4</b>	<b>845</b>	<b>3.2</b>	<b>978</b>	<b>3.7</b>	<b>5 000</b>	<b>19</b>
Non-EU/EFTA	Men who have sex with men	111	37.9	89	30.4	30	10.2	1	0.3
	Injecting drug user	456	3.9	3	0	2 812	24.2	0	0
	Heterosexual contact	1 051	11.6	10	0.1	1 588	17.6	119	1.3
	Mother-to-child	41	20.1	3	1.5	120	58.8	6	2.9
	Haemophiliac/Transfusion recipient	4	40	0	0	3	30	0	0
	Nosocomial infection	5	8.2	0	0	38	62.3	0	0
	Other/undetermined	106	7.6	17	1.2	703	50.5	0	0
	<b>Total non-EU/EFTA</b>	<b>1 774</b>	<b>7.8</b>	<b>122</b>	<b>0.5</b>	<b>5 294</b>	<b>23.4</b>	<b>126</b>	<b>0.6</b>
<b>Total</b>	<b>Total WHO European Region</b>	<b>13 171</b>	<b>26.9</b>	<b>967</b>	<b>2</b>	<b>6 272</b>	<b>12.8</b>	<b>5 126</b>	<b>10.5</b>

**Table 10B:** WHO geographical regions

Area	Transmission group	Country of report		Western Europe		Central & Eastern Europe		Sub-Saharan Africa	
		N	%	N	%	N	%	N	%
West	Men who have sex with men	5 111	63.9	535	6.7	180	2.2	102	1.3
	Injecting drug user	1 008	66.6	113	7.5	132	8.7	25	1.7
	Heterosexual contact	3 153	31.3	213	2.1	200	2	4 568	45.3
	Mother-to-child	62	25.5	9	3.7	1	0.4	104	42.8
	Haemophiliac/Transfusion recipient	15	23.1	5	7.7	4	6.2	27	41.5
	Nosocomial infection	1	6.7	0	0	1	6.7	11	73.3
	Other/undetermined	820	19.2	82	1.9	81	1.9	271	6.3
	<b>Total West</b>	<b>10 170</b>	<b>42</b>	<b>957</b>	<b>4</b>	<b>599</b>	<b>2.5</b>	<b>5 108</b>	<b>21.1</b>
Centre	Men who have sex with men	330	88	5	1.3	34	9.1	2	0.5
	Injecting drug user	103	64	2	1.2	49	30.4	0	0
	Heterosexual contact	515	79	0	0	96	14.7	15	2.3
	Mother-to-child	33	97.1	0	0	1	2.9	0	0
	Haemophiliac/Transfusion recipient	12	85.7	1	7.1	0	0	0	0
	Nosocomial infection	5	100	0	0	0	0	0	0
	Other/undetermined	611	93.1	1	0.2	4	0.6	0	0
	<b>Total Centre</b>	<b>1 609</b>	<b>84.8</b>	<b>9</b>	<b>0.5</b>	<b>184</b>	<b>9.7</b>	<b>17</b>	<b>0.9</b>
East	Men who have sex with men	8	8.8	0	0	29	31.9	0	0
	Injecting drug user	491	4.1	1	0	2 904	24.5	0	0
	Heterosexual contact	772	8.9	0	0	1 664	19.2	1	0
	Mother-to-child	33	16.8	0	0	128	65	0	0
	Haemophiliac/Transfusion recipient	0	0	0	0	1	33.3	0	0
	Nosocomial infection	3	5.1	0	0	38	64.4	0	0
	Other/undetermined	85	4.5	0	0	725	38.3	0	0
	<b>Total East</b>	<b>1 392</b>	<b>6.1</b>	<b>1</b>	<b>0</b>	<b>5 489</b>	<b>24.1</b>	<b>1</b>	<b>0</b>
<b>Total</b>	<b>Total WHO European Region</b>	<b>13 171</b>	<b>26.9</b>	<b>967</b>	<b>2</b>	<b>6 272</b>	<b>12.8</b>	<b>5 126</b>	<b>10.5</b>

	Latin America & Caribbean		South & South-east Asia		Other		Unknown		Total	Transmission group
	N	%	N	%	N	%	N	%		
	453	5.5	101	1.2	167	2	1348	16.5	8174	Men who have sex with men
	13	0.7	16	0.8	19	1	325	16.8	1930	Injecting drug user
	413	4	205	2	116	1.1	1219	11.7	10 382	Heterosexual contact
	1	0.4	5	1.9	1	0.4	62	23	270	Mother-to-child
	2	2.8	1	1.4	2	2.8	9	12.5	72	Haemophiliac/Transfusion recipient
	0	0	2	11.1	0	0	0	0	18	Nosocomial infection
	73	1.3	35	0.6	45	0.8	3426	63.1	5 433	Other/undetermined
	<b>955</b>	<b>3.6</b>	<b>365</b>	<b>1.4</b>	<b>350</b>	<b>1.3</b>	<b>6389</b>	<b>24.3</b>	<b>26 279</b>	<b>Total EU/EFTA</b>
	5	1.7	0	0	5	1.7	52	17.7	293	Men who have sex with men
	0	0	3	0	0	0	8334	71.8	11608	Injecting drug user
	1	0	6	0.1	32	0.4	6237	69	9044	Heterosexual contact
	0	0	2	1	0	0	32	15.7	204	Mother-to-child
	0	0	0	0	1	10	2	20	10	Haemophiliac/Transfusion recipient
	0	0	0	0	0	0	18	29.5	61	Nosocomial infection
	1	0.1	1	0.1	5	0.4	560	40.2	1393	Other/undetermined
	<b>7</b>	<b>0</b>	<b>12</b>	<b>0.1</b>	<b>43</b>	<b>0.2</b>	<b>15 235</b>	<b>67.4</b>	<b>22 613</b>	<b>Total non-EU/EFTA</b>
	<b>962</b>	<b>2</b>	<b>377</b>	<b>0.8</b>	<b>393</b>	<b>0.8</b>	<b>21 624</b>	<b>44.2</b>	<b>48 892</b>	<b>Total WHO European Region</b>

	Latin America & Caribbean		South & South-east Asia		Other		Unknown		Total	Transmission group
	N	%	N	%	N	%	N	%		
	457	5.7	101	1.3	170	2.1	1345	16.8	8001	Men who have sex with men
	13	0.9	12	0.8	19	1.3	192	12.7	1514	Injecting drug user
	414	4.1	203	2	127	1.3	1209	12	10 087	Heterosexual contact
	1	0.4	5	2.1	1	0.4	60	24.7	243	Mother-to-child
	2	3.1	1	1.5	2	3.1	9	13.8	65	Haemophiliac/Transfusion recipient
	0	0	2	13.3	0	0	0	0	15	Nosocomial infection
	74	1.7	36	0.8	43	1	2870	67.1	4 277	Other/undetermined
	<b>961</b>	<b>4</b>	<b>360</b>	<b>1.5</b>	<b>362</b>	<b>1.5</b>	<b>5 685</b>	<b>23.5</b>	<b>24 202</b>	<b>Total West</b>
	1	0.3	0	0	2	0.5	1	0.3	375	Men who have sex with men
	0	0	4	2.5	0	0	3	1.9	161	Injecting drug user
	0	0	4	0.6	20	3.1	2	0.3	652	Heterosexual contact
	0	0	0	0	0	0	0	0	34	Mother-to-child
	0	0	0	0	1	7.1	0	0	14	Haemophiliac/Transfusion recipient
	0	0	0	0	0	0	0	0	5	Nosocomial infection
	0	0	0	0	6	0.9	34	5.2	656	Other/undetermined
	<b>1</b>	<b>0.1</b>	<b>8</b>	<b>0.4</b>	<b>29</b>	<b>1.5</b>	<b>40</b>	<b>2.1</b>	<b>1 897</b>	<b>Total Centre</b>
	0	0	0	0	0	0	54	59.3	91	Men who have sex with men
	0	0	3	0	0	0	8464	71.3	11863	Injecting drug user
	0	0	4	0	1	0	6245	71.9	8 687	Heterosexual contact
	0	0	2	1	0	0	34	17.3	197	Mother-to-child
	0	0	0	0	0	0	2	66.7	3	Haemophiliac/Transfusion recipient
	0	0	0	0	0	0	18	30.5	59	Nosocomial infection
	0	0	0	0	1	0.1	1082	57.2	1893	Other/undetermined
	<b>0</b>	<b>0</b>	<b>9</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>15 899</b>	<b>69.8</b>	<b>22 793</b>	<b>Total East</b>
	<b>962</b>	<b>2</b>	<b>377</b>	<b>0.8</b>	<b>393</b>	<b>0.8</b>	<b>21 624</b>	<b>44.2</b>	<b>48 892</b>	<b>Total WHO European Region</b>

**Table 11: AIDS cases and rates per million population by country and year of statistics (2000–2007) and cumulative totals\*, in EU/EFTA and non-EU/EFTA countries of WHO European Region**

Area	Country	2000		2001		2002		2003			
		N	Rate	N	Rate	N	Rate	N	Rate		
EU	Austria	87	10.9	91	11.3	94	11.6	50	6.2		
	Belgium	145	14.1	141	13.7	133	12.9	126	12.1		
	Bulgaria	16	2	14	1.7	13	1.7	13	1.7		
	Cyprus	11	15.8	4	5.7	4	5.6	5	6.9		
	Czech Republic	14	1.4	7	0.7	8	0.8	9	0.9		
	Denmark	59	11	71	13.2	45	8.4	40	7.4		
	Estonia	3	2.2	2	1.5	6	4.4	10	7.4		
	Finland	16	3.1	19	3.7	21	4	24	4.6		
	France	1738	28.6	1679	27.4	1644	26.7	1481	23.9		
	Germany	805	9.8	748	9.1	694	8.4	687	8.3		
	Greece	131	12	93	8.5	99	9	94	8.5		
	Hungary	27	2.6	20	2	26	2.6	26	2.6		
	Ireland	13	3.4	26	6.7	35	8.9	39	9.8		
	Italy	-	-	-	-	-	-	-	-	-	
	Latvia	23	9.7	40	17	57	24.4	77	33.1		
	Lithuania	7	2	10	2.9	9	2.6	9	2.6		
	Luxembourg	12	27.5	9	20.4	4	9	6	13.3		
	Malta	3	7.8	0	0	4	10.1	2	5		
	Netherlands	248	15.6	260	16.2	299	18.5	289	17.8		
	Poland	109	2.8	168	4.4	124	3.2	125	3.3		
Portugal	1027	100.4	1011	98.2	1023	98.7	919	88			
Romania	584	26	437	19.7	360	16.5	368	16.9			
Slovakia	5	0.9	5	0.9	2	0.4	2	0.4			
Slovenia	7	3.5	5	2.5	3	1.5	6	3			
Spain	2872	71.3	2484	61	2304	55.8	2235	53.2			
Sweden	61	6.9	50	5.6	61	6.8	53	5.9			
United Kingdom	840	14.3	744	12.6	902	15.2	947	15.9			
	<b>Total EU</b>	<b>8863</b>	<b>20.8</b>	<b>8138</b>	<b>19.1</b>	<b>7974</b>	<b>18.6</b>	<b>7642</b>	<b>17.8</b>		
EFTA	Iceland	1	3.6	1	3.5	0	0	1	3.5		
	Norway	35	7.8	33	7.3	34	7.5	53	11.6		
	Switzerland	213	29.6	218	30.2	208	28.6	213	29		
	<b>Total EU+EFTA</b>	<b>9112</b>	<b>20.8</b>	<b>8390</b>	<b>19.1</b>	<b>8216</b>	<b>18.7</b>	<b>7909</b>	<b>17.9</b>		
Non-EU/EFTA	Albania	3	1	12	3.9	9	2.9	2	0.6		
	Andorra	-	-	-	-	-	-	-	-		
	Armenia	3	0.9	4	1.2	1	0.3	13	4		
	Azerbaijan	9	1.1	7	0.9	7	0.9	11	1.3		
	Belarus	0	0	6	0.6	21	2.1	32	3.2		
	Bosnia and Herzegovina	3	0.8	7	1.8	3	0.8	8	2.1		
	Croatia	14	3.1	12	2.7	15	3.4	17	3.8		
	Georgia	16	3.6	12	2.7	47	10.8	47	10.8		
	Israel	70	10.8	63	9.9	81	12.5	79	12		
	Kazakhstan	10	0.7	18	1.2	33	2.2	68	4.5		
	Kyrgyzstan	0	0	1	0.2	9	1.8	10	1.9		
	Macedonia, F.Y.R.**	4	2	3	1.5	4	2	0	0		
	Monaco	-	-	-	-	-	-	-	-		
	Montenegro	7	11.4	2	3.2	1	1.6	3	4.8		
	Republic of Moldova	4	1.1	10	2.8	18	5	45	12.5		
	Russian Federation	-	-	-	-	-	-	-	-		
	San Marino	0	0	1	33.9	1	33.9	1	33.9		
	Serbia	78	10.4	79	10.5	78	10.4	61	8.2		
	Tajikistan	0	0	0	0	0	0	0	0		
	Turkey	46	0.7	40	0.6	48	0.7	52	0.7		
	Turkmenistan	0	0	0	0	1	0.2	0	0		
	Ukraine	716	14.6	845	17.4	1355	28.2	1867	39.2		
Uzbekistan	4	0.2	9	0.4	7	0.3	10	0.4			
	<b>Total non-EU/EFTA</b>	<b>987</b>	<b>4.8</b>	<b>1131</b>	<b>5.2</b>	<b>1739</b>	<b>7.7</b>	<b>2326</b>	<b>10.6</b>		
Total	West	8376	24.6	7742	22.7	7686	22.4	7339	21.2		
	Centre	928	5	815	4.4	698	3.7	697	3.7		
	East	795	6.8	964	7.4	1571	11.6	2199	16.9		
		<b>Total WHO European Region</b>	<b>10099</b>	<b>15.7</b>	<b>9521</b>	<b>14.5</b>	<b>9955</b>	<b>15</b>	<b>10235</b>	<b>15.5</b>	

\* Cumulative total is the total number of cases reported by country since the start of reporting

\*\* The former Yugoslav Republic of Macedonia

	2004		2005		2006		2007		Cumulative total*	Country
	N	Rate	N	Rate	N	Rate	N	Rate		
67	8.2	56	6.8	55	6.6	67	8.1	2599	Austria	
121	11.6	140	13.4	80	7.6	81	7.6	3722	Belgium	
22	2.8	19	2.5	16	2.1	8	1	188	Bulgaria	
2	2.7	7	9.2	5	6.5	4	5.1	179	Cyprus	
13	1.3	13	1.3	16	1.6	23	2.2	239	Czech Republic	
61	11.3	44	8.1	51	9.4	32	5.9	2669	Denmark	
29	21.5	29	21.5	32	23.8	57	42.5	191	Estonia	
21	4	26	5	26	4.9	33	6.2	493	Finland	
1382	22.1	1320	21	1091	17.3	596	9.4	63205	France	
716	8.7	638	7.7	598	7.3	287	3.5	26013	Germany	
86	7.8	98	8.8	86	7.7	77	6.9	2847	Greece	
23	2.3	33	3.3	22	2.2	23	2.3	550	Hungary	
44	10.8	41	9.9	38	8.9	31	7.1	962	Ireland	
-	-	-	-	-	-	-	-	-	Italy	
79	34.2	108	46.9	76	33.2	54	23.7	565	Latvia	
21	6.1	10	2.9	27	8	28	8.3	151	Lithuania	
14	30.6	11	23.9	8	16.9	10	20.8	219	Luxembourg	
1	2.5	3	7.4	4	9.8	2	4.9	70	Malta	
285	17.5	337	20.6	273	16.7	241	14.7	2466	Netherlands	
171	4.5	187	4.9	122	3.2	183	4.8	2028	Poland	
790	75.2	724	68.6	604	57.1	320	30.2	14195	Portugal	
328	15.1	319	14.7	267	12.4	261	12.1	10968	Romania	
2	0.4	3	0.6	4	0.7	6	1.1	49	Slovakia	
10	5	10	5	5	2.5	9	4.5	139	Slovenia	
2013	47.2	1735	40	1559	35.3	893	19.9	75733	Spain	
65	7.2	45	5	47	5.2	73	8	2168	Sweden	
894	14.9	819	13.6	739	12.2	645	10.6	23924	United Kingdom	
<b>7260</b>	<b>16.8</b>	<b>6775</b>	<b>15.6</b>	<b>5851</b>	<b>13.4</b>	<b>4044</b>	<b>9.3</b>	<b>236532</b>	<b>Total EU</b>	
3	10.3	1	3.4	3	9.9	0	0	60	Iceland	
36	7.8	32	6.9	32	6.9	9	1.9	939	Norway	
214	29	182	24.5	147	19.6	149	19.7	8696	Switzerland	
<b>7513</b>	<b>16.9</b>	<b>6990</b>	<b>15.7</b>	<b>6033</b>	<b>13.5</b>	<b>4202</b>	<b>9.4</b>	<b>246227</b>	<b>Total EU+EFTA</b>	
11	3.5	6	1.9	8	2.5	17	5.4	85	Albania	
0	0	1	12.9	0	0	0	0	1	Andorra	
21	6.5	41	12.7	46	14.3	59	18.3	210	Armenia	
20	2.4	18	2.1	14	1.7	201	23.4	292	Azerbaijan	
90	9.2	163	16.7	326	33.5	256	26.4	920	Belarus	
16	4.2	8	2.1	8	2.1	4	1	96	Bosnia and Herzegovina	
8	1.8	16	3.6	24	5.4	12	2.7	270	Croatia	
112	25.9	140	32.1	162	36.8	181	41.2	750	Georgia	
35	5.2	55	8	52	7.4	36	5.1	1145	Israel	
74	4.8	100	6.5	132	8.5	-	-	464	Kazakhstan	
14	2.7	23	4.4	27	5.1	22	4.1	107	Kyrgyzstan	
5	2.5	10	4.9	7	3.4	8	3.9	80	Macedonia, F.Y.R.**	
-	-	-	-	-	-	-	-	-	Monaco	
1	1.6	1	1.6	2	3.2	4	6.4	42	Montenegro	
53	14.7	64	17.8	94	26.2	214	59.8	527	Republic of Moldova	
-	-	-	-	-	-	-	-	-	Russian Federation	
0	0	1	33.5	1	33.1	0	0	20	San Marino	
58	7.8	54	7.3	52	7	42	5.7	1398	Serbia	
0	0	0	0	0	0	32	4.7	33	Tajikistan	
47	0.7	37	0.5	35	0.5	24	0.3	647	Turkey	
0	0	0	0	0	0	0	0	1	Turkmenistan	
2685	56.8	4022	85.7	4490	96.2	-	-	17281	Ukraine	
22	0.8	11	0.4	13	0.5	35	1.3	118	Uzbekistan	
<b>3272</b>	<b>14.7</b>	<b>4771</b>	<b>21.3</b>	<b>5493</b>	<b>24.3</b>	<b>1147</b>	<b>6.8</b>	<b>24487</b>	<b>Total non-EU/EFTA</b>	
6848	19.7	6309	18	5494	15.6	3582	10.1	232146	West	
717	3.8	723	3.8	593	3.1	628	3.3	16958	Centre	
3220	24.7	4729	36.2	5439	41.5	1139	14.9	21610	East	
<b>10785</b>	<b>16.2</b>	<b>11761</b>	<b>17.6</b>	<b>11526</b>	<b>17.1</b>	<b>5349</b>	<b>8.7</b>	<b>270714</b>	<b>Total WHO European Region</b>	

**Table 11A: AIDS cases and rates per million population by country and year of diagnosis (2000–2007) and cumulative totals\*, in EU/EFTA and non-EU/EFTA countries of WHO European Region**

Area	Country	2000		2001		2002		2003			
		N	Rate	N	Rate	N	Rate	N	Rate		
EU	Austria	87	10.9	92	11.4	94	11.6	50	6.2		
	Belgium	145	14.1	141	13.7	133	12.9	126	12.1		
	Bulgaria	16	2	14	1.7	13	1.7	13	1.7		
	Cyprus	11	15.8	4	5.7	4	5.6	5	6.9		
	Czech Republic	14	1.4	7	0.7	8	0.8	9	0.9		
	Denmark	59	11	71	13.2	45	8.4	40	7.4		
	Estonia	3	2.2	2	1.5	6	4.4	10	7.4		
	Finland	16	3.1	19	3.7	21	4	24	4.6		
	France	1738	28.6	1679	27.4	1644	26.7	1481	23.9		
	Germany	805	9.8	748	9.1	694	8.4	687	8.3		
	Greece	131	12	93	8.5	99	9	94	8.5		
	Hungary	27	2.6	20	2	26	2.6	26	2.6		
	Ireland	13	3.4	26	6.7	35	8.9	39	9.8		
	Italy	-	-	-	-	-	-	-	-	-	
	Latvia	23	9.7	40	17	57	24.4	77	33.1		
	Lithuania	7	2	10	2.9	9	2.6	9	2.6		
	Luxembourg	12	27.5	9	20.4	4	9	6	13.3		
	Malta	3	7.8	0	0	4	10.1	2	5		
	Netherlands	248	15.6	260	16.2	299	18.5	289	17.8		
	Poland	125	3.3	132	3.5	124	3.2	144	3.8		
Portugal	1027	100.4	1011	98.2	1023	98.7	919	88			
Romania	584	26	437	19.7	360	16.5	368	16.9			
Slovakia	5	0.9	5	0.9	2	0.4	2	0.4			
Slovenia	7	3.5	5	2.5	3	1.5	6	3			
Spain	2872	71.3	2484	61	2304	55.8	2235	53.2			
Sweden	61	6.9	50	5.6	62	6.9	53	5.9			
United Kingdom	840	14.3	744	12.6	902	15.2	947	15.9			
	<b>Total EU</b>	<b>8879</b>	<b>20.8</b>	<b>8103</b>	<b>19</b>	<b>7975</b>	<b>18.6</b>	<b>7661</b>	<b>17.8</b>		
EFTA	Iceland	1	3.6	1	3.5	0	0	1	3.5		
	Norway	35	7.8	33	7.3	34	7.5	53	11.6		
	Switzerland	213	29.6	218	30.2	208	28.6	213	29		
	<b>Total EU+EFTA</b>	<b>9128</b>	<b>20.8</b>	<b>8355</b>	<b>19</b>	<b>8217</b>	<b>18.7</b>	<b>7928</b>	<b>17.9</b>		
Non-EU/EFTA	Albania	3	1	12	3.9	9	2.9	2	0.6		
	Andorra	-	-	-	-	-	-	-	-		
	Armenia	3	0.9	4	1.2	4	1.2	10	3.1		
	Azerbaijan	9	1.1	7	0.9	7	0.9	11	1.3		
	Belarus	0	0	6	0.6	21	2.1	32	3.2		
	Bosnia and Herzegovina	NA	1.1	10	2.6	5	1.3	6	1.6		
	Croatia	19	4.3	7	1.6	19	4.3	10	2.3		
	Georgia	16	3.6	12	2.7	47	10.8	47	10.8		
	Israel	70	10.8	63	9.9	81	12.5	79	12		
	Kazakhstan	10	0.7	18	1.2	33	2.2	68	4.5		
	Kyrgyzstan	0	0	1	0.2	9	1.8	10	1.9		
	Macedonia, F.Y.R.**	4	2	3	1.5	4	2	0	0		
	Monaco	-	-	-	-	-	-	-	-		
	Montenegro	7	11.4	2	3.2	1	1.6	3	4.8		
	Republic of Moldova	4	1.1	11	3	19	5.2	46	12.7		
	Russian Federation	-	-	-	-	-	-	-	-		
	San Marino	0	0	1	33.9	1	33.9	1	33.9		
	Serbia	78	10.4	79	10.5	78	10.4	61	8.2		
	Tajikistan	0	0	0	0	0	0	0	0		
	Turkey	48	0.7	43	0.6	44	0.6	44	0.6		
Turkmenistan	0	0	0	0	1	0.2	0	0			
Ukraine	716	14.6	845	17.4	1355	28.2	1867	39.2			
Uzbekistan	4	0.2	9	0.4	7	0.3	10	0.4			
	<b>Total non-EU/EFTA</b>	<b>995</b>	<b>4.9</b>	<b>1133</b>	<b>5.2</b>	<b>1745</b>	<b>7.8</b>	<b>2307</b>	<b>10.5</b>		
Total	West	8376	24.6	7743	22.7	7687	22.4	7339	21.2		
	Centre	952	5.1	780	4.2	700	3.7	699	3.8		
	East	795	6.8	965	7.4	1575	11.7	2197	16.9		
	<b>Total WHO European Region</b>	<b>10123</b>	<b>15.8</b>	<b>9488</b>	<b>14.4</b>	<b>9962</b>	<b>15</b>	<b>10235</b>	<b>15.5</b>		

\* Cumulative total is the total number of cases reported by country since the start of reporting

\*\* The former Yugoslav Republic of Macedonia

	2004		2005		2006		2007		Cumulative total*	Country
	N	Rate	N	Rate	N	Rate	N	Rate		
67	8.2	56	6.8	56	6.8	64	7.7	2599	Austria	
121	11.6	140	13.4	80	7.6	81	7.6	3722	Belgium	
22	2.8	19	2.5	16	2.1	8	1	188	Bulgaria	
2	2.7	7	9.2	5	6.5	4	5.1	179	Cyprus	
13	1.3	13	1.3	16	1.6	23	2.2	239	Czech Republic	
61	11.3	44	8.1	51	9.4	32	5.9	2669	Denmark	
29	21.5	29	21.5	32	23.8	57	42.5	191	Estonia	
21	4	26	5	26	4.9	33	6.2	493	Finland	
1382	22.1	1320	21	1091	17.3	596	9.4	63205	France	
716	8.7	638	7.7	598	7.3	287	3.5	26013	Germany	
86	7.8	98	8.8	86	7.7	77	6.9	2847	Greece	
23	2.3	33	3.3	22	2.2	23	2.3	550	Hungary	
44	10.8	41	9.9	38	8.9	31	7.1	962	Ireland	
-	-	-	-	-	-	-	-	-	Italy	
79	34.2	108	46.9	76	33.2	54	23.7	565	Latvia	
21	6.1	10	2.9	27	8	28	8.3	151	Lithuania	
14	30.6	11	23.9	8	16.9	10	20.8	219	Luxembourg	
1	2.5	3	7.4	4	9.8	2	4.9	70	Malta	
285	17.5	337	20.6	273	16.7	241	14.7	2466	Netherlands	
175	4.6	151	4	156	4.1	101	2.6	2028	Poland	
790	75.2	724	68.6	604	57.1	320	30.2	14195	Portugal	
328	15.1	319	14.7	267	12.4	261	12.1	10968	Romania	
2	0.4	3	0.6	4	0.7	6	1.1	49	Slovakia	
10	5	10	5	5	2.5	9	4.5	139	Slovenia	
2013	47.2	1735	40	1559	35.3	893	19.9	75733	Spain	
66	7.3	46	5.1	55	6.1	62	6.8	2168	Sweden	
894	14.9	819	13.6	739	12.2	645	10.6	23924	United Kingdom	
<b>7265</b>	<b>16.8</b>	<b>6740</b>	<b>15.6</b>	<b>5894</b>	<b>13.5</b>	<b>3948</b>	<b>9</b>	<b>236532</b>	<b>Total EU</b>	
3	10.3	1	3.4	3	9.9	0	0	60	Iceland	
36	7.8	32	6.9	32	6.9	9	1.9	939	Norway	
214	29	182	24.5	147	19.6	149	19.7	8696	Switzerland	
<b>7518</b>	<b>16.9</b>	<b>6955</b>	<b>15.6</b>	<b>6076</b>	<b>13.6</b>	<b>4106</b>	<b>9.1</b>	<b>246227</b>	<b>Total EU+EFTA</b>	
11	3.5	6	1.9	8	2.5	17	5.4	85	Albania	
1	13.4	0	0	0	0	0	0	1	Andorra	
23	7.2	39	12.1	46	14.3	59	18.3	210	Armenia	
20	2.4	18	2.1	14	1.7	201	23.4	292	Azerbaijan	
90	9.2	163	16.7	326	33.5	256	26.4	920	Belarus	
5	1.3	6	1.6	4	1	4	1	96	Bosnia and Herzegovina	
13	2.9	18	4.1	19	4.3	9	2	270	Croatia	
112	25.9	140	32.1	162	36.8	181	41.2	750	Georgia	
35	5.2	55	8	52	7.4	36	5.1	1145	Israel	
74	4.8	100	6.5	132	8.5	-	-	464	Kazakhstan	
14	2.7	23	4.4	27	5.1	22	4.1	107	Kyrgyzstan	
5	2.5	10	4.9	8	3.9	7	3.4	80	Macedonia, F.Y.R.**	
-	-	-	-	-	-	-	-	-	Monaco	
1	1.6	1	1.6	3	4.8	3	4.8	42	Montenegro	
58	16.1	60	16.7	93	25.9	211	59	527	Republic of Moldova	
-	-	-	-	-	-	-	-	-	Russian Federation	
0	0	1	33.5	1	33.1	0	0	20	San Marino	
58	7.8	54	7.3	52	7	42	5.7	1398	Serbia	
0	0	0	0	1	0.1	31	4.6	33	Tajikistan	
53	0.7	29	0.4	30	0.4	24	0.3	647	Turkey	
0	0	0	0	0	0	0	0	1	Turkmenistan	
2685	56.8	4022	85.7	4490	96.2	-	-	17281	Ukraine	
22	0.8	11	0.4	13	0.5	35	1.3	118	Uzbekistan	
<b>3280</b>	<b>14.7</b>	<b>4756</b>	<b>21.2</b>	<b>5481</b>	<b>23.6</b>	<b>1138</b>	<b>6.8</b>	<b>24487</b>	<b>Total non-EU/EFTA</b>	
6850	19.7	6309	18	5503	15.7	3568	10.1	232146	West	
721	3.8	679	3.6	615	3.2	541	2.9	16958	Centre	
3227	24.7	4723	36.1	5439	39.5	1135	14.9	21610	East	
<b>10798</b>	<b>16.2</b>	<b>11711</b>	<b>17.5</b>	<b>11557</b>	<b>17</b>	<b>5244</b>	<b>8.5</b>	<b>270714</b>	<b>Total WHO European Region</b>	

**Table 11B: AIDS cases and rates per million population by country and year of notification (2000–2007) and cumulative totals\*, in EU/EFTA and non-EU/EFTA countries of WHO European Region**

Area	Country	2000		2001		2002		2003			
		N	Rate	N	Rate	N	Rate	N	Rate		
EU	Austria	93	11.6	73	9.1	78	9.6	53	6.5		
	Belgium	110	10.7	161	15.7	103	10	154	14.8		
	Bulgaria	16	2	14	1.7	13	1.7	13	1.7		
	Cyprus	11	15.8	4	5.7	4	5.6	5	6.9		
	Czech Republic	0	0	0	0	0	0	0	0		
	Denmark	61	11.4	76	14.2	50	9.3	39	7.2		
	Estonia	3	2.2	2	1.5	4	2.9	11	8.1		
	Finland	16	3.1	18	3.5	20	3.8	25	4.8		
	France	1823	30	1690	27.6	1818	29.5	1431	23.1		
	Germany	1070	13	1142	13.9	814	9.9	1190	14.4		
	Greece	144	13.2	96	8.8	104	9.5	92	8.3		
	Hungary	27	2.6	20	2	26	2.6	26	2.6		
	Ireland	21	5.5	12	3.1	12	3.1	44	11		
	Italy	-	-	-	-	-	-	-	-	-	
	Latvia	24	10.1	42	17.8	54	23.1	59	25.4		
	Lithuania	7	2	10	2.9	9	2.6	9	2.6		
	Luxembourg	12	27.5	9	20.4	4	9	6	13.3		
	Malta	3	7.8	0	0	4	10.1	2	5		
	Netherlands	248	15.6	260	16.2	299	18.5	289	17.8		
	Poland	109	2.8	168	4.4	124	3.2	125	3.3		
Portugal	1192	116.6	959	93.2	1023	98.7	988	94.6			
Romania	678	30.2	476	21.5	357	16.4	384	17.7			
Slovakia	5	0.9	5	0.9	2	0.4	2	0.4			
Slovenia	7	3.5	5	2.5	3	1.5	6	3			
Spain	2843	70.6	2366	58.1	2619	63.4	2635	62.7			
Sweden	54	6.1	46	5.2	59	6.6	60	6.7			
United Kingdom	733	12.4	825	14	846	14.3	908	15.2			
	<b>Total EU</b>	<b>9310</b>	<b>22.4</b>	<b>8479</b>	<b>20.4</b>	<b>8449</b>	<b>20.2</b>	<b>8556</b>	<b>20.4</b>		
EFTA	Iceland	1	3.6	1	3.5	0	0	1	3.5		
	Norway	26	5.8	31	6.9	35	7.7	32	7		
	Switzerland	255	35.5	217	30	199	27.3	281	38.3		
	<b>Total EU+EFTA</b>	<b>9592</b>	<b>22.4</b>	<b>8728</b>	<b>20.4</b>	<b>8683</b>	<b>20.2</b>	<b>8870</b>	<b>20.5</b>		
Non-EU/EFTA	Albania	3	1	12	3.9	9	2.9	2	0.6		
	Andorra	-	-	-	-	-	-	-	-		
	Armenia	3	0.9	4	1.2	1	0.3	13	4		
	Azerbaijan	9	1.1	7	0.9	7	0.9	11	1.3		
	Belarus	0	0	5	0.5	18	1.8	34	3.4		
	Bosnia and Herzegovina	3	0.8	7	1.8	3	0.8	8	2.1		
	Croatia	14	3.1	12	2.7	15	3.4	17	3.8		
	Georgia	16	3.6	12	2.7	47	10.8	47	10.8		
	Israel	70	10.8	63	9.9	81	12.5	79	12		
	Kazakhstan	10	0.7	18	1.2	33	2.2	68	4.5		
	Kyrgyzstan	1	0.2	1	0.2	8	1.6	9	1.8		
	Macedonia, F.Y.R.**	4	2	3	1.5	4	2	0	0		
	Monaco	-	-	-	-	-	-	-	-		
	Montenegro	7	11.4	2	3.2	1	1.6	3	4.8		
	Republic of Moldova	4	1.1	9	2.5	18	5	46	12.7		
	Russian Federation	-	-	-	-	-	-	-	-		
	San Marino	1	33.9	1	33.9	1	33.9	0	0		
	Serbia	69	9.2	74	9.9	85	11.3	63	8.4		
	Tajikistan	0	0	0	0	0	0	0	0		
	Turkey	46	0.7	40	0.6	48	0.7	52	0.7		
Turkmenistan	0	0	0	0	1	0.2	0	0			
Ukraine	715	14.6	815	16.8	1390	28.9	1862	39.1			
Uzbekistan	4	0.2	9	0.4	7	0.3	10	0.4			
	<b>Total non-EU/EFTA</b>	<b>979</b>	<b>4.7</b>	<b>1094</b>	<b>5</b>	<b>1777</b>	<b>7.9</b>	<b>2324</b>	<b>10.6</b>		
Total	West	8776	25.8	8046	23.6	8169	23.8	8309	24		
	Centre	999	5.7	842	4.8	694	3.9	706	4		
	East	796	6.6	934	7.2	1597	11.8	2179	16.7		
		<b>Total WHO European Region</b>	<b>10571</b>	<b>16.6</b>	<b>9822</b>	<b>15.2</b>	<b>10460</b>	<b>16</b>	<b>11194</b>	<b>17.2</b>	

\* Cumulative total is the total number of cases reported by country since the start of reporting

\*\* The former Yugoslav Republic of Macedonia



	2004		2005		2006		2007		Cumulative total*	Country
	N	Rate	N	Rate	N	Rate	N	Rate		
133	16.3	64	7.8	47	5.7	67	8.1	2582	Austria	
178	17.1	172	16.4	136	12.9	70	6.6	3699	Belgium	
22	2.8	19	2.5	16	2.1	8	1	188	Bulgaria	
2	2.7	3	4	5	6.5	4	5.1	179	Cyprus	
0	0	0	0	0	0	0	0	256	Czech Republic	
48	8.9	56	10.3	47	8.6	42	7.7	2663	Denmark	
27	20	30	22.3	34	25.3	57	42.5	191	Estonia	
20	3.8	25	4.8	33	6.3	15	2.8	473	Finland	
1497	24	1330	21.2	1228	19.4	1143	18	63205	France	
946	11.5	949	11.5	752	9.1	647	7.9	26013	Germany	
89	8	122	11	90	8.1	88	7.9	2847	Greece	
23	2.3	33	3.3	22	2.2	23	2.3	550	Hungary	
38	9.3	62	14.9	30	7	10	2.3	962	Ireland	
-	-	-	-	-	-	-	-	-	Italy	
90	38.9	70	30.4	54	23.6	31	13.6	482	Latvia	
21	6.1	10	2.9	27	8	28	8.3	151	Lithuania	
14	30.6	11	23.9	8	16.9	10	20.8	219	Luxembourg	
1	2.5	3	7.4	4	9.8	2	4.9	70	Malta	
285	17.5	337	20.6	273	16.7	241	14.7	2466	Netherlands	
171	4.5	187	4.9	122	3.2	183	4.8	2028	Poland	
1031	98.2	947	89.8	812	76.7	681	64.2	14195	Portugal	
332	15.3	324	15	270	12.5	264	12.3	10956	Romania	
2	0.4	3	0.6	4	0.7	6	1.1	49	Slovakia	
7	3.5	13	6.5	5	2.5	7	3.5	137	Slovenia	
2318	54.3	2215	51	1926	43.7	2548	56.8	75738	Spain	
71	7.9	51	5.6	60	6.6	73	8	2168	Sweden	
887	14.8	918	15.2	840	13.9	715	11.7	23591	United Kingdom	
<b>8 253</b>	<b>19.6</b>	<b>7954</b>	<b>18.8</b>	<b>6845</b>	<b>16.1</b>	<b>6963</b>	<b>16.3</b>	<b>236 058</b>	<b>Total EU</b>	
3	10.3	1	3.4	3	9.9	0	0	60	Iceland	
54	11.8	45	9.7	74	15.9	14	3	937	Norway	
299	40.5	235	31.6	163	21.8	194	25.7	8609	Switzerland	
<b>8 609</b>	<b>19.8</b>	<b>8 235</b>	<b>18.9</b>	<b>7085</b>	<b>16.2</b>	<b>7 171</b>	<b>16.3</b>	<b>245 664</b>	<b>Total EU+EFTA</b>	
11	3.5	6	1.9	8	2.5	17	5.4	85	Albania	
0	0	1	12.9	0	0	0	0	1	Andorra	
21	6.5	41	12.7	46	14.3	59	18.3	210	Armenia	
20	2.4	18	2.1	14	1.7	201	23.4	292	Azerbaijan	
91	9.3	155	15.9	274	28.2	317	32.7	920	Belarus	
16	4.2	8	2.1	8	2.1	4	1	96	Bosnia and Herzegovina	
8	1.8	16	3.6	24	5.4	12	2.7	270	Croatia	
112	25.9	140	32.1	162	36.8	181	41.2	750	Georgia	
35	5.2	55	8	52	7.4	36	5.1	1145	Israel	
73	4.8	101	6.6	132	8.5	-	-	464	Kazakhstan	
15	2.9	24	4.6	27	5.1	22	4.1	107	Kyrgyzstan	
5	2.5	10	4.9	7	3.4	8	3.9	80	Macedonia, F.Y.R.**	
-	-	-	-	-	-	-	-	-	Monaco	
1	1.6	1	1.6	2	3.2	4	6.4	42	Montenegro	
53	14.7	64	17.8	94	26.2	214	59.8	527	Republic of Moldova	
-	-	-	-	-	-	-	-	-	Russian Federation	
1	33.9	1	33.5	1	33.1	0	0	20	San Marino	
108	14.5	58	7.8	46	6.2	45	6.1	1385	Serbia	
0	0	0	0	1	0.1	31	4.6	33	Tajikistan	
47	0.7	37	0.5	35	0.5	24	0.3	647	Turkey	
0	0	0	0	0	0	0	0	1	Turkmenistan	
2666	56.4	3963	84.5	4580	98.1	-	-	17281	Ukraine	
22	0.8	11	0.4	13	0.5	35	1.3	118	Uzbekistan	
<b>3 305</b>	<b>14.8</b>	<b>4 710</b>	<b>21</b>	<b>5 526</b>	<b>23.8</b>	<b>1 210</b>	<b>7.2</b>	<b>24 474</b>	<b>Total non-EU/EFTA</b>	
7948	22.9	7600	21.7	6579	18.7	6596	18.7	231663	West	
755	4.2	718	4	574	3.2	609	3.4	16948	Centre	
3211	24.6	4627	35.4	5458	39.6	1176	15.4	21527	East	
<b>11 914</b>	<b>18.1</b>	<b>12 945</b>	<b>19.6</b>	<b>12 611</b>	<b>18.8</b>	<b>8 381</b>	<b>13.8</b>	<b>270 138</b>	<b>Total WHO European Region</b>	

**Table 12: AIDS cases in men who have sex with men by country and year of diagnosis (2003–2007) and cumulative totals\*, in EU/EFTA and non-EU/EFTA countries of WHO European Region**

Area	Country	Year of diagnosis					Cumulative total*
		2003	2004	2005	2006	2007	
EU	Austria	7	16	13	16	18	921
	Belgium	21	25	37	18	24	1231
	Bulgaria	1	1	7	4	2	30
	Cyprus	1	0	0	1	3	81
	Czech Republic	4	5	6	3	8	132
	Denmark	9	19	18	17	13	1644
	Estonia	1	2	1	1	0	24
	Finland	8	6	10	8	13	264
	France	393	305	323	265	138	26203
	Germany	307	356	292	276	146	15796
	Greece	40	39	46	33	30	1598
	Hungary	16	15	18	10	12	368
	Ireland	6	5	6	9	4	297
	Italy	-	-	-	-	-	-
	Latvia	4	5	4	2	2	57
	Lithuania	5	7	0	1	2	51
	Luxembourg	1	6	2	1	2	101
	Malta	0	0	0	1	0	35
	Netherlands	118	113	145	112	112	1038
	Poland	17	23	23	13	14	386
Portugal	78	61	61	58	26	1822	
Romania	4	1	6	7	5	98	
Slovakia	2	1	1	3	2	30	
Slovenia	4	4	5	3	6	72	
Spain	343	326	263	268	142	10515	
Sweden	11	16	8	9	17	1085	
United Kingdom	212	191	196	193	193	13406	
	<b>Total EU</b>	<b>1613</b>	<b>1548</b>	<b>1491</b>	<b>1332</b>	<b>934</b>	<b>77285</b>
EFTA	Iceland	0	2	0	2	0	42
	Norway	12	10	11	11	2	430
	Switzerland	49	57	48	39	56	2957
	<b>Total EU+EFTA</b>	<b>1674</b>	<b>1617</b>	<b>1550</b>	<b>1384</b>	<b>992</b>	<b>80714</b>
Non-EU/EFTA	Albania	0	1	0	0	0	5
	Andorra	-	1	0	0	0	1
	Armenia	0	0	1	0	1	2
	Azerbaijan	0	0	0	0	2	3
	Belarus	1	0	0	0	0	3
	Bosnia and Herzegovina	0	0	1	0	0	14
	Croatia	3	2	3	10	4	116
	Georgia	3	5	5	3	3	25
	Israel	12	4	10	6	4	259
	Kazakhstan	0	0	0	0	-	0
	Kyrgyzstan	0	0	0	0	1	1
	Macedonia, F.Y.R.**	0	0	2	2	2	17
	Monaco	-	-	-	-	-	-
	Montenegro	0	1	0	2	2	14
	Republic of Moldova	0	1	0	0	2	4
	Russian Federation	-	-	-	-	-	-
	San Marino	1	0	1	0	0	8
	Serbia	12	8	16	14	12	220
	Tajikistan	0	0	0	0	0	0
	Turkey	4	2	4	4	4	64
Turkmenistan	0	0	0	0	0	0	
Ukraine	1	0	7	12	-	43	
Uzbekistan	0	0	0	0	0	1	
	<b>Total non-EU/EFTA</b>	<b>37</b>	<b>25</b>	<b>50</b>	<b>53</b>	<b>37</b>	<b>800</b>
Total	West	1628	1558	1490	1342	940	79653
	Centre	68	64	92	76	76	1647
	East	15	20	18	19	13	214
	<b>Total WHO European Region</b>	<b>1711</b>	<b>1642</b>	<b>1600</b>	<b>1437</b>	<b>1029</b>	<b>81514</b>

\* Cumulative total is the total number of cases reported by country since the start of reporting

\*\* The former Yugoslav Republic of Macedonia

**Table 13: AIDS cases in injecting drug users by country and year of diagnosis (2003–2007) and cumulative totals\*, in EU/EFTA and non-EU/EFTA countries of WHO European Region**

Area	Country	Year of diagnosis					Cumulative total*
		2003	2004	2005	2006	2007	
EU	Austria	12	12	13	4	11	628
	Belgium	7	7	6	5	3	233
	Bulgaria	0	1	1	0	0	2
	Cyprus	1	0	0	0	0	3
	Czech Republic	1	2	0	4	3	13
	Denmark	11	4	4	3	3	227
	Estonia	6	18	16	23	45	110
	Finland	5	5	7	1	8	43
	France	172	167	121	93	55	13336
	Germany	88	72	49	63	26	3540
	Greece	6	2	5	5	2	114
	Hungary	1	0	2	0	1	6
	Ireland	10	7	8	7	10	332
	Italy	-	-	-	-	-	-
	Latvia	59	60	64	42	30	358
	Lithuania	1	4	7	17	21	54
	Luxembourg	1	1	3	0	2	36
	Malta	0	0	0	0	0	0
	Netherlands	15	9	20	11	9	112
	Poland	89	84	77	83	56	1055
Portugal	397	311	302	222	91	6815	
Romania	0	2	2	2	3	12	
Slovakia	0	0	0	0	0	1	
Slovenia	1	1	0	1	0	9	
Spain	1110	937	797	667	390	47069	
Sweden	5	9	4	3	6	242	
United Kingdom	25	24	24	18	22	1325	
<b>Total EU</b>		<b>2023</b>	<b>1739</b>	<b>1532</b>	<b>1274</b>	<b>797</b>	<b>75675</b>
EFTA	Iceland	1	0	0	0	0	5
	Norway	6	4	4	4	0	147
	Switzerland	50	31	40	28	14	3186
<b>Total EU+EFTA</b>		<b>2080</b>	<b>1774</b>	<b>1576</b>	<b>1306</b>	<b>811</b>	<b>79013</b>
Non-EU/EFTA	Albania	0	0	0	0	0	0
	Andorra	-	0	0	0	0	0
	Armenia	9	18	25	28	25	123
	Azerbaijan	8	18	10	9	129	189
	Belarus	25	52	97	213	170	577
	Bosnia and Herzegovina	0	1	1	1	1	18
	Croatia	0	2	1	1	0	21
	Georgia	40	76	79	105	103	475
	Israel	11	4	4	9	4	164
	Kazakhstan	0	0	0	102	-	102
	Kyrgyzstan	8	11	17	18	18	81
	Macedonia, F.Y.R.**	0	0	2	0	1	8
	Monaco	-	-	-	-	-	-
	Montenegro	0	0	0	0	0	1
	Republic of Moldova	34	43	42	45	96	297
	Russian Federation	-	-	-	-	-	-
	San Marino	0	0	0	0	0	6
	Serbia	18	18	11	9	14	598
	Tajikistan	0	0	0	0	15	16
	Turkey	1	1	1	1	2	48
	Turkmenistan	0	0	0	0	0	0
	Ukraine	1439	2044	3037	3357	-	13115
Uzbekistan	7	12	3	9	20	63	
<b>Total non-EU/EFTA</b>		<b>1600</b>	<b>2300</b>	<b>3330</b>	<b>3907</b>	<b>598</b>	<b>15902</b>
Total	West	1932	1606	1411	1143	656	77560
	Centre	112	112	98	102	81	1795
	East	1636	2356	3397	3968	672	15560
	<b>Total WHO European Region</b>	<b>3680</b>	<b>4074</b>	<b>4906</b>	<b>5213</b>	<b>1409</b>	<b>94915</b>

\* Cumulative total is the total number of cases reported by country since the start of reporting

\*\* The former Yugoslav Republic of Macedonia

**Table 14: AIDS cases in persons infected through heterosexual contact by country and year of diagnosis (2003–2007) and cumulative totals\*, in EU/EFTA and non-EU/EFTA countries of WHO European Region**

Area	Country	Year of diagnosis					Cumulative total*
		2003	2004	2005	2006	2007	
EU	Austria	21	29	17	26	19	509
	Belgium	92	79	84	49	50	1855
	Bulgaria	12	20	11	12	6	147
	Cyprus	3	2	6	4	0	82
	Czech Republic	4	5	7	7	11	69
	Denmark	19	36	22	29	16	625
	Estonia	2	5	10	8	10	48
	Finland	8	10	8	15	11	150
	France	743	739	698	564	310	16213
	Germany	136	126	117	96	54	2356
	Greece	39	31	41	38	29	683
	Hungary	9	4	8	11	5	100
	Ireland	20	27	25	20	15	233
	Italy	-	-	-	-	-	-
	Latvia	13	11	30	21	14	115
	Lithuania	3	6	3	3	4	32
	Luxembourg	3	7	5	7	6	70
	Malta	1	1	1	2	2	14
	Netherlands	109	110	131	109	88	963
	Poland	21	38	35	31	19	355
Portugal	419	402	346	312	199	4946	
Romania	101	103	112	100	110	1441	
Slovakia	0	1	2	1	3	16	
Slovenia	0	3	3	0	2	35	
Spain	606	580	539	489	267	12443	
Sweden	36	37	23	36	30	665	
United Kingdom	642	623	561	475	382	7321	
	<b>Total EU</b>	<b>3062</b>	<b>3035</b>	<b>2845</b>	<b>2465</b>	<b>1662</b>	<b>51486</b>
EFTA	Iceland	0	1	1	1	0	11
	Norway	35	20	16	16	7	308
	Switzerland	107	119	88	77	76	2153
	<b>Total EU+EFTA</b>	<b>3204</b>	<b>3175</b>	<b>2950</b>	<b>2559</b>	<b>1745</b>	<b>53958</b>
Non-EU/EFTA	Albania	2	10	6	8	12	74
	Andorra	-	0	0	0	0	0
	Armenia	1	5	9	17	32	77
	Azerbaijan	3	2	8	4	53	82
	Belarus	4	29	51	101	78	280
	Bosnia and Herzegovina	6	4	4	3	3	53
	Croatia	7	7	11	8	5	112
	Georgia	3	27	41	52	58	206
	Israel	55	25	36	31	22	585
	Kazakhstan	0	0	0	19	-	19
	Kyrgyzstan	2	2	5	8	0	19
	Macedonia, F.Y.R.**	0	5	6	6	3	47
	Monaco	-	-	-	-	-	-
	Montenegro	3	0	1	1	1	23
	Republic of Moldova	10	11	15	43	106	201
	Russian Federation	-	-	-	-	-	-
	San Marino	0	0	0	0	0	5
	Serbia	20	13	13	13	7	287
	Tajikistan	0	0	0	0	10	10
	Turkey	24	38	15	15	15	327
Turkmenistan	0	0	0	0	0	0	
Ukraine	367	559	886	869	-	3413	
Uzbekistan	3	2	0	2	6	24	
	<b>Total non-EU/EFTA</b>	<b>510</b>	<b>739</b>	<b>1107</b>	<b>1200</b>	<b>411</b>	<b>5844</b>
Total	West	3091	3002	2759	2392	1583	52108
	Centre	212	253	240	220	202	3168
	East	411	659	1058	1147	371	4526
	<b>Total WHO European Region</b>	<b>3714</b>	<b>3914</b>	<b>4057</b>	<b>3759</b>	<b>2156</b>	<b>59802</b>

\* Cumulative total is the total number of cases reported by country since the start of reporting

\*\* The former Yugoslav Republic of Macedonia

**Table 15: AIDS cases in persons infected through mother-to-child transmission by country and year of diagnosis (2003–2007) and cumulative totals\*, in EU/EFTA and non-EU/EFTA countries of WHO European Region**

Area	Country	Year of diagnosis					Cumulative total*
		2003	2004	2005	2006	2007	
EU	Austria	0	0	0	0	0	26
	Belgium	0	1	0	1	1	112
	Bulgaria	0	0	0	0	0	1
	Cyprus	0	0	0	0	0	1
	Czech Republic	0	0	0	0	0	0
	Denmark	0	0	0	2	0	23
	Estonia	1	1	0	0	0	2
	Finland	0	0	0	0	1	5
	France	9	10	10	4	5	715
	Germany	0	0	1	1	0	99
	Greece	0	2	0	1	0	23
	Hungary	0	0	1	0	0	3
	Ireland	3	1	0	0	1	30
	Italy	-	-	-	-	-	-
	Latvia	1	1	1	2	0	7
	Lithuania	0	0	0	0	0	0
	Luxembourg	0	0	0	0	0	1
	Malta	0	0	0	0	0	1
	Netherlands	6	3	2	0	0	28
	Poland	4	7	2	4	1	46
Portugal	0	1	2	2	0	81	
Romania	9	5	5	6	3	359	
Slovakia	0	0	0	0	0	0	
Slovenia	0	0	0	0	0	2	
Spain	10	5	7	5	4	928	
Sweden	0	1	1	1	2	22	
United Kingdom	41	38	26	23	21	687	
	<b>Total EU</b>	<b>84</b>	<b>76</b>	<b>58</b>	<b>52</b>	<b>39</b>	<b>3202</b>
EFTA	Iceland	0	0	0	0	0	0
	Norway	0	0	0	0	0	6
	Switzerland	3	0	1	0	1	102
	<b>Total EU+EFTA</b>	<b>87</b>	<b>76</b>	<b>59</b>	<b>52</b>	<b>40</b>	<b>3310</b>
Non-EU/EFTA	Albania	0	0	0	0	0	1
	Andorra	-	0	0	0	0	0
	Armenia	0	0	2	1	1	5
	Azerbaijan	0	0	0	0	2	2
	Belarus	1	8	13	10	4	40
	Bosnia and Herzegovina	0	0	0	0	0	0
	Croatia	0	0	0	0	0	3
	Georgia	1	2	6	1	13	24
	Israel	0	1	2	2	1	35
	Kazakhstan	0	0	0	1	-	1
	Kyrgyzstan	0	0	0	0	0	0
	Macedonia, F.Y.R.**	0	0	0	0	0	2
	Monaco	-	-	-	-	-	-
	Montenegro	0	0	0	0	0	1
	Republic of Moldova	1	1	1	4	7	18
	Russian Federation	-	-	-	-	-	-
	San Marino	0	0	0	0	0	0
	Serbia	1	1	1	1	1	21
	Tajikistan	0	0	0	0	0	0
	Turkey	0	0	1	0	0	9
Turkmenistan	0	0	0	0	0	0	
Ukraine	0	0	0	1	-	36	
Uzbekistan	0	0	0	2	3	5	
	<b>Total non-EU/EFTA</b>	<b>4</b>	<b>13</b>	<b>26</b>	<b>23</b>	<b>32</b>	<b>203</b>
Total	West	72	63	52	42	37	2924
	Centre	14	13	10	11	5	449
	East	5	13	23	22	30	140
	<b>Total WHO European Region</b>	<b>91</b>	<b>89</b>	<b>85</b>	<b>75</b>	<b>72</b>	<b>3513</b>

\* Cumulative total is the total number of cases reported by country since the start of reporting

\*\* The former Yugoslav Republic of Macedonia

**Table 16:** AIDS cases by geographical area, transmission group and year of diagnosis (2003–2007) and cumulative totals\*, in EU/EFTA and non-EU/EFTA countries of WHO European Region (Table 16A); and by geographical region West, Centre, East (Table 16B)

**Table 16A:** EU/EFTA and non-EU/EFTA countries

Area	Transmission route	2003		2004		2005	
		Men	Women	Men	Women	Men	Women
EU/EFTA	Men who have sex with men	1674	0	1617	0	1550	0
	Injecting drug user	1686	394	1394	380	1269	307
	Heterosexual contact	1731	1472	1739	1436	1593	1357
	Mother-to-child	47	40	28	48	29	30
	Haemophilic/Transfusion recipient	38	27	32	25	34	17
	Nosocomial infection	21	21	10	6	5	5
	Other/undetermined	552	224	580	223	552	207
	<b>Total</b>	<b>5749</b>	<b>2178</b>	<b>5400</b>	<b>2118</b>	<b>5032</b>	<b>1923</b>
Non-EU/EFTA	Men who have sex with men	37	0	25	0	50	0
	Injecting drug user	1296	304	1790	510	2579	751
	Heterosexual contact	279	231	386	353	571	536
	Mother-to-child	2	2	7	6	14	12
	Haemophilic/Transfusion recipient	0	1	2	0	5	2
	Nosocomial infection	0	0	1	0	0	1
	Other/undetermined	115	36	163	37	172	62
	<b>Total</b>	<b>1729</b>	<b>574</b>	<b>2374</b>	<b>906</b>	<b>3391</b>	<b>1364</b>
<b>Total</b>	<b>Total WHO European Region</b>	<b>7478</b>	<b>2752</b>	<b>7774</b>	<b>3024</b>	<b>8423</b>	<b>3287</b>

**Table 16B:** WHO geographical regions

Area	Transmission route	2003		2004		2005	
		Men	Women	Men	Women	Men	Women
West	Men who have sex with men	1628	0	1558	0	1490	0
	Injecting drug user	1573	359	1269	337	1150	261
	Heterosexual contact	1664	1426	1625	1377	1488	1271
	Mother-to-child	39	33	25	38	24	28
	Haemophilic/Transfusion recipient	27	17	18	14	23	7
	Nosocomial infection	1	0	1	1	0	1
	Other/undetermined	455	116	460	127	442	124
	<b>Total</b>	<b>5387</b>	<b>1951</b>	<b>4956</b>	<b>1894</b>	<b>4617</b>	<b>1692</b>
Centre	Men who have sex with men	68	0	64	0	92	0
	Injecting drug user	82	30	87	25	78	20
	Heterosexual contact	139	73	177	76	157	83
	Mother-to-child	9	5	4	9	6	4
	Haemophilic/Transfusion recipient	11	11	15	11	13	10
	Nosocomial infection	20	21	9	5	5	4
	Other/undetermined	119	111	143	96	121	86
	<b>Total</b>	<b>448</b>	<b>251</b>	<b>499</b>	<b>222</b>	<b>472</b>	<b>207</b>
East	Men who have sex with men	15	0	20	0	18	0
	Injecting drug user	1327	309	1828	528	2620	777
	Heterosexual contact	207	204	323	336	519	539
	Mother-to-child	1	4	6	7	13	10
	Haemophilic/Transfusion recipient	0	0	1	0	3	2
	Nosocomial infection	0	0	1	0	0	1
	Other/undetermined	93	33	140	37	161	59
	<b>Total East</b>	<b>1643</b>	<b>550</b>	<b>2319</b>	<b>908</b>	<b>3334</b>	<b>1388</b>
<b>Total</b>	<b>Total WHO European Region</b>	<b>7478</b>	<b>2752</b>	<b>7774</b>	<b>3024</b>	<b>8423</b>	<b>3287</b>

\* Cumulative total is the total number of cases reported by country since the start of reporting

	2006		2007		Cumulative total*		Transmission route
	Men	Women	Men	Women	Men	Women	
	1384	0	992	0	80714	.	Men who have sex with men
	1059	247	649	161	61982	17029	Injecting drug user
	1370	1189	944	799	30416	23538	Heterosexual contact
	29	23	20	20	1706	1604	Mother-to-child
	23	18	14	12	5972	2534	Haemophiliac/Transfusion recipient
	2	4	1	1	3058	2234	Nosocomial infection
	526	202	360	130	11818	3616	Other/undetermined
	<b>4393</b>	<b>1683</b>	<b>2980</b>	<b>1123</b>	<b>195666</b>	<b>50555</b>	<b>Total</b>
	53	0	37	0	800	.	Men who have sex with men
	3182	725	516	82	12665	3234	Injecting drug user
	605	595	229	182	3199	2645	Heterosexual contact
	15	8	20	12	112	90	Mother-to-child
	1	1	2	1	184	49	Haemophiliac/Transfusion recipient
	2	1	3	1	8	7	Nosocomial infection
	182	111	41	12	1068	347	Other/undetermined
	<b>4040</b>	<b>1441</b>	<b>848</b>	<b>290</b>	<b>18036</b>	<b>6372</b>	<b>Total</b>
	<b>8433</b>	<b>3124</b>	<b>3828</b>	<b>1413</b>	<b>213702</b>	<b>56927</b>	<b>Total WHO European Region</b>

	2006		2007		Cumulative total*		Transmission route
	Men	Women	Men	Women	Men	Women	
	1342	0	940	0	79653	.	Men who have sex with men
	925	218	522	133	60861	16697	Injecting drug user
	1277	1115	848	733	29320	22784	Heterosexual contact
	25	17	18	19	1467	1457	Mother-to-child
	15	9	4	3	4877	1727	Haemophiliac/Transfusion recipient
	2	3	1	1	22	20	Nosocomial infection
	432	123	274	69	10650	2605	Other/undetermined
	<b>4018</b>	<b>1485</b>	<b>2607</b>	<b>958</b>	<b>186850</b>	<b>45290</b>	<b>Total</b>
	76	0	76	0	1647	.	Men who have sex with men
	87	15	58	23	1399	396	Injecting drug user
	127	93	130	72	1947	1221	Heterosexual contact
	6	5	3	2	273	175	Mother-to-child
	9	9	11	9	1268	849	Haemophiliac/Transfusion recipient
	0	1	0	1	3038	2215	Nosocomial infection
	106	81	96	60	1467	1059	Other/undetermined
	<b>411</b>	<b>204</b>	<b>374</b>	<b>167</b>	<b>11039</b>	<b>5915</b>	<b>Total</b>
	19	0	13	0	214	.	Men who have sex with men
	3229	739	585	87	12387	3170	Injecting drug user
	571	576	195	176	2348	2178	Heterosexual contact
	13	9	19	11	78	62	Mother-to-child
	0	1	1	1	11	7	Haemophiliac/Transfusion recipient
	2	1	3	0	6	6	Nosocomial infection
	170	109	31	13	769	299	Other/undetermined
	<b>4004</b>	<b>1435</b>	<b>847</b>	<b>288</b>	<b>15813</b>	<b>5722</b>	<b>Total East</b>
	<b>8433</b>	<b>3124</b>	<b>3828</b>	<b>1413</b>	<b>213702</b>	<b>56927</b>	<b>Total WHO European Region</b>

**Table 17: AIDS cases by geographical area, sex, age at diagnosis and year of diagnosis (2003–2007) and cumulative totals\*, in EU/EFTA and non-EU/EFTA countries of WHO European Region (Table 17A); and by geographical region West, Centre, East (Table 17B)**

**Table 17A: EU/EFTA and non-EU/EFTA countries**

Area	Age in categories	2003		2004		2005	
		Men	Women	Men	Women	Men	Women
EU/EFTA	<15	121	109	61	71	39	31
	15-19	48	60	57	84	69	75
	20-29	539	461	519	399	476	361
	30-39	2 297	869	2 006	868	1 825	732
	40-49	1 715	464	1 685	469	1 663	494
	50+	1 028	214	1 072	227	959	230
	Unknown	1	1	0	0	1	0
	<b>Total</b>	<b>5 749</b>	<b>2 178</b>	<b>5 400</b>	<b>2 118</b>	<b>5 032</b>	<b>1 923</b>
Non-EU/EFTA	<15	2	2	9	6	19	13
	15-19	9	5	8	5	4	9
	20-29	466	208	670	312	887	429
	30-39	782	236	1 094	401	1 575	666
	40-49	376	94	483	156	746	215
	50+	85	28	104	26	156	32
	Unknown	9	1	6	0	4	0
	<b>Total</b>	<b>1 729</b>	<b>574</b>	<b>2 374</b>	<b>906</b>	<b>3 391</b>	<b>1 364</b>
<b>Total</b>	<b>Total WHO European Region</b>	<b>7 478</b>	<b>2 752</b>	<b>7 774</b>	<b>3 024</b>	<b>8 423</b>	<b>3 287</b>

**Table 17B: WHO geographical regions**

Area	Age in categories	2003		2004		2005	
		Men	Women	Men	Women	Men	Women
West	<15	40	32	28	33	26	22
	15-19	20	23	10	27	14	21
	20-29	479	409	446	347	393	297
	30-39	2 197	833	1 854	818	1 698	682
	40-49	1 658	444	1 602	451	1 565	457
	50+	993	209	1 016	218	919	213
	Unknown	0	1	0	0	2	0
	<b>Total</b>	<b>5 387</b>	<b>1 951</b>	<b>4 956</b>	<b>1 894</b>	<b>4 617</b>	<b>1 692</b>
Centre	<15	82	75	34	38	14	11
	15-19	27	39	46	51	56	54
	20-29	58	49	60	41	75	46
	30-39	123	46	167	56	139	43
	40-49	86	25	113	21	117	37
	50+	62	16	73	15	70	16
	Unknown	10	1	6	0	1	0
	<b>Total</b>	<b>448</b>	<b>251</b>	<b>499</b>	<b>222</b>	<b>472</b>	<b>207</b>
East	<15	1	4	8	6	18	11
	15-19	10	3	9	11	3	9
	20-29	468	211	683	323	895	447
	30-39	759	226	1 079	395	1 563	673
	40-49	347	89	453	153	727	215
	50+	58	17	87	20	126	33
	Unknown	0	0	0	0	2	0
	<b>Total</b>	<b>1 643</b>	<b>550</b>	<b>2 319</b>	<b>908</b>	<b>3 334</b>	<b>1 388</b>
<b>Total</b>	<b>Total WHO European Region</b>	<b>7 478</b>	<b>2 752</b>	<b>7 774</b>	<b>3 024</b>	<b>8 423</b>	<b>3 287</b>

\* Cumulative total is the total number of cases reported by country since the start of reporting



	2006		2007		Cumulative total*		Age in categories
	Men	Women	Men	Women	Men	Women	
	31	29	17	17	6 458	4 875	<15
	61	70	53	45	1 221	753	15-19
	409	297	338	200	37 110	13 927	20-29
	1 538	631	939	414	83 199	19 919	30-39
	1 515	431	1 023	291	42 609	6 811	40-49
	838	225	608	156	24 933	4 243	50+
	1	0	2	0	136	27	Unknown
	<b>4 393</b>	<b>1 683</b>	<b>2 980</b>	<b>1 123</b>	<b>195 666</b>	<b>50 555</b>	<b>Total</b>
	21	13	22	14	146	109	<15
	22	15	0	1	109	68	15-19
	836	396	132	85	4 618	2 032	20-29
	2 037	700	429	115	8 345	2 890	30-39
	930	262	210	58	3 740	1 013	40-49
	190	53	54	17	1 024	249	50+
	4	2	1	0	54	11	Unknown
	<b>4 040</b>	<b>1 441</b>	<b>848</b>	<b>290</b>	<b>18 036</b>	<b>6 372</b>	<b>Total</b>
	<b>8 433</b>	<b>3 124</b>	<b>3 828</b>	<b>1 413</b>	<b>213 702</b>	<b>56 927</b>	<b>Total WHO European Region</b>

	2006		2007		Cumulative total*		Age in categories
	Men	Women	Men	Women	Men	Women	
	25	18	15	16	1 853	1 563	<15
	8	9	6	12	901	434	15-19
	329	248	241	158	36 190	13 239	20-29
	1 418	586	813	361	81 643	19 358	30-39
	1 435	415	956	273	41 653	6 553	40-49
	803	209	573	138	24 472	4 116	50+
	0	0	3	0	138	27	Unknown
	<b>4 018</b>	<b>1 485</b>	<b>2 607</b>	<b>958</b>	<b>186 850</b>	<b>45 290</b>	<b>Total</b>
	8	10	3	2	4 654	3 347	<15
	55	62	47	33	352	327	15-19
	63	37	71	36	1 202	792	20-29
	129	46	123	48	2 422	841	30-39
	86	25	75	26	1 466	380	40-49
	66	22	55	22	897	221	50+
	4	2	0	0	46	7	Unknown
	<b>411</b>	<b>204</b>	<b>374</b>	<b>167</b>	<b>11 039</b>	<b>5 915</b>	<b>Total</b>
	19	14	21	13	97	74	<15
	20	14	0	1	77	60	15-19
	853	408	158	91	4 336	1 928	20-29
	2 028	699	432	120	7 479	2 610	30-39
	924	253	202	50	3 230	891	40-49
	159	47	34	13	588	155	50+
	1	0	0	0	6	4	Unknown
	<b>4 004</b>	<b>1 435</b>	<b>847</b>	<b>288</b>	<b>15 813</b>	<b>5 722</b>	<b>Total</b>
	<b>8 433</b>	<b>3 124</b>	<b>3 828</b>	<b>1 413</b>	<b>213 702</b>	<b>56 927</b>	<b>Total WHO European Region</b>

**Table 18: AIDS-indicative diseases diagnosed in 2007 in adult/adolescent men and women and in children arranged by frequency, WHO European Region**

Diseases	Men		Women		Total		Children	
	N	%	N	%	N	%	N	%
<i>Mycobacterium tuberculosis</i>	706	18.6	254	18.4	960	18.6	1	1.4
Candidiasis, oesophageal	665	17.6	292	21.1	957	18.5	12	17.1
<i>Pneumocystis carinii</i> pneumonia	703	18.6	245	17.7	948	18.3	8	11.4
Wasting syndrome due to HIV	419	11.1	149	10.8	568	11	7	10
<i>Mycobacterium tuberculosis</i> , extrapulmonary	348	9.2	122	8.8	470	9.1	4	5.7
Kaposi's sarcoma	271	7.2	29	2.1	300	5.8	0	0
Toxoplasmosis of brain	183	4.8	93	6.7	276	5.3	0	0
Pneumonia, recurrent in an adult or an adolescent	135	3.6	50	3.6	185	3.6	2	2.9
Encephalopathy, HIV-related	120	3.2	62	4.5	182	3.5	8	11.4
CMV disease (other than liver, spleen, or nodes)	106	2.8	44	3.2	150	2.9	4	5.7
Cryptococcosis	86	2.3	43	3.1	129	2.5	0	0
Progressive multifocal leukoencephalopathy	90	2.4	28	2	118	2.3	0	0
Candidiasis of bronchi, trachea, or lungs	75	2	26	1.9	101	2	8	11.4
Lymphoma, immunoblastic	69	1.8	15	1.1	84	1.6	2	2.9
Cryptosporidiosis	67	1.8	16	1.2	83	1.6	1	1.4
Herpes simplex virus disease	39	1	25	1.8	64	1.2	2	2.9
Lymphoma(s), not specified	49	1.3	12	0.9	61	1.2	0	0
<i>Mycobacterium avium</i> complex or <i>M. kansasii</i>	38	1	19	1.4	57	1.1	0	0
Lymphoma, Burkitt's (or equivalent term)	51	1.3	3	0.2	54	1	0	0
Cytomegalovirus or retinitis	24	0.6	14	1	38	0.7	0	0
<i>Mycobacterium</i> , other species or unidentified species	26	0.7	11	0.8	37	0.7	0	0
Lymphoma, primary, of brain	22	0.6	10	0.7	32	0.6	0	0
Salmonella (non typhoid) septicaemia, recurrent	20	0.5	5	0.4	25	0.5	0	0
Cervical cancer, invasive in an adult or an adolescent	2	0.1	18	1.3	20	0.4	0	0
Histoplasmosis, disseminated or extrapulmonary	12	0.3	6	0.4	18	0.3	0	0
Isosporiasis, intestinal with diarrhoea	8	0.2	5	0.4	13	0.3	0	0
Coccidioidomycosis, disseminated or extrapulmonary	3	0.1	0	0	3	0.1	0	0
Lymphoid interstitial pneumonia	3	0.1	0	0	3	0.1	6	8.6
Bacterial infections, multiple or recurrent	0	0	1	0.1	1	0	18	25.7

Opportunistic infection(s), not specified: men=793, women=346, children=26

**Table 19: The ten most common AIDS-indicative diseases diagnosed in 2007 by geographical area arranged by frequency, in EU/EFTA and non-EU/EFTA countries of WHO European Region**

Diseases	Men		Women		Total		Children	
	N	%	N	%	N	%	N	%
<b>EU/EFTA</b>								
<i>Pneumocystis carinii</i> pneumonia	675	22.8	224	20.3	899	22.1	6	17.6
<i>Mycobacterium tuberculosis</i>	407	13.7	175	15.8	582	14.3	0	0
Candidiasis oesophageal	396	13.4	164	14.8	560	13.8	2	5.9
<i>Mycobacterium tuberculosis</i> extrapulmonary	294	9.9	107	9.7	401	9.9	4	11.8
Wasting syndrome due to HIV	277	9.4	99	9	376	9.2	6	17.6
Kaposi's sarcoma	255	8.6	27	2.4	282	6.9	0	0
Toxoplasmosis of brain	172	5.8	90	8.1	262	6.4	0	0
Encephalopathy HIV-related	105	3.5	52	4.7	157	3.9	7	20.6
Cytomegalovirus disease (other than liver spleen)	101	3.4	43	3.9	144	3.5	4	11.8
<b>Non-EU/EFTA</b>								
Candidiasis oesophageal	269	32.6	128	46.4	397	36.1	10	27.8
<i>Mycobacterium tuberculosis</i>	299	36.2	79	28.6	378	34.3	1	2.8
Wasting syndrome due to HIV	142	17.2	50	18.1	192	17.4	1	2.8
<i>Mycobacterium tuberculosis</i> extrapulmonary	54	6.5	15	5.4	69	6.3	0	0
<i>Pneumocystis carinii</i> pneumonia	28	3.4	21	7.6	49	4.5	2	5.6
Encephalopathy HIV-related	15	1.8	10	3.6	25	2.3	1	2.8
Kaposi's sarcoma	16	1.9	2	0.7	18	1.6	0	0
Toxoplasmosis of brain	11	1.3	3	1.1	14	1.3	0	0
Cytomegalovirus disease (other than liver spleen)	5	0.6	1	0.4	6	0.5	0	0

Opportunistic infection(s), not specified EU/EFTA: men=691, women=308, children=22  
 Opportunistic infection(s), not specified non-EU/EFTA: men=102, women=38, children=4

**Table 20: AIDS cases diagnosed in 2007 by country of report and country or subcontinent of origin, in EU/EFTA and non-EU/EFTA countries of WHO European Region**

Area	Country	Country of report		Western Europe		Central & Eastern Europe		Sub-Saharan Africa	
		N	%	N	%	N	%	N	%
EU	Austria	0	0	0	0	0	0	4	6.3
	Belgium	29	35.8	0	0	0	0	40	49.4
	Bulgaria	8	100	0	0	0	0	0	0
	Cyprus	3	75	0	0	1	25	0	0
	Czech Republic	21	91.3	0	0	0	0	0	0
	Denmark	0	0	0	0	0	0	0	0
	Estonia	57	100	0	0	0	0	0	0
	Finland	22	66.7	0	0	2	6.1	2	6.1
	France	352	59.1	7	1.2	3	0.5	151	25.3
	Germany	204	71.1	10	3.5	8	2.8	28	9.8
	Greece	58	75.3	1	1.3	8	10.4	8	10.4
	Hungary	18	78.3	1	4.3	2	8.7	0	0
	Ireland	15	48.4	1	3.2	0	0	10	32.3
	Italy	-	-	-	-	-	-	-	-
	Latvia	0	0	0	0	45	83.3	0	0
	Lithuania	27	96.4	0	0	1	3.6	0	0
	Luxembourg	2	20	5	50	0	0	3	30
	Malta	0	0	0	0	0	0	2	100
	Netherlands	140	58.1	11	4.6	9	3.7	37	15.4
	Poland	100	99	0	0	0	0	1	1
Portugal	266	83.1	2	0.6	1	0.3	35	10.9	
Romania	260	99.6	0	0	0	0	1	0.4	
Slovakia	6	100	0	0	0	0	0	0	
Slovenia	9	100	0	0	0	0	0	0	
Spain	624	69.9	21	2.4	8	0.9	59	6.6	
Sweden	0	0	0	0	0	0	0	0	
United Kingdom	246	38.1	20	3.1	6	0.9	287	44.5	
	<b>Total EU</b>	<b>2467</b>	<b>62.5</b>	<b>79</b>	<b>2</b>	<b>94</b>	<b>2.4</b>	<b>668</b>	<b>16.9</b>
EFTA	Iceland	0	0	0	0	0	0	0	0
	Norway	5	55.6	0	0	0	0	3	33.3
	Switzerland	86	57.7	19	12.8	2	1.3	21	14.1
	<b>Total EU+EFTA</b>	<b>2558</b>	<b>62.3</b>	<b>98</b>	<b>2.4</b>	<b>96</b>	<b>2.3</b>	<b>692</b>	<b>16.9</b>
Non-EU/EFTA	Albania	17	100	0	0	0	0	0	0
	Andorra	0	0	0	0	0	0	0	0
	Armenia	59	100	0	0	0	0	0	0
	Azerbaijan	201	100	0	0	0	0	0	0
	Belarus	256	100	0	0	0	0	0	0
	Bosnia and Herzegovina	4	100	0	0	0	0	0	0
	Croatia	8	88.9	0	0	0	0	0	0
	Georgia	176	97.2	0	0	0	0	0	0
	Israel	0	0	7	19.4	5	13.9	22	61.1
	Kazakhstan	-	-	-	-	-	-	-	-
	Kyrgyzstan	0	0	0	0	22	100	0	0
	Macedonia, F.Y.R.*	0	0	0	0	7	100	0	0
	Monaco	-	-	-	-	-	-	-	-
	Montenegro	3	100	0	0	0	0	0	0
	Republic of Moldova	0	0	0	0	211	100	0	0
	Russian Federation	-	-	-	-	-	-	-	-
	San Marino	0	0	0	0	0	0	0	0
	Serbia	42	100	0	0	0	0	0	0
	Tajikistan	31	100	0	0	0	0	0	0
	Turkey	22	91.7	0	0	0	0	1	4.2
Turkmenistan	0	0	0	0	0	0	0	0	
Ukraine	-	-	-	-	-	-	-	-	
Uzbekistan	0	0	0	0	35	100	0	0	
	<b>Total non-EU/EFTA</b>	<b>819</b>	<b>72.0</b>	<b>7</b>	<b>0.6</b>	<b>280</b>	<b>24.6</b>	<b>23</b>	<b>2</b>
Total	West	2049	57.4	104	2.9	52	1.5	712	20
	Centre	521	96.3	1	0.2	10	1.8	3	0.6
	East	807	71.1	0	0	314	27.7	0	0
	<b>Total WHO European Region</b>	<b>3377</b>	<b>64.4</b>	<b>105</b>	<b>2</b>	<b>376</b>	<b>7.2</b>	<b>715</b>	<b>13.6</b>

\* The former Yugoslav Republic of Macedonia

	Latin America & Caribbean		South & South-east Asia		Other		Unknown		Total	Country
	N	%	N	%	N	%	N	%		
0	0	0	0	0	0	0	60	93.8	64	Austria
0	0	0	0	0	1	1.2	11	13.6	81	Belgium
0	0	0	0	0	0	0	0	0	8	Bulgaria
0	0	0	0	0	0	0	0	0	4	Cyprus
0	0	2	8.7	0	0	0	0	0	23	Czech Republic
0	0	0	0	0	0	0	32	100	32	Denmark
0	0	0	0	0	0	0	0	0	57	Estonia
0	0	4	12.1	2	6.1	1	3		33	Finland
46	7.7	4	0.7	15	2.5	18	3		596	France
1	0.3	12	4.2	3	1	21	7.3		287	Germany
1	1.3	0	0	1	1.3	0	0		77	Greece
0	0	2	8.7	0	0	0	0		23	Hungary
1	3.2	1	3.2	1	3.2	2	6.5		31	Ireland
-	-	-	-	-	-	-	-		-	Italy
0	0	0	0	0	0	9	16.7		54	Latvia
0	0	0	0	0	0	0	0		28	Lithuania
0	0	0	0	0	0	0	0		10	Luxembourg
0	0	0	0	0	0	0	0		2	Malta
25	10.4	8	3.3	11	4.6	0	0		241	Netherlands
0	0	0	0	0	0	0	0		101	Poland
8	2.5	2	0.6	1	0.3	5	1.6		320	Portugal
0	0	0	0	0	0	0	0		261	Romania
0	0	0	0	0	0	0	0		6	Slovakia
0	0	0	0	0	0	0	0		9	Slovenia
62	6.9	2	0.2	14	1.6	103	11.5		893	Spain
0	0	0	0	0	0	62	100		62	Sweden
15	2.3	27	4.2	11	1.7	33	5.1		645	United Kingdom
<b>159</b>	<b>4</b>	<b>64</b>	<b>1.6</b>	<b>60</b>	<b>1.5</b>	<b>357</b>	<b>9</b>		<b>3 948</b>	<b>Total EU</b>
0	0	0	0	0	0	0	0		0	Iceland
0	0	1	11.1	0	0	0	0		9	Norway
9	6	7	4.7	0	0	5	3.4		149	Switzerland
<b>168</b>	<b>4.1</b>	<b>72</b>	<b>1.8</b>	<b>60</b>	<b>1.5</b>	<b>362</b>	<b>8.8</b>		<b>4 106</b>	<b>Total EU+EFTA</b>
0	0	0	0	0	0	0	0		17	Albania
0	0	0	0	0	0	0	0		0	Andorra
0	0	0	0	0	0	0	0		59	Armenia
0	0	0	0	0	0	0	0		201	Azerbaijan
0	0	0	0	0	0	0	0		256	Belarus
0	0	0	0	0	0	0	0		4	Bosnia and Herzegovina
0	0	1	11.1	0	0	0	0		9	Croatia
0	0	5	2.8	0	0	0	0		181	Georgia
0	0	0	0	1	2.8	1	2.8		36	Israel
-	-	-	-	-	-	-	-		-	Kazakhstan
0	0	0	0	0	0	0	0		22	Kyrgyzstan
0	0	0	0	0	0	0	0		7	Macedonia, F.Y.R.*
-	-	-	-	-	-	-	-		-	Monaco
0	0	0	0	0	0	0	0		3	Montenegro
0	0	0	0	0	0	0	0		211	Republic of Moldova
-	-	-	-	-	-	-	-		-	Russian Federation
0	0	0	0	0	0	0	0		0	San Marino
0	0	0	0	0	0	0	0		42	Serbia
0	0	0	0	0	0	0	0		31	Tajikistan
0	0	0	0	1	4.2	0	0		24	Turkey
0	0	0	0	0	0	0	0		0	Turkmenistan
-	-	-	-	-	-	-	-		-	Ukraine
0	0	0	0	0	0	0	0		35	Uzbekistan
<b>0</b>	<b>0</b>	<b>6</b>	<b>0.5</b>	<b>2</b>	<b>0.2</b>	<b>1</b>	<b>0.1</b>		<b>1 138</b>	<b>Total non-EU/EFTA</b>
168	4.7	68	1.9	61	1.7	354	9.9		3 568	West
0	0	5	0.9	1	0.2	0	0		541	Centre
0	0	5	0.4	0	0	9	0.8		1 135	East
<b>168</b>	<b>3.2</b>	<b>78</b>	<b>1.5</b>	<b>62</b>	<b>1.2</b>	<b>363</b>	<b>6.9</b>		<b>5 244</b>	<b>Total WHO European Region</b>

**Table 21:** AIDS cases diagnosed in 2007 by geographical area, transmission group and country or subcontinent of origin, in EU/EFTA and non-EU/EFTA countries of WHO European Region (Table 21A); and by geographical region West, Centre, East (Table 21B)

**Table 21A:** EU/EFTA and non-EU/EFTA countries

Area	Transmission group	Country of report		Western Europe		Central & Eastern Europe		Sub-Saharan Africa	
		N	%	N	%	N	%	N	%
EU/EFTA	Men who have sex with men	746	75.2	40	4	15	1.5	14	1.4
	Injecting drug user	650	80.1	25	3.1	35	4.3	9	1.1
	Heterosexual contact	779	44.6	26	1.5	27	1.5	611	35
	Mother-to-child	16	40	1	2.5	1	2.5	16	40
	Haemophiliac/Transfusion recipient	19	73.1	1	3.8	1	3.8	3	11.5
	Nosocomial infection	0	0	0	0	0	0	2	100
	Other/undetermined	348	71	5	1	17	3.5	37	7.6
<b>Total EU/EFTA</b>		<b>2558</b>	<b>62.3</b>	<b>98</b>	<b>2.4</b>	<b>96</b>	<b>2.3</b>	<b>692</b>	<b>16.9</b>
Non-EU/EFTA	Men who have sex with men	26	70.3	4	10.8	7	18.9	0	0
	Injecting drug user	330	55.2	0	0	267	44.6	0	0
	Heterosexual contact	216	52.6	0	0	168	40.9	23	5.6
	Mother-to-child	16	50	1	3.1	12	37.5	0	0
	Haemophiliac/Transfusion recipient	3	100	0	0	0	0	0	0
	Nosocomial infection	1	25	0	0	3	75	0	0
	Other/undetermined	26	49.1	2	3.8	24	45.3	0	0
<b>Total non-EU/EFTA</b>		<b>618</b>	<b>54.3</b>	<b>7</b>	<b>0.6</b>	<b>481</b>	<b>42.3</b>	<b>23</b>	<b>2</b>
<b>Total</b>	<b>Total WHO European Region</b>	<b>3176</b>	<b>60.6</b>	<b>105</b>	<b>2</b>	<b>577</b>	<b>11</b>	<b>715</b>	<b>13.6</b>

**Table 21B:** WHO geographical regions

Area	Transmission group	Country of report		Western Europe		Central & Eastern Europe		Sub-Saharan Africa	
		N	%	N	%	N	%	N	%
West	Men who have sex with men	693	73.7	44	4.7	12	1.3	14	1.5
	Injecting drug user	523	79.7	25	3.8	12	1.8	9	1.4
	Heterosexual contact	613	38.7	26	1.6	15	0.9	631	39.9
	Mother-to-child	12	32.4	2	5.4	1	2.7	16	43.2
	Haemophiliac/Transfusion recipient	2	28.6	0	0	0	0	3	42.9
	Nosocomial infection	0	0	0	0	0	0	2	100
	Other/undetermined	206	60.1	7	2	12	3.5	37	10.8
<b>Total West</b>		<b>2049</b>	<b>57.4</b>	<b>104</b>	<b>2.9</b>	<b>52</b>	<b>1.5</b>	<b>712</b>	<b>20</b>
Centre	Men who have sex with men	73	96.1	0	0	3	3.9	0	0
	Injecting drug user	78	96.3	0	0	1	1.2	0	0
	Heterosexual contact	192	95	0	0	3	1.5	3	1.5
	Mother-to-child	5	100	0	0	0	0	0	0
	Haemophiliac/Transfusion recipient	18	90	1	5	1	5	0	0
	Nosocomial infection	1	100	0	0	0	0	0	0
	Other/undetermined	154	98.7	0	0	2	1.3	0	0
<b>Total Centre</b>		<b>521</b>	<b>96.3</b>	<b>1</b>	<b>0.2</b>	<b>10</b>	<b>1.8</b>	<b>3</b>	<b>0.6</b>
East	Men who have sex with men	6	46.2	0	0	7	53.8	0	0
	Injecting drug user	379	56.4	0	0	289	43	0	0
	Heterosexual contact	190	51.2	0	0	177	47.7	0	0
	Mother-to-child	15	50	0	0	12	40	0	0
	Haemophiliac/Transfusion recipient	2	100	0	0	0	0	0	0
	Nosocomial infection	0	0	0	0	3	100	0	0
	Other/undetermined	14	31.8	0	0	27	61.4	0	0
<b>Total East</b>		<b>606</b>	<b>53.4</b>	<b>0</b>	<b>0</b>	<b>515</b>	<b>45.4</b>	<b>0</b>	<b>0</b>
<b>Total</b>	<b>Total WHO European Region</b>	<b>3176</b>	<b>60.6</b>	<b>105</b>	<b>2</b>	<b>577</b>	<b>11</b>	<b>715</b>	<b>13.6</b>

	Latin America & Caribbean		South & South-east Asia		Other		Unknown		Total	Transmission group
	N	%	N	%	N	%	N	%		
	50	5	15	1.5	14	1.4	98	9.9	992	Men who have sex with men
	3	0.4	5	0.6	12	1.5	72	8.9	811	Injecting drug user
	101	5.8	46	2.6	21	1.2	134	7.7	1745	Heterosexual contact
	0	0	0	0	1	2.5	5	12.5	40	Mother-to-child
	1	3.8	0	0	0	0	1	3.8	26	Haemophiliac/Transfusion recipient
	0	0	0	0	0	0	0	0	2	Nosocomial infection
	13	2.7	6	1.2	12	2.4	52	10.6	490	Other/undetermined
	<b>168</b>	<b>4.1</b>	<b>72</b>	<b>1.8</b>	<b>60</b>	<b>1.5</b>	<b>362</b>	<b>8.8</b>	<b>4106</b>	<b>Total EU/EFTA</b>
	0	0	0	0	0	0	0	0	37	Men who have sex with men
	0	0	0	0	0	0	1	0.2	598	Injecting drug user
	0	0	3	0.7	1	0.2	0	0	411	Heterosexual contact
	0	0	3	9.4	0	0	0	0	32	Mother-to-child
	0	0	0	0	0	0	0	0	3	Haemophiliac/Transfusion recipient
	0	0	0	0	0	0	0	0	4	Nosocomial infection
	0	0	0	0	1	1.9	0	0	53	Other/undetermined
	<b>0</b>	<b>0</b>	<b>6</b>	<b>0.5</b>	<b>2</b>	<b>0.2</b>	<b>1</b>	<b>0.1</b>	<b>1138</b>	<b>Total non-EU/EFTA</b>
	<b>168</b>	<b>3.2</b>	<b>78</b>	<b>1.5</b>	<b>62</b>	<b>1.2</b>	<b>363</b>	<b>6.9</b>	<b>5244</b>	<b>Total WHO European Region</b>

	Latin America & Caribbean		South & South-east Asia		Other		Unknown		Total	Transmission group
	N	%	N	%	N	%	N	%		
	50	5.3	15	1.6	14	1.5	98	10.4	940	Men who have sex with men
	3	0.5	3	0.5	12	1.8	69	10.5	656	Injecting drug user
	101	6.4	44	2.8	21	1.3	132	8.3	1583	Heterosexual contact
	0	0	0	0	1	2.7	5	13.5	37	Mother-to-child
	1	14.3	0	0	0	0	1	14.3	7	Haemophiliac/Transfusion recipient
	0	0	0	0	0	0	0	0	2	Nosocomial infection
	13	3.8	6	1.7	13	3.8	49	14.3	343	Other/undetermined
	<b>168</b>	<b>4.7</b>	<b>68</b>	<b>1.9</b>	<b>61</b>	<b>1.7</b>	<b>354</b>	<b>9.9</b>	<b>3568</b>	<b>Total West</b>
	0	0	0	0	0	0	0	0	76	Men who have sex with men
	0	0	2	2.5	0	0	0	0	81	Injecting drug user
	0	0	3	1.5	1	0.5	0	0	202	Heterosexual contact
	0	0	0	0	0	0	0	0	5	Mother-to-child
	0	0	0	0	0	0	0	0	20	Haemophiliac/Transfusion recipient
	0	0	0	0	0	0	0	0	1	Nosocomial infection
	0	0	0	0	0	0	0	0	156	Other/undetermined
	<b>0</b>	<b>0</b>	<b>5</b>	<b>0.9</b>	<b>1</b>	<b>0.2</b>	<b>0</b>	<b>0</b>	<b>541</b>	<b>Total Centre</b>
	0	0	0	0	0	0	0	0	13	Men who have sex with men
	0	0	0	0	0	0	4	0.6	672	Injecting drug user
	0	0	2	0.5	0	0	2	0.5	371	Heterosexual contact
	0	0	3	10	0	0	0	0	30	Mother-to-child
	0	0	0	0	0	0	0	0	2	Haemophiliac/Transfusion recipient
	0	0	0	0	0	0	0	0	3	Nosocomial infection
	0	0	0	0	0	0	3	6.8	44	Other/undetermined
	<b>0</b>	<b>0</b>	<b>5</b>	<b>0.4</b>	<b>0</b>	<b>0</b>	<b>9</b>	<b>0.8</b>	<b>1135</b>	<b>Total East</b>
	<b>168</b>	<b>3.2</b>	<b>78</b>	<b>1.5</b>	<b>62</b>	<b>1.2</b>	<b>363</b>	<b>6.9</b>	<b>5244</b>	<b>Total WHO European Region</b>





**Table 22: Deaths among AIDS cases by country and year of death (2003–2007) and cumulative totals\* in EU/EFTA and non-EU/EFTA countries of WHO European Region**

Area	Country	Year of death					Cumulative total*
		2003	2004	2005	2006	2007	
EU	Austria	28	26	36	16	23	1463
	Belgium	31	42	41	15	7	1837
	Bulgaria	4	10	12	8	2	67
	Cyprus	2	1	1	0	2	65
	Czech Republic	3	4	10	5	9	133
	Denmark	28	31	27	19	20	2001
	Estonia	5	15	12	18	11	82
	Finland	4	6	5	3	4	238
	France	485	421	396	306	169	35 040
	Germany	172	202	141	140	85	13 657
	Greece	60	26	49	37	38	1541
	Hungary	10	13	6	7	12	298
	Ireland	4	8	8	6	6	394
	Italy	-	-	-	-	-	-
	Latvia	14	19	31	24	28	137
	Lithuania	5	10	5	9	17	72
	Luxembourg	0	0	0	0	0	0
	Malta	1	1	2	5	0	55
	Netherlands	35	34	39	24	10	200
	Poland	62	66	65	43	52	906
Portugal	398	319	204	183	93	6 724	
Romania	214	218	232	192	163	5 078	
Slovakia	0	3	0	4	3	31	
Slovenia	1	2	2	0	2	78	
Spain	1000	728	667	497	204	41 016	
Sweden	22	17	19	8	6	1 323	
United Kingdom	315	235	278	223	205	13 998	
<b>Total EU</b>		<b>2 903</b>	<b>2 457</b>	<b>2 288</b>	<b>1 792</b>	<b>1 171</b>	<b>126 434</b>
EFTA	Iceland	0	1	0	1	0	37
	Norway	13	14	15	6	1	615
	Switzerland	94	88	67	56	43	5 738
	<b>Total EU+EFTA</b>	<b>3 010</b>	<b>2 560</b>	<b>2 370</b>	<b>1 855</b>	<b>1 215</b>	<b>132 824</b>
Non-EU/EFTA	Albania	2	0	1	3	6	17
	Andorra	-	0	0	0	0	0
	Armenia	7	11	7	15	20	82
	Azerbaijan	11	20	18	14	44	135
	Belarus	31	59	78	138	130	479
	Bosnia and Herzegovina	3	3	3	5	1	54
	Croatia	6	2	3	6	1	130
	Georgia	21	49	56	37	67	285
	Israel	42	24	28	24	22	696
	Kazakhstan	51	64	77	85	-	358
	Kyrgyzstan	9	8	24	16	18	83
	Macedonia, F.Y.R.**	2	1	4	4	2	54
	Monaco	-	-	-	-	-	-
	Montenegro	1	1	0	1	1	26
	Republic of Moldova	26	19	19	17	26	146
	Russian Federation	-	-	-	-	-	-
	San Marino	1	0	0	0	0	8
	Serbia	27	27	25	24	15	923
	Tajikistan	0	0	0	0	11	11
	Turkey	5	7	4	2	0	74
	Turkmenistan	0	0	0	0	0	1
	Ukraine	730	965	1 532	1 500	-	6 053
	Uzbekistan	10	22	9	9	19	93
<b>Total non-EU/EFTA</b>		<b>985</b>	<b>1 282</b>	<b>1 888</b>	<b>1 900</b>	<b>383</b>	<b>9 708</b>
Total	West	2 733	2 223	2 022	1 569	936	126 581
	Centre	342	358	368	304	271	7 934
	East	920	1 261	1 868	1 882	391	8 017
	<b>Total WHO European Region</b>	<b>3 995</b>	<b>3 842</b>	<b>4 258</b>	<b>3 755</b>	<b>1 598</b>	<b>142 532</b>

\* Cumulative total is the total number of cases reported by country since the start of reporting

\*\* The former Yugoslav Republic of Macedonia

**Table 23:** Deaths among AIDS cases by geographical area, transmission group and year of death (2003–2007) and cumulative totals\*, in EU/EFTA and non-EU/EFTA countries of WHO European Region (Table 23A); and by geographical region West, Centre, East (Table 23B)

**Table 23A:** EU/EFTA and non-EU/EFTA countries

Area	Transmission route	2003		2004		2005	
		Men	Women	Men	Women	Men	Women
EU/EFTA	Men who have sex with men	596	0	493	0	475	0
	Injecting drug user	947	265	738	169	667	149
	Heterosexual contact	491	289	458	300	428	282
	Mother-to-child	15	6	5	8	16	10
	Haemophilic/Transfusion recipient	34	15	34	21	29	17
	Nosocomial infection	50	42	39	27	36	26
	Other/undetermined	198	62	205	63	178	57
	<b>Total</b>	<b>2331</b>	<b>679</b>	<b>1972</b>	<b>588</b>	<b>1829</b>	<b>541</b>
Non-EU/EFTA	Men who have sex with men	15	0	14	0	16	0
	Injecting drug user	542	134	687	211	1073	328
	Heterosexual contact	118	88	121	125	172	151
	Mother-to-child	1	2	0	1	4	2
	Haemophilic/Transfusion recipient	0	2	1	1	2	0
	Nosocomial infection	0	0	0	0	1	1
	Other/undetermined	60	21	97	24	104	34
	<b>Total</b>	<b>736</b>	<b>247</b>	<b>920</b>	<b>362</b>	<b>1372</b>	<b>516</b>
<b>Total</b>	<b>Total WHO European Region</b>	<b>3067</b>	<b>926</b>	<b>2892</b>	<b>950</b>	<b>3201</b>	<b>1057</b>

**Table 23B:** WHO geographical regions

Area	Transmission route	2003		2004		2005	
		Men	Women	Men	Women	Men	Women
West	Men who have sex with men	572	0	467	0	460	0
	Injecting drug user	904	261	690	155	609	136
	Heterosexual contact	479	270	413	281	381	241
	Mother-to-child	8	6	4	4	10	10
	Haemophilic/Transfusion recipient	22	8	19	9	13	6
	Nosocomial infection	0	0	0	0	0	1
	Other/undetermined	172	31	158	23	133	22
	<b>Total</b>	<b>2157</b>	<b>576</b>	<b>1751</b>	<b>472</b>	<b>1606</b>	<b>416</b>
Centre	Men who have sex with men	33	0	28	0	26	0
	Injecting drug user	42	9	41	8	41	9
	Heterosexual contact	40	32	60	36	63	42
	Mother-to-child	7	0	1	3	7	0
	Haemophilic/Transfusion recipient	12	9	16	13	18	11
	Nosocomial infection	50	42	39	27	36	25
	Other/undetermined	35	31	48	38	54	36
	<b>Total</b>	<b>219</b>	<b>123</b>	<b>233</b>	<b>125</b>	<b>245</b>	<b>123</b>
East	Men who have sex with men	6	0	12	0	5	0
	Injecting drug user	543	129	694	217	1090	332
	Heterosexual contact	90	75	106	108	156	150
	Mother-to-child	1	2	0	2	3	2
	Haemophilic/Transfusion recipient	0	0	0	0	0	0
	Nosocomial infection	0	0	0	0	1	1
	Other/undetermined	51	21	96	26	95	33
	<b>Total East</b>	<b>691</b>	<b>227</b>	<b>908</b>	<b>353</b>	<b>1350</b>	<b>518</b>
<b>Total</b>	<b>Total WHO European Region</b>	<b>3067</b>	<b>926</b>	<b>2892</b>	<b>950</b>	<b>3201</b>	<b>1057</b>

\* Cumulative total is the total number of cases reported by country since the start of reporting

	2006		2007		Cumulative total*		Transmission route
	Men	Women	Men	Women	Men	Women	
	372	0	277	0	49 299	.	Men who have sex with men
	503	106	267	68	36 145	9 388	Injecting drug user
	350	212	224	156	12 043	8 663	Heterosexual contact
	10	6	7	2	812	698	Mother-to-child
	22	11	10	9	4 382	1 665	Haemophiliac/Transfusion recipient
	40	22	26	24	1 600	1 038	Nosocomial infection
	146	55	104	41	5 675	1 416	Other/undetermined
	<b>1 443</b>	<b>412</b>	<b>915</b>	<b>300</b>	<b>109 956</b>	<b>22 868</b>	<b>Total</b>
	12	0	7	0	448	.	Men who have sex with men
	1 133	265	209	28	4 914	13 48	Injecting drug user
	198	181	61	38	1 115	904	Heterosexual contact
	3	1	5	3	51	37	Mother-to-child
	0	0	3	0	139	30	Haemophiliac/Transfusion recipient
	0	1	3	0	4	5	Nosocomial infection
	65	41	19	7	537	170	Other/undetermined
	<b>1 411</b>	<b>489</b>	<b>307</b>	<b>76</b>	<b>7 208</b>	<b>2 494</b>	<b>Total</b>
	<b>2 854</b>	<b>901</b>	<b>1 222</b>	<b>376</b>	<b>117 164</b>	<b>25 362</b>	<b>Total WHO European Region</b>

	2006		2007		Cumulative total*		Transmission route
	Men	Women	Men	Women	Men	Women	
	359	0	249	0	48 778	.	Men who have sex with men
	451	95	198	58	35 696	9 287	Injecting drug user
	311	189	197	137	11 721	8 451	Heterosexual contact
	4	3	2	2	682	638	Mother-to-child
	14	5	3	2	3 786	1 241	Haemophiliac/Transfusion recipient
	0	2	0	0	10	13	Nosocomial infection
	105	31	72	16	5 209	1 069	Other/undetermined
	<b>1 244</b>	<b>325</b>	<b>721</b>	<b>215</b>	<b>105 882</b>	<b>20 699</b>	<b>Total</b>
	21	0	31	0	885	.	Men who have sex with men
	31	6	35	8	790	197	Injecting drug user
	60	33	41	23	667	446	Heterosexual contact
	7	3	5	0	149	74	Mother-to-child
	8	6	9	7	730	452	Haemophiliac/Transfusion recipient
	40	20	26	24	1 590	1 025	Nosocomial infection
	44	25	37	25	567	360	Other/undetermined
	<b>211</b>	<b>93</b>	<b>184</b>	<b>87</b>	<b>5 378</b>	<b>2 554</b>	<b>Total</b>
	4	0	4	0	84	.	Men who have sex with men
	1 154	270	243	30	4 573	12 52	Injecting drug user
	177	171	47	34	770	670	Heterosexual contact
	2	1	5	3	32	23	Mother-to-child
	0	0	1	0	5	2	Haemophiliac/Transfusion recipient
	0	1	3	0	4	5	Nosocomial infection
	62	40	14	7	436	157	Other/undetermined
	<b>1 399</b>	<b>483</b>	<b>317</b>	<b>74</b>	<b>5 904</b>	<b>2 109</b>	<b>Total East</b>
	<b>2 854</b>	<b>901</b>	<b>1 222</b>	<b>376</b>	<b>117 164</b>	<b>25 362</b>	<b>Total WHO European Region</b>

**Table 24:** Total number of HIV tests performed, excluding unlinked anonymous testing and testing of blood donations, by country and year (2003–2007) and number of tests per 1 000 population in 2007, WHO European Region

Area	Country	Number of HIV tests					Tests/1000 population
		2003	2004	2005	2006	2007	
EU	Austria	697 869	698 099	667 825	659 693	777 935	93.6
	Belgium	559 740	593 054	591 193	578 717	595 394	56.0
	Bulgaria	120 000	110 000	110 000	105 000	160 000	20.9
	Cyprus	33 337	38 796	38 708	37 763	41 913	53.3
	Czech Republic	309 270	322 267	330 230	317 823	344 874	33.4
	Denmark	136 420	137 708	143 671	154 332	-	-
	Estonia	52 109	59 474	61 249	65 861	68 478	51.0
	Finland	132 983	144 613	142 427	147 601	153 478	29.0
	France <sup>a</sup>	4 700 000	4 900 000	5 300 000	5 000 000	5 000 000	78.7
	Germany <sup>a</sup>	-	2 277 000	-	-	-	-
	Greece	8 700	9 629	9 169	9 840	12 534	1.1
	Hungary	93 304	109 992	70 512	80 168	65 980	6.6
	Ireland <sup>b</sup>	-	-	-	-	63 000	14.4
	Italy	-	-	-	-	-	-
	Latvia	82 629	84 054	85 538	85 117	79 279	34.8
	Lithuania	88 912	59 822	58 424	52 988	60 330	17.9
	Luxembourg	13 317	14 794	13 975	14 339	13 379	27.9
	Malta	4 648	6 194	6 197	10 309	11 957	29.2
	Netherlands	-	-	-	-	-	-
	Poland	123 725	126 738	136 040	159 180	176 728	4.6
Portugal <sup>c</sup>	507 743	-	917 117	-	-	-	
Romania	175 717	220 734	188 279	191 223	220 226	10.2	
Slovakia	51 276	94 173	103 718	93 426	85 520	15.8	
Slovenia	22 023	22 014	24 522	25 624	31 120	15.4	
Spain	-	-	-	-	-	-	
Sweden	-	-	-	-	-	-	
United Kingdom	-	-	-	-	-	-	
	<b>Total EU</b>	<b>7 913 722</b>	<b>10 029 155</b>	<b>8 998 794</b>	<b>7 789 004</b>	<b>7 962 125</b>	
EFTA	Iceland	8 870	9 001	9 397	9 106	9 351	30.1
	Norway	183 830	187 606	193 075	188 550	-	-
	Switzerland <sup>a</sup>	319 000	-	-	-	-	-
	<b>Total EU+EFTA</b>	<b>8 425 422</b>	<b>10 225 762</b>	<b>9 201 266</b>	<b>7 986,660</b>	<b>7 971 476</b>	
Non-EU/EFTA	Albania	3 959	2 862	3 700	3 098	-	-
	Andorra	1 408	1 460	1 884	3 077	3 546	43.1
	Armenia	9 870	14 415	39 469	50 221	55 342	17.2
	Azerbaijan	167 717	202 271	237 027	237 183	293 086	34.2
	Belarus	337 900	449 479	440 675	441 299	437 983	45.1
	Bosnia and Herzegovina	-	15 755	10 834	20 904	16 858	4.4
	Croatia	28 168	27 925	24 897	26 124	32 698	7.4
	Georgia	30 371	24 311	26 026	16 989	17 024	3.9
	Israel	207 016	203 537	234 391	246 892	269 071	38.6
	Kazakhstan	614 768	893 642	987 866	1 194 677	1 762 768	119.1
	Kyrgyzstan	137 781	144 927	162 075	179 407	227 879	42.3
	Macedonia, F.Y.R.*	4 322	4 983	7 526	11 172	10 574	5.2
	Monaco	-	-	-	-	-	-
	Montenegro	3 405	3 376	3 594	3 988	-	-
	Republic of Moldova	95 188	160 978	185 922	216 566	-	-
	Russian Federation	-	-	-	-	-	-
	San Marino	3 517	4 893	4 723	5 061	3 600	117.7
	Serbia <sup>d</sup>	20 087	27 021	35 083	37 829	42 573	5.8
	Tajikistan	38 774	50 721	72 114	91 310	92 474	13.8
	Turkey	1 139 509	1 207 258	1 881 750	1 908 257	1 998 163	28.5
Turkmenistan	127 607	121 398	153 090	136 145	211 789	42.7	
Ukraine	147 2542	1 527 181	1 555 511	1 661 600	1 937 440	41.7	
Uzbekistan	366 169	446 317	515 972	545 240	619 130	22.6	
	<b>Total non-EU/EFTA</b>	<b>4 810 078</b>	<b>5 534 710</b>	<b>6 584 129</b>	<b>7 037 039</b>	<b>8 031 998</b>	
Total	West	7 483 653	9 186 128	8 233 160	7 024 440	6 909 699	
	Centre	2 129 510	2 335 354	2 971 277	3 024 656	3 230 773	
	East	3 622 337	4 238 990	4 580 958	4 974 603	5 863 002	
	<b>Total WHO European Region</b>	<b>13 235 500</b>	<b>15 760 472</b>	<b>15 785 395</b>	<b>15 023 699</b>	<b>16 003 474</b>	

\* The former Yugoslav Republic of Macedonia

a Estimates

b Data only from one laboratory

c Data from the 5 Regional Health Administrations; Azores and Madeira not included

d Data from VCT centres, related to the number of persons tested rather than the number of tests performed

# Figures

**Figure 1:** Number of HIV infections newly diagnosed (right axis), AIDS cases diagnosed and AIDS deaths (left axis) in the WHO European Region (2000–2007)






Figure 2: HIV infections by transmission mode, origin and geographical area, as reported in 2000–2007




Data not included from: West: Andorra, Austria, France, Italy, Malta, Monaco, Spain; Centre: Serbia; East: Russian Federation.

**Figure 3:** HIV infections newly diagnosed, per million population, reported in 2007 (maps): all cases; heterosexual cases; injecting drug users cases; men who have sex with men cases

**Map:** HIV infections newly diagnosed, per million population, reported in 2007: All cases




**Map:** HIV infections newly diagnosed, per million population, reported in 2007: Heterosexual cases



Excludes persons originating from countries with generalised epidemics.



**Map:** HIV infections newly diagnosed, per million population, reported in 2007: Injecting drug users cases



**Map:** HIV infections newly diagnosed, per million population, reported in 2007: Men who have sex with men cases





Figure 4: AIDS cases diagnosed by transmission mode, origin and geographical area, 2000–2007



Data not included from: West: Andorra, Italy, Monaco; East: Kazakhstan, Russian Federation, Ukraine.

# Annexes

**Annex 1: List of variables in the new TESSy format for the 2007 HIV/AIDS data collection**

HIV case-based	HIV Aggregated	AIDS case-based
<b>Common set of variables</b>		
1. RecordID 2. RecordType 3. RecordTypeVersion 4. Subject 5. Status 6. DataSource 7. Age 8. Gender 9. Outcome 10. DateOfOnset 11. DateOfDiagnosis 12. DateOfNotification 13. DateUsedForStatistics 14. ReportingCountry 15. Classification 16. ClinicalCriteria 17. LaboratoryResult 18. EpiLinked	1. RecordType 2. RecordTypeVersion 3. Subject 4. DataSource 5. AgeClass 6. Gender 7. Classification 8. DateUsedForStatistics 9. ReportingCountry 10. NumberOfCases	1. RecordID 2. RecordType 3. RecordTypeVersion 4. Subject 5. Status 6. DataSource 7. Age 8. Gender 9. Outcome 10. DateOfOnset 11. DateOfDiagnosis 12. DateOfNotification 13. DateUsedForStatistics 14. ReportingCountry 15. Classification 16. ClinicalCriteria 17. LaboratoryResult 18. EpiLinked
<b>Disease-specific set of variables</b>		
19. HIVType 20. Stage 21. Transmission 22. TransmissionHetero 23. TransmissionMTCT 24. HIVStatus 25. DateOfAIDSDiagnosis 26. DateOfDeath 27. CountryOfBirth 28. CountryOfNationality 29. RegionOfOrigin 30. CD4Cells	11. Transmission 12. DateSpecified	19. HIVType 20. ARTTreatment 21. Transmission 22. TransmissionHetero 23. TransmissionMTCT 24. DateOfHIVDiagnosis 25. DateOfDeath 26. DateOfReportDeath 27. CountryOfBirth 28. CountryOfNationality 29. RegionOfOrigin 30. AIDSIndicatorDisease 31. AgeClass

## Annex 2: Country specific comments regarding national HIV and AIDS reporting

Area	Country	Comments
EU	Austria	
	Belgium	
	Bulgaria	Case-based reporting of HIV is available from 2007 onwards
	Cyprus	
	Czech Republic	
	Denmark	
	Estonia	Data not available by transmission group, except for IDU
	Finland	
	France	New HIV reporting system started in 2003 (data March-December); data in the MSM transmission group include cases that are both MSM and IDU
	Germany	
	Greece	Retrospective reporting before 1999; data for 1999 include many cases diagnosed in previous years
	Hungary	
	Ireland	HIV is not notifiable in Ireland and date of notification is the date of reporting of a new infection
	Italy	
	Latvia	
	Lithuania	
	Luxembourg	
	Malta	New HIV reporting system started in 2004
	Netherlands	New HIV reporting system started in 2002; 2002 data include many cases diagnosed in previous years. Data prior to 2002 are from a national cohort of HIV-positive adults receiving antiretroviral therapy; 1999 data include many cases diagnosed in previous years.
	Poland	
Portugal	HIV reporting system modified in 2000: data for 2000 include many cases diagnosed in previous years; data prior to 2000 not available by year	
Romania		
Slovakia		
Slovenia		
Spain	HIV reporting has existed since the 1980s in some of the 19 autonomous regions of Spain. Data for 2003–2007 are only available for 8 regions (Balearic Islands, Basque Country, Canary Islands, Catalonia, Ceuta, Extremadura, La Rioja, Navarre); rates based on the population of the 8 regions: 13.83 million in 2005 (32% of total population).	
Sweden		
United Kingdom	UK reported a notification peak in 2005 and 2006; national HIV statistics are reflected in 'date of diagnosis' (Table 1A).	
EFTA	Iceland	
	Norway	
	Switzerland	
Non-EU/EFTA	Albania	
	Andorra	New HIV reporting system started in 2004; 2004 data include many cases diagnosed in previous years
	Armenia	
	Azerbaijan	
	Belarus	
	Bosnia and Herzegovina	
	Croatia	
	Georgia	
	Israel	
	Kazakhstan	
	Kyrgyzstan	
	Macedonia, F.Y.R.*	
	Monaco	
	Montenegro	
	Republic of Moldova	
	Russian Federation	
	San Marino	
	Serbia	
Tajikistan		
Turkey		
Turkmenistan		
Ukraine	Excluding mother-to-child cases	
Uzbekistan		

\* The former Yugoslav Republic of Macedonia

## Annex 3: HIV/AIDS surveillance in Europe: participating countries and national insitutions

Area	Country	
EU	Austria	Federal Ministry of Health, Family and Youth
	Belgium	Scientific Institute of Public Health Department Epidemiology
	Bulgaria	Ministry of Health
	Cyprus	Ministry of Health
	Czech Republic	National Institute of Public Health
	Denmark	Statens Serum Institut
	Estonia	Health Protection Inspectorate
	Finland	National Public Health Institute (KTL)
	France	Institut de Veille Sanitaire
	Germany	Robert Koch Institute
	Greece	Hellenic Center for Disease Control and Prevention
	Hungary	National Center for Epidemiology (Országos Epidemiológiai Központ)
	Ireland	Health Protection Surveillance Centre (HPSC)
	Italy	Ministry of Health DG Prevention - Unit V
	Latvia	Public Health Agency
	Lithuania	Lithuanian AIDS centre
	Luxembourg	Centre Hospitalier
	Malta	Department of Health Promotion and Disease Prevention
	Netherlands	National Institute for Public Health and the Environment (RIVM)
	Poland	National Institute of Public Health - National Institute of Hygiene (NIZP-PZH)
Portugal	National Institute of health Dr Ricardo Jorge (Instituto Nacional de Saúde Doutor Ricardo Jorge, I.P.)	
Romania	Institute of Public Health	
Slovakia	Regional Public Health Authority of capital Bratislava	
Slovenia	National Institute of Public Health	
Spain	Instituto de Salud Carlos III Centro Nacional de Epidemiologia	
Sweden	Swedish Institute for Infectious Disease Control	
United Kingdom	Health Protection Agency Centre for Infections	
EFTA	Iceland	Health Protection Agency Centre for Infections
	Norway	Norwegian Institute of Public Health Department of Infectious Disease Epidemiology
	Switzerland	Bundesamt für Gesundheit
Non-EU/EFTA	Albania	National Institute of Public Health
	Andorra	Ministry of Health, Social Welfare and Family
	Armenia	National Center for AIDS Prevention
	Azerbaijan	Azerbaijan AIDS Center
	Belarus	National Centre for Hygiene, Epidemiology and Public Health
	Bosnia and Herzegovina	Federal Ministry of Health, Republika Srpska Federal Ministry of Health, Sarajevo
	Croatia	Croatian National Institute of Public Health
	Georgia	Infectious Diseases, AIDS & Clinical Immunology Research Center
	Israel	Ministry of Health
	Kazakhstan	Committee of State sanitary-epidemiological surveillance
	Kyrgyzstan	Republic Centre for AIDS Prevention and Control
	Macedonia, F.Y.R.*	Public Health Institute
	Monaco	Ministry of Social Health
	Montenegro	Institute of Public Health of Montenegro
	Republic of Moldova	National AIDS Center; National Center for Preventative Care
	Russian Federation	Russian Federal AIDS Center
	San Marino	Ospedale di Stato
	Serbia	Institute for Public Health of Serbia
	Tajikistan	Republican HIV/AIDS Center
	Turkey	Ministry of Health
Turkmenistan	National AIDS Prevention Center	
Ukraine	National AIDS Center	
Uzbekistan	Republican AIDS Center	

\* The former Yugoslav Republic of Macedonia



ISBN 978-92-9193-138-5



**European Centre for Disease  
Prevention and Control (ECDC)**

Postal address:  
ECDC, 171 83 Stockholm, Sweden

Visiting address:  
Tomtebodavägen 11A, Solna, Sweden

Phone +46 (0)8 58 60 1000  
Fax +46 (0)8 58 60 1001  
[www.ecdc.europa.eu](http://www.ecdc.europa.eu)

An agency of the European Union  
[www.europa.eu](http://www.europa.eu)